

# Vishay BCcomponents

# **SMD 0603 Multilayer Varistor**



QUICK REFERENCE DATA					
PARAMETER	VALUE	UNIT			
Maximum continuous voltage					
DC	5.6 to 30.0	V			
AC	4.0 to 25.0	V			
Maximum clamping voltage at 1 A	15.5 to 65	V			
Capacitance range (at 1 MHz)	150 to 825	pF			
Maximum energy (10/1000 μs)	0.1	J			
Maximum peak current	30	А			
Operating temperature range	-55 to 125 °C				
Weight	± 0.005	g			

#### **FEATURES**

- · Surface mount multilayer surge suppressor
- Inherent bidirectional clamping
- Excellent energy/volume ratio
- · Suitable for reflow soldering
- Material categorization: for definitions of compliance please see www.vishay.com/doc?99912





COMPLIANT HALOGEN FREE

#### **APPLICATIONS**

Over-voltage and transient voltage protection:

- Data lines and I/O port protection
- · Protection against ESD transients
- On-board protection of IC's and transistors
- Modem protection
- LCD protection

#### **DESCRIPTION**

Size 0603 (1608M) multilayer chip varistor with NiSn terminations.

### **PACKAGING**

Available in 8 mm paper tape, component pitch 4 mm on 180 mm reels containing 4000 pieces.

ELECTRICAL DATA AND ORDERING INFORMATION						
WORKING	VOLTAGE	BREAKDOWN VOLTAGE	MAXIMUM CLAMPING VOLTAGE	TYPICAL CAPACITANCE	PART NUMBER	
V <sub>RMS</sub>	V <sub>DC</sub>	V <sub>b</sub>	V <sub>C</sub>	С	SAP	
V	V	V	V	pF	MLV0603E3	
	< 10 µA	1 mA	1 A, 8/20 μs	1 MHz		
4.0	5.6	7.1 to 9.3	15.5	825	0403T	
7.0	9.0	11.0 to 14.0	20.0	550	0703T	
11.0	14.0	16.0 to 20.0	30.0	425	1103T	
14.0	18.0	23.0 to 28.0	40.0	225	1403T	
20.0	26.0	31.0 to 38.0	58.0	160	2003T	
25.0	30.0	37.0 to 46.0	65.0	150	2503T	


#### **Notes**

- Sinusoidal voltage assumed as normal operating condition.
   If a non-sinusoidal voltage is present, the crest voltage x 0.707 should be used for type selection.
- Breakdown voltage at a current of 1 mA, measured according to 4.5 of IEC 61051-1.
- Parts are not recommended for automotive applications.




# Vishay BCcomponents

### **DIMENSIONS** in millimeters




L <sub>1</sub>	W	T	L <sub>2</sub> and L <sub>3</sub>
1.6 ± 0.15	0.8 ± 0.15	0.9 max.	0.35 ± 0.15

### **RECOMMENDED FOOTPRINT** in millimeters



Α	В	С
1.0	1.0	3.0

### V/I CHARACTERISTICS





## **Legal Disclaimer Notice**

Vishay

### **Disclaimer**

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

## **Material Category Policy**

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

Revision: 02-Oct-12 Document Number: 91000

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Varistors category:

Click to view products by Vishay manufacturer:

Other Similar products are found below:

820443211E MLV0603E30403T MOV05131AIA MOV07231AQA MOV18131CZA R71ZOV151HC D58ZOV500RA01T1
B72214S110K151 B72214S251K151 B72260B102K1 B72280B271K1 B72500E8250L60 B72530E1140S272 B72540E250K62
B72650M0151K093 B72660M0271K093 NTE1V020 NTE1V130 NTE2V010 NTE2V130 ROV20-220M-S ROV20H201K 25FN511K
S10K11G5S5 ERZ-C07DK221U ERZ-C14DK361U ERZ-C20DK221U 207869-1 TMOV25SP625E TND10V-471KB00AAA0
B72210S271K111 B72214S200K551 B72280B112K1 B72280B381K1 B72540E 350K 62 B72590D360A60 B72650M301K93
B72670M1140K72 MOV07251ARA MOV10131EDA MOV10151EFA MOV14151CWA MOV20251DFA TVZ18EC271KBS
TVZ20EB911KBS TVZ25D201KBS TVZ25D241KBS VZ07D220KBS Z420LA20A ROV20H220M-S