


Vishay BCcomponents

Vishay Component (Huizhou) Co. Ltd. Disc Capacitor Specification



QUICK REFERENCE DATA					
DESCRIPTION	CLASS 2 (Z5V)				
Voltage (V _{DC})	500				
Min. Capacitance (pF)	80 000				
Max. Capacitance (pF)	180 000				
Mounting	Through hole				

MARKING

BC104Z

OPERATING TEMPERATURE RANGE

Class 2, 10 °C to 125 °C

TEMPERATURE COEFFICIENT

Class 2, Z5V

SECTIONAL SPECIFICATION

Class2, IEC 60348-9

CLIMATIC CATEGORY

25/085/21

FEATURES

- High capacitance
- High stability
- Compliant to RoHS directive 2002/95/EC



RoHS

APPLICATIONS

- Bypassing
- Coupling
- · Resonant circuit

DESIGN

Encapsulation is made of phenolic resin. Connection leads are made of tinned copper having a diameter of 0.8 mm with straight lead style.

CAPACITANCE RANGE

80 000 pF to 180 000 pF

RATED DC VOLTAGE

500 V

TEST DC VOLTAGE

1250 V

DIELECTRIC STRENGTH

250 % of rated voltage

INSULATION RESISTANCE AT 500 V_{DC}

10 G Ω min.

TOLERANCE ON CAPACITANCE

+ 80 %/- 20 %

DISSIPATION FACTOR

3.0 % max. at 1kHz/1.0 V_{RMS}

RESISTANCE TO SOLDERING HEAT

260 °C \pm 5 °C, 10 s \pm 1 s

ORDERING INFORMATION, CLASS 2, 500 V _{DC} , STRAIGHT								
C (pF)	TOL. (%)	D _{MAX.} (mm)	T _{MAX.} (mm)	LEAD SPACING F (mm)	LEAD DIAMETER (mm)	DR _{MAX.} (mm)	CLEAR TEXT CODE	
Class 2, Z5V								
100 000	+ 80/- 20	23.6	5.0	10.0 ± 0.8	0.8 ± 0.05	3.0	S104Z93Z5VL83L0R	



Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

Revision: 02-Oct-12 Document Number: 91000

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ceramic Disc Capacitors category:

Click to view products by Vishay manufacturer:

Other Similar products are found below:

5AU100JCECA 5AU220JCGCA 5AU560JCJCA DEF2CLH020CA3B NCD102K100Y5PTRF NCD103M500Z5UF DEF2CLH030CJ3B

101GHR102K NCD101K1KVY5FF NCD103M1KVZ5UF NCD220K1KVSLF DEF2CLH040CN3A DEF2CLH080DA3B 564R3DF0T22

C1210N561J102T CD70ZU2GA102MYAKA 8903D0 90410-10 0838-040-X7R0-220K SL102101J060BAND5P JN102MQ35FAAAAKPLP

0841-040-X5U0-103M ZU501103M090B20C6P SL102181J070HAND5P SL102151J070HAND5P ZU501102M050B20C6P

SL500180J040B20C2P ZU102103M100B20C0P F121K25S3NN63J5R F121K25S3NP63K7R F121K25S3NR63K7R F122K47S3NP63K7R

F151K29S3NR63K7R F222K47S3NN63J7R F681K43S3NR63K7R HVCC103Y6P152MEAX F681K29S3NN63J5R S103Z43Y5VN6TJ5R

TCC0805X7R472K501FT C947U392MZVDBA7317 CCK-100N CCK-22N CCK-2P2 CCK-4P7 RDE5C1H102J0ZAH03P CCK-220P

564R30GAD10KA 25YD22-R DEJF3E2472ZB3B DEA1X3F390JC3B