

NOTES:


1. ROHS COMPLIANT
2. MATERIALS:
 FIBER OPTIC: $\varnothing 1.5\text{MM}$ OPTICAL CORE, $\varnothing 2.2\text{MM}$ POLYETHYLENE CABLE JACKET
 LENS MOUNT: OPTICAL GRADE ACRYLIC
 LED MOUNTS: FOR SMD 22 & THR 22 - NYLON 66, UL RATING 94-V2
 FOR THR 5 22 - NYLON 66, UL RATING 94-HB
 LENS: POLYCARBONATE, UL RATING 94-V2
 LENS SPACER: POLYPROPYLENE
3. OPTICAL CORE ENDS POLISHED TO 10 MICRONS
4. PANEL MOUNTING HOLE: $.171" \pm .002$ ($4.34\text{mm} \pm 0.05$) ON $1/4"$ (6.35mm) CENTERS
5. PANEL THICKNESS FOR SML 190: $1/32"$ (0.79mm) TO $1/16"$ (1.60mm);
 SMB 200 AND SMQ 250: $1/16"$ (1.60mm) TO $1/8"$ (3.48mm)
6. FOR ADDED SECURITY FOR SMB 200 AND SMQ 250 USE SPC 040 SPACER
7. FOR BEST RESULTS USE ONLY NARROW VIEWING ANGLE NON-DIFFUSED LEDS WITH OUTPUT POWER GREATER THAN 100mcd
8. U.S. AND FOREIGN PATENTS ISSUED

LITE PIPE ASSEMBLY
 ORDERING CODE (EXAMPLE): **FLX3 XX**


LENGTH	
LENGTH CODE	ACTUAL LENGTH
02	2.0"
04	4.0"
06	6.0"
08	8.0"
12	12.0"
CUSTOM LENGTHS AVAILABLE UPON REQUEST	

REVISIONS					
ECN #	REV.	DESCRIPTION	DATE	INITIALS	CHK'D
-	001	INITIAL RELEASE	2/4/10	KH	AZ
-	002	MOD TO NOTE 4&5: CHG $\varnothing .059$ TO $\varnothing .039$	7/20/10	KH	AZ
-	003	REVISED PER ECR 092810AA01	10/4/10	KH	AZ
397	004	REVISED PER ECR 011812KH01	1/19/12	KH	AZ


MOUNTING OPTIONS (ORDER SEPARATELY)




SMD 22




THR 22




THR 5 22




LENS (ORDER SEPARATELY)





SMB 200



SML 190



SMQ 250

<small>DIMENSION STYLE: INCHES (MM) GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED</small> <table border="1"> <tr> <th>INCHES</th> <th>MM</th> </tr> <tr> <td>X</td> <td>$\pm .020$ $\pm .508$</td> </tr> <tr> <td>XX</td> <td>$\pm .010$ $\pm .254$</td> </tr> <tr> <td>XXX</td> <td>$\pm .005$ $\pm .127$</td> </tr> </table>	INCHES	MM	X	$\pm .020$ $\pm .508$	XX	$\pm .010$ $\pm .254$	XXX	$\pm .005$ $\pm .127$	<small>APPROVAL</small> DRAWN: KHOWARD CHECKED: AZANELLI	<small>DATE</small> 2/4/10 2/10/10	 OPTOELECTRONICS 190 BOSSTICK BLVD, SUITE 101 SAN MARCOS, CA 92069 U.S.A. PHONE: (760) 560-1300, FAX: (760) 560-1301 EMAIL: vccsales@vcc3lite.com
	INCHES	MM									
X	$\pm .020$ $\pm .508$										
XX	$\pm .010$ $\pm .254$										
XXX	$\pm .005$ $\pm .127$										
<small>THIRD ANGLE PROJECTION</small>  <small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VISUAL COMMUNICATIONS COMPANY, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VISUAL COMMUNICATIONS COMPANY, INC IS PROHIBITED.</small>	<small>MATERIAL</small> SEE NOTES	<small>TITLE</small> 3MM FLEXFIRE FLEXIBLE LITEPIPE									
<small>FINISH</small> SEE NOTES	<small>DO NOT SCALE DRAWING</small>	<small>SCALE: 2:1</small>	<small>SIZE</small> B <small>DWG. NO.</small> FLX3 XX <small>REV</small> 004 <small>SHEET 1 OF 2</small>								

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Visual Communications manufacturer:

Other Similar products are found below :

[VAOL-3MCE2](#) [7349](#) [139A-403A](#) [25P-607W](#) [CMC01R](#) [CNXBE4218](#) [5314N1](#) [4302H5-5V](#) [1092D3-28V](#) [5602F1-5V](#) [CNX718N90005T](#)
[VC1510145W3](#) [B2A-10PK](#) [6S6/30V-10PK](#) [1091M1-24V](#) [CMD95-21VRC/TR10](#) [CTHS15CIC04ONOFF](#) [CNX"C"E"4"1"04](#) [2SB-NWG48H](#)
[2SB-NWW48H](#) [7512D2](#) [CNX_310_220_E_4_1_08](#) [CNX310033X4124](#) [3150-10PK](#) [4301H11](#) [4304H5](#) [LMS093CTP](#) [4303F5](#) [5400A1](#)
[CMD15-21UBC/TR8](#) [VAOS-C402S9-BW50](#) [LMS_113_CTP](#) [CTHS15CIC06ALARM](#) [STD_850_BLK](#) [SML_190_RTP](#) [5302H5-5V](#) [VAOL-](#)
[S6RP4](#) [LMS_053_CTP](#) [5680F7_7](#) [CNX722C50024W](#) [DSM7UA30105](#) [334](#) [CNX"482"1"RTP"12](#) [L79D-Y125-W](#) [2191QL7-24V](#) [5352T1-](#)
[5VLC](#) [1030D3](#) [6013M5](#) [PS90](#) [5602F5-5V](#)