





VOLEX

GROUP

## Standard Cord Details: 17600 10 B1




Specifications	
<b>Certifications</b>	
<b>Part Number</b>	17600 10 B1
<b>Connector Type</b>	C13
<b>Plug Type</b>	5-15P
<b>Category</b>	Plastic
<b>Application</b>	Detachable
<b>Plug Catalog No.</b>	PS204
<b>Connector Catalog No.</b>	386A
<b>Cable</b>	SJT AWG 18x3 (Shielded)
<b>Jacket Color</b>	black
<b>Length in Feet</b>	6'7
<b>Length in Meters</b>	2
<b>Temperature Rating</b>	60 C
<b>Packaging Units Per Carton</b>	H-100,H-25,S-25
<b>Color Coding</b>	International
<b>Nominal OD in Inches</b>	0.328
<b>Nominal OD in Millimeters</b>	8.33
<b>Notes</b>	See 17729 for 105C version. See 17742 for SVT version. See 17500 for unshielded version.



VOLEX RESERVES THE RIGHT TO ALTER NON-CRITICAL DIMENSIONS WITHOUT NOTICE.

PACKAGING: FOLD & TIE



**NOTES:**

- 1) CORDAGE: 18/3/SJTS/60°C/B
- 2) APPROVALS:
- 3) RATING: 10 AMP/125 VOLTS
- 4) FLAME RATING: FT2
- 5) CORDAGE D.D.: .328 (REF.)
- 6) PACKAGING: 100 PIECES/CAR
- 7) ALL DIMENSIONS IN inches.

2	FORMAT UPDAT
1	C.U.D - NEW REL
REV	DESCR



FORM IN71-07 REV.A

- Indianapolis, IN
- Conover, N.C.
- Freemont, CA
- Aguascalientes, MX
- Tijuana, Mexico
- Hermosillo, MX
- Clinton, AR
- Kanata, Canada

**Proprietary Notice:**

This document is the property of Volex Incorporated. The information contained herein is not to be disclosed to anyone without the express written consent of Volex Inc.

**MATERIAL:**  
PLUG: PVC, BLACK  
JACKET: PVC, BLACK

**FINISH:**  
JACKET: SMOOTH

**SCALE:**  
NOT TO SCALE

**ECD:**  
N/A

**ITEM DESCRIPTION:**  
CORDSE  
DETACHABLE M

**TOLERANCE UNLESS OTHERWISE SPECIFIED**  
.XXX ± .005  
.XX ± .02  
.X ± .03  
FRACT. ± 1/32  
ANGULAR ± 1/2°

**APPROVED:**  
CR

**PART NO.:**  
1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [AC Power Leads](#) category:*

*Click to view products by [Volex](#) manufacturer:*

Other Similar products are found below :

[62500-1774](#) [1300000023](#) [312033-01](#) [YP-61+YC12](#) [P28818-M2](#) [YP21A+YC13](#) [FTP-629Y603](#) [1702002600](#) [1700001947](#) [J2014004L001-CC](#)  
[SHELF](#) [IL13-EU1-H05-3100-300-S](#) [P28976-M45](#) [BB-3271V86](#) [W-98452](#) [W-98453](#) [MWOC-PCA-3-3-2](#) [P29844-M5](#) [P29844-M10](#) [3-100-](#)  
[354](#) [W-99245](#) [W-99246](#) [W-99249](#) [W-99251](#) [W-99252](#) [W-99253](#) [W-99254](#) [W-99257](#) [W-99260](#) [W-99261](#) [W-99262](#) [W-99265](#) [W-99267](#) [W-](#)  
[99269](#) [W-99270](#) [W-99272](#) [W-99280](#) [W-99282](#) [S144720002](#) [S002020062](#) [S007220315](#) [S007220344](#) [S007220345](#) [S007220303](#) [S007220307](#)  
[P28818-M6](#) [1019123](#) [387005324](#) [59903000000](#) [VL-0136-14-200](#) [387007040](#)