


Item no.: 233-506  
 Product description: PCB TERMINAL STRIP 2 SOLDER PINS / POLE 6 POLE PIN  
 SPACING 2.54 MM / 0.1 IN WITH PUSH BUTTONS



Produkt kann von Bild abweichen / product may differ

Packing unit 280 4\*70 pieces

RoHS compliant

Product group	4 (Printed Circuit)
Weight	2.486 g
Color	orange
No. of connection Points	6
No. of potentials	6
pole count	6
Height	15.5 mm
Height	0.61 in
Width	17.54 mm
Width	0.691 in
Depth	13.9 mm
Depth	0.547 in
Pin spacing from	2.54 mm
Pin spacing from	0.1 in
Pollution degree	2
Measured voltage EN	160 V
Measured shock voltage	2.5 kV
Current intensity EN	6 A
Pollution degree	2

Measured voltage EN	320 V
Measured shock voltage	2.5 kV
Current intensity EN	6 A



Connection method	CAGE CLAMP® CONNECTION
Cross section [mm <sup>2</sup> ]	0.08 - 0.5 mm <sup>2</sup>
Wiring method	solid
Cross section [mm <sup>2</sup> ]	0.08 - 0.5 mm <sup>2</sup>
Cross section [mm <sup>2</sup> ]	0 - 0.25 mm <sup>2</sup>
Cross section [mm <sup>2</sup> ]	0 - 0.25 mm <sup>2</sup>
Cross section [AWG]	28 - 20 AWG
Strip length from	5 mm
Strip length to	6 mm
Material group	I



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
233-506	ABS	04-HG469925/1-PDA	250	4	0,08-0,5
233-506	BV	11915/A0	250	6	0,08-0,5
233-506	CSA	154112-1465035	150	4	28-20
233-506	DNV	E-9215	250	4	0,08-0,5
233-506	GL	17296-00HH	250	4	0,08-0,5
233-506	KEMA	90.6212.01/02	250	6	0,08-0,5
233-506	RMR	11130002	250	4	0,08-0,5
233-506	UR	E45172	150	4	18-28

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [wago](#) manufacturer:*

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000\\_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [750-602](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1105](#) [2604-1106](#) [2604-1504](#) [2624-1103](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#) [750-1505](#) [787-732](#) [753-437](#) [2091-1425/005-000](#)