


Item no.: 733-108  
 Product description: FEMALE CONNECTOR WITH CODING FINGERS 8 POLE  
 PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED  
 AGAINST MISMATING



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

Weight	3.5 g
Color	light gray
No. of connection Points	8
No. of potentials	8
pole count	8
Height	11.8 mm
Height	0.465 in
Width	22.5 mm
Width	0.886 in
Depth	17.1 mm
Depth	0.673 in
Pin spacing from	2.5 mm
Pin spacing from	0.098 in
Pollution degree	2
Measured voltage EN	160 V
Measured shock voltage	2.5 kV
Current intensity EN	6 A
Pollution degree	2
Measured voltage EN	320 V

Measured shock voltage  
Current intensity EN  
Connection method

2.5 kV  
6 A  
CAGE CLAMP® CONNECTION



Cross section [mm <sup>2</sup> ]	0.08 - 0.5 mm <sup>2</sup>
Wiring method	solid
Cross section [mm <sup>2</sup> ]	0.08 - 0.5 mm <sup>2</sup>
Wiring method	fine-stranded
Cross section [mm <sup>2</sup> ]	0.25 - 0.34 mm <sup>2</sup>
Wiring method	fine-stranded (with ferrule and plastic collar)
Cross section [mm <sup>2</sup> ]	0.25 - 0.34 mm <sup>2</sup>
Wiring method	fine-stranded (with ferrule, without plastic collar)
Cross section [AWG]	28 - 20 AWG
Strip length from	5 mm
Strip length to	6 mm
Material group	I
Contact surface	tin-plated
xxx-xxx/033-000	Strain relief plate 12,5 mm



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
733-108	ABS	04-HG469925/1-PDA	250	4	0,8-0,5
733-108	BV	11915/A0	250	4	0,8-0,5
733-108	CCA	NL5640	250	4	0,8-0,5
733-108	CSA	154112-1465035	150	4	28-20
733-108	DNV	E-9218	250	4	0,8-0,5
733-108	GL	17296-00HH	250	4	0,8-0,5
733-108	KEMA	2077592.01	250	4	0,8-0,5
733-108	LR	96/20035	250	6	0,8-0,5
733-108	RMR	11130002	250	4	0,8-0,5
733-108	UR	E45171	250	4	28-20
733-108	UR	E45172	150	4	28-20

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [wago manufacturer](#):*

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000\\_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1106](#) [2604-1504](#) [2606-1103/020-000](#) [2624-1103](#) [2626-3103/020-000](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-1205](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#) [750-1505](#) [787-732](#) [753-437](#)