

Wakefield- Vette's exposed tube liquid cold plates ensure minimum thermal resistance between the power device and the cold plate by placing the coolant tube in direct contact with the power device's base. Direct contact reduces the number of thermal interfaces between device and fluid thus increasing performance for the application.

#### **Key Specifications:**

Part Number

120455

120456

120457

120458

120459

120460

Base Plate: Extruded Aluminum

Copper Tube Material: .375" OD x .049" wall

Thermal Epoxy fill with high thermal conductivity

Exposed Tube 6- Pass Coldplate

Exposed Tube 6- Pass Coldplate



6


6

3


Description	"X" Dimension Inches	Passes	Figure
Exposed Tube 2- Pass Coldplate	N/A	2	1
Exposed Tube 4- Pass Coldplate	6.00	4	2
Exposed Tube 4- Pass Coldplate	12.00	4	2
Exposed Tube 6- Pass Coldplate	6.00	6	3

12.00


24.00



2 Pass Thermal Performance:









[1.00] 25.4



### Figure #1




[0.66]









#### Custom Exposed Tube Liquid Cold Plates Available

Contact our Engineers:

Wakefield-Vette

603-635-2800

Communications@wakefield-vette.com

www.wakefield-vette.com

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Sinks category:

Click to view products by Wakefield manufacturer:

Other Similar products are found below:

581102B00000G 656-15ABPE 657-20ABPNE 7020B-TC12-MTG 73452PPBA 7G0011A PF720G A22-4026 120-1873-007 HAH10L HAH15L 1542616-1 HS-2506-F1 HS-87M0-F2 218-40CTE3 231-69PAB-15V 25-7520 SW50-4G 231-75PAB-13V 231-75PAB-15V 253-122ABE-22 PSC22CB HAF10L HAQ10T D10100-28 BDN183CBA01 3-21053-4 32438 TX0506-1B TX1806B LAE66A3CB WA-DT2-101E 511-3U 73381PPBA 73403PPBA 7G0047C COMX-440-HSP 510-12M D10650-40T5 V8511 Y APF40-40-13CB/A01 780653U04500G ATS-54310K-C2-R0 FK 216 CB SA FK 231 SA 220 648-51AB 657-20ABPESC 2341BG 679-25AG FK 212 CB SA