

LQ4C Series

Wakefield- Vette's LQ4C Series quick disconnect couplings provide ultra-reliable, dripless connections and disconnections that protect valuable electronics. Designed specifically for liquid cooling applications, LQ4 utilizes patent-pending valve technology that eliminates drips and can withstand long-term use.



Specifications:

PRESSURE:

- Vacuum to 120 psi, 8.3 bar

TEMPERATURE:

- 0°F to 240°F (-17°C to 115°C)

MAXIMUM FLOW AT DISCONNECT:

- 3.0 gal/min, 11.3L/min

MATERIALS:

- Main housing components: *Chrome-plated brass*
- Valves and thumb latch: *Polysulfone*
- Valve spring (wetted): *Stainless steel*
- External spring: *Stainless steel*
- Seals: *EPDM*

COLOR:

- Chrome with Cool Blue or Warm Red

TUBING SIZES:

- 1/4" to 3/8" ID, 6.4mm to 9.5mm ID

LUBRICANTS:

- Krytox® PFPE

SPILLAGE:

- 0.025 cc per disconnect rated at 0 psi
- 0.055 cc per disconnect rated at 120 psi

INCLUSION:




- 0.025 cc per connect

WARNING: Pressure, temperature, chemicals, and operating environment can affect the performance of couplings. It is the customer's responsibility to test the suitability of Wakefield-Vette's products in their own application conditions


FEATURES & BENEFITS

- **Non-spill design-** Disconnect under pressure with no spills
- **Redundant sealing when connected-** Extra protection from leaks
- **Color-coding-** Instant visual difference in cooling lines
- **Friction-free valve-** Valving system designed for extended periods in connected state
- **Ruggedness-** Able to withstand long-term, repeated use
- **Rotation allows movement-** Eliminates tube kinking



Performance:





LQ4C Series



Coupling Bodies- Chrome Plated Brass:

WKV Vette Part Number	Description	Series	Tubing/Thread ID (inches)	Height (Inches)	Length (Inches)	Connector Type	Body Type	Color
 LP4C-25-B-F-B	Liquid Connector 1/4 HB Valved In-Line Body - Blue	LP4C	0.25	0.98	2.49	In Line Hose Barb	Female	Blue
LP4C-25-B-F-R	Liquid Connector 1/4 HB Valved In-Line Body - Red	LP4C	0.25	0.98	2.49	In Line Hose Barb	Female	Red
 LP4C-38-B-F-B	Liquid Connector 3/8 HB Valved In-Line Body - Blue	LP4C	0.38	0.98	2.49	In Line Hose Barb	Female	Blue
LP4C-38-B-F-R	Liquid Connector 3/8 HB Valved In-Line Body - Red	LP4C	0.38	0.98	2.49	In Line Hose Barb	Female	Red
LP4C-25-SAE-F-B	Liquid Connector 1/4 SAE Valved In-Line Body - Blue	LP4C	0.25	0.98	2.29	In Line Thread Port SAE	Female	Blue
LP4C-25-SAE-F-R	Liquid Connector 1/4 SAE Valved In-Line Body - Red	LP4C	0.25	0.98	2.29	In Line Thread Port SAE	Female	Red
LP4C-38-SAE-F-B	Liquid Connector 3/8 SAE Valved In-Line Body - Blue	LP4C	0.38	0.98	2.29	In Line Thread Port SAE	Female	Blue
LP4C-38-SAE-F-R	Liquid Connector 3/8 SAE Valved In-Line Body - Red	LP4C	0.38	0.98	2.29	In Line Thread Port SAE	Female	Red

Coupling Inserts- Chrome Plated Brass:

WKV Vette Part Number	Description	Series	Tubing/Thread ID (inches)	Height (Inches)	Length (Inches)	Connector Type	Body Type	Color
 LP4C-25-B-M-B	Liquid Connector 1/4 HB Valved In-Line Insert - Blue	LP4C	0.25	0.74	2.22	In Line Hose Barb	Male	Blue
LP4C-25-B-M-R	Liquid Connector 1/4 HB Valved In-Line Insert - Red	LP4C	0.25	0.74	2.22	In Line Hose Barb	Male	Red
 LP4C-38-B-M-B	Liquid Connector 3/8 HB Valved In-Line Insert - Blue	LP4C	0.38	0.74	2.22	In Line Hose Barb	Male	Blue
LP4C-38-B-M-R	Liquid Connector 3/8 HB Valved In-Line Insert - Red	LP4C	0.38	0.74	2.22	In Line Hose Barb	Male	Red
LP4C-25-SAE-M-B	Liquid Connector 1/4 SAE Valved In-Line Insert - Blue	LP4C	0.25	0.8	2.02	In Line Thread Port SAE	Male	Blue
LP4C-25-SAE-M-R	Liquid Connector 1/4 SAE Valved In-Line Insert - Red	LP4C	0.25	0.8	2.02	In Line Thread Port SAE	Male	Red
LP4C-38-SAE-M-B	Liquid Connector 3/8 SAE Valved In-Line Insert - Blue	LP4C	0.38	0.8	2.02	In Line Thread Port SAE	Male	Blue
LP4C-38-SAE-M-R	Liquid Connector 3/8 SAE Valved In-Line Insert - Red	LP4C	0.38	0.8	2.02	In Line Thread Port SAE	Male	Red

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular Push Pull Connectors](#) category:

Click to view products by [Wakefield](#) manufacturer:

Other Similar products are found below :

[6407-249V-11273P](#) [6408-201V-13273](#) [6408-202V-13343](#) [6408-202V-17343](#) [EZG.0B.309.CLN](#) [FFA.2S.310.ZLA](#) [FGA.1B.307.CYCD72Z](#)
[FGJ.1B.304.CLLD76](#) [FGJ.1B.306.CWLD72](#) [FGJ.2B.302.CYMD82Z](#) [FGJ.3B.304.CYMD10Z](#) [FGJ.3B.304.CYMD82Z](#) [FHG.1B.303.CYCZ](#)
[PCS.01.250.DLLE24](#) [PHG.0K.305.CYMC40Z](#) [PHG.1K.308.CLLK85](#) [PKG.M0.6BL.LZ](#) [PLC.M1.0SL.LA](#) [GMA.10.290.DN](#)
[GMA.3B.090.DA](#) [PRG.M0.6GL.LC52GZ](#) [PSA.1S.275.CTLC66](#) [133020F](#) [1331ER193MZ](#) [1332M107MZ](#) [EAJ.1B.306.CWA](#)
[ECG.XB.312.CLL](#) [1589430-2](#) [ELF.00.250.NTL](#) [BRR.2S.200.PZVG](#) [HR10A-P](#) [CAH.M34.SLL.C72GZ](#) [CAJ.M34.SLL.C72GZ](#) [300500](#)
[EXG.0B.309.HLN](#) [FFA.2E.302.CLAC80Z](#) [FFB.1S.250.CLAC27](#) [FGA.2B.306.CYCD92Z](#) [FGJ.2B.302.CYMD62Z](#) [FGJ.2B.307.CLLD99](#)
[FGJ.3B.308.CLLD72Z](#) [FHG.1B.303.CYCD62](#) [FLC.00.250.CTAC31](#) [PCS.01.250.DLLE31](#) [PKA.M1.0TL.LG](#) [PKC.M0.7GL.NG](#)
[PKG.M0.4TL.LZ](#) [PPG.M1.0GG.N](#) [PRG.M0.4GL.LC39GZ](#) [PXG.M0.8GG.NG](#)