

PL2303 USB UART Board V2

说明

产品概述

我是一款PL2303 USB 转 UART(TTL) 通用串口通信模块，支持 windows XP/7/8/10/11/ 等等，支持1.8V/2.5V/3.3V/5V逻辑电压。

特点

- 采用 PL2303GS 新版本芯片
- 支持 windows XP/7/8/10/11/...
- 支持通过跳线帽设置 VCCIO 3 种供电电压和逻辑电压

VCCIO - 5V: 5V 对外供电
VCCIO - 3.3V: 5V 对外供电

- 不接跳线帽：由外部供电 (1.8V/2.5V/3.3V/5V)
- 板载 3 个 LED 指示灯：TXD、RXD、PWR

参数

- 通信接口：USB/UART
- 芯片：PL2303
- USB接口电压：5V
- UART接口电压：1.8V/2.5V/3.3V/5V
- 产品尺寸：16.51mm x 48.26mm

资料



文档

- 原理图

软件

- 串口调试助手

PL2303 USB UART Board V2



板载接口

UART

- [PL2303驱动程序](#)
- [PuTTY串口查看软件](#)
- [PL2303G的Linux驱动](#)

数据手册

- [PL2303](#)
- [PL2303TA](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Development Tools](#) category:

Click to view products by [Waveshare](#) manufacturer:

Other Similar products are found below :

[CY4607M](#) [XR17V358/SP339-E8-EB](#) [TW-DONGLE-USB](#) [XR21B1424IV64-0A-EVB](#) [P0551](#) [5346](#) [SI32185ACB10SL1KIT](#)
[RAA2S4252EXT](#) [4901](#) [DFR0979](#) [LIME2-SHIELD](#) [EM01-D](#) [ISOUSB211DPEVM](#) [USB TO TTL](#) [USB TO RS485](#) [PL2303](#) [USB UART](#)
[Board \(type A\) V2](#) [USB-CAN-A](#) [103030295](#) [MIKROE-2335](#) [KIT_MINIWIGGLER_3_USB](#) [KITXMC4XCOMETH001TOBO1](#)
[SI871XSOIC8-KIT](#) [1764](#) [1833](#) [1862](#) [ZSC31010KITV2.1](#) [EVB-USB82514](#) [ATAB663231A-V1.2](#) [ATAB663254A-V1.2](#) [2264](#)
[MCP23X17EV](#) [PS09-EVA-KIT](#) [237](#) [SMA2RJ45EVK/NOPB](#) [FR12-0002](#) [MAFR-000667-000001](#) [MAFR-000589-000001](#) [MAFR-000553-](#)
[000001](#) [BOB-13263](#) [BP359C](#) [ORG4572-R01-UAR](#) [XR21B1422IL40-0A-EVB](#) [SKYFR-000743](#) [SKYFR-000827](#) [SKYFR-000982](#) [MIKROE-](#)
[2750](#) [292](#) [DEMOBOARDIFX1050GTOBO1](#) [CY4521](#) [HDMI-VIP-IB-EVN](#)