





NOTES:
 Rated Current: 3.0AMP
 Contact Resistance: 20mΩ max
 Withstand Voltage: 1000V AC/DC
 Insulation Resistance: 100MΩ min
 Operation Temperature: -25°C to +85°C
 Insulator Material: PA66+30%GF UL94V-0
 Use with: WF2543-T
 Mated with: WF2543-Water

Ordering Information
WF2543 - 2 H XX X 01

No. of Row No. of Pins Color Packing
 Dual Row 01P~20P W=White 0=PE Bag
 B=Black



Specification & Ordering Information:

Circuit	Part No.	Dimension	
		A	B
2x01	WF2543-2H01X01	2.54	2.54
2x02	WF2543-2H02X01	2.54	5.08
2x03	WF2543-2H03X01	5.08	7.62
2x04	WF2543-2H04X01	7.62	10.16
2x05	WF2543-2H05X01	10.16	12.70
2x06	WF2543-2H06X01	12.70	15.24
2x07	WF2543-2H07X01	15.24	17.78
2x08	WF2543-2H08X01	17.78	20.32
2x09	WF2543-2H09X01	20.32	22.86
2x10	WF2543-2H10X01	22.86	25.40
2x11	WF2543-2H11X01	25.40	27.94
2x12	WF2543-2H12X01	27.94	30.48
2x13	WF2543-2H13X01	30.48	33.02
2x14	WF2543-2H14X01	33.02	35.56
2x15	WF2543-2H15X01	35.56	38.10
2x16	WF2543-2H16X01	38.10	40.64
2x17	WF2543-2H17X01	40.64	43.18
2x18	WF2543-2H18X01	43.18	45.72
2x19	WF2543-2H19X01	45.72	48.26
2x20	WF2543-2H20X01	48.26	50.80

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM TOL	APPROVE	DATE	PROJ.	CUSTOMER NO.	CONTACT
A0	2012/09/08	NEW	---	Angle ± 3°	APPROVE	DATE	PROJ.	Customer NO.	WCON-Dongguan
A1	2012/11/19	MODIFY DIM "B"	---	X.XXX ±0.15	CHECK	DATE	SHEET 1/1	Customer NO.	WCON-Kunshan
A2	2019/11/08	MODIFY MATERIAL	---	X.XX ±0.25	SU	2019/11/08	SIZE A4	Customer NO.	WCON-Kunshan
			---	X.X ±0.40	DRAW	DATE	UNIT mm	Customer NO.	WCON-Kunshan
			---		OPERATION	DATE	SCALE	Customer NO.	WCON-Kunshan

TEL: +86 769 85358920 FAX: +86 769 85358915 E-MAIL: sdies@wcon.com
 TEL: +86 512 57468408 FAX: +86 512 57468468 E-MAIL: sdiesks@wcon.com
 TITLE: DUAL ROW 2.54 HOUSING PRT NO. SEE TAB
 WCON Http://www.wcon.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Wcon](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)