





NOTES:  
 Rated Current:9.0AMP  
 Contact Resistance:30mΩ max  
 Withstand Voltage:1500V AC/minute  
 Insulation Resistance:100MΩ min  
 Operation Temperature:-25℃ to +85℃

Contact Material:Brass  
 Contact Plating:Sn Over Ni  
 Insulator Material:P66 White(UL94-V0)


### Ordering Information

WF4201-2WS  
 XX  
 W  
 X  
 7

- Blank=Tray
- A=Tray
- Packing
- 0=PE Bag
- W=White
- Color
- Contact Plating
- Blank=Tin
- No.of pins
- 01-12P
- Insulation Material
- Blank=P66
- No.of Row
- Dual Row



Recommended P.C.B Layout(Top Side)  
 (PCB BOARD TOLERANCE±0.05)



Dimensional & Ordering Information

Circuit	Part No.	Dimension	
		A	B
2x01	WF4201-2WS01WX7	---	5.40
2x02	WF4201-2WS02WX7	4.20	9.60
2x03	WF4201-2WS03WX7	8.40	13.80
2x04	WF4201-2WS04WX7	12.60	18.00
2x05	WF4201-2WS05WX7	16.80	22.20
2x06	WF4201-2WS06WX7	21.00	26.40
2x07	WF4201-2WS07WX7	25.20	30.60
2x08	WF4201-2WS08WX7	29.40	34.80
2x09	WF4201-2WS09WX7	33.60	39.00
2x10	WF4201-2WS10WX7	37.80	43.20
2x11	WF4201-2WS11WX7	42.00	47.40
2x12	WF4201-2WS12WX7	46.20	51.60

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM TOL	APPROVE	DATE	PROJ.
A0	2017/10/17	NEW	---	Angle ±.3	APPROVE	DATE	PROJ.
				X.XXX ±0.15	CHECK	DATE	SHEET 1/2
				X.XX ±0.25	DRAW	DATE	SIZE A4
				X.X ±0.40	Dwg	2017/10/17	UNIT mm
					OPERATION	SCALE FIT	PART NO.

SEE TAB

TITLE: 4.20 MINI FIT DUAL ROW 180° WITH SHORT BUMP WITHOUT POST

Customer NO.

WCON-Dongguan  
 WCON-Kunshan  
 Http: www.wcon.com


WCON  
 Http: www.wcon.com

WCON-Donnguan  
 WCON-Kunshan  
 Tel: +86 769 85358920 Fax: +86 512 57468408  
 Tel: +86 769 85358915 Fax: +86 512 57468468  
 E-mail: sales@wcon.com E-mail: sales@wcon.com


HSF

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM TOL	APPROVE	DATE	PROJ.	Customer NO.	E-mail: sales@wcon.com
A0	2017/10/17	NEW	—	Angle ±.3°					Fax: +86 769 85358915
				X.xxx ±0.15	CHECK	DATE	SHEET 2/2	4.20 MINI FIT DUAL ROW 180° WITH SHORT BUMP WITHOUT POST.	Tel: +86 769 85358920
				X.xx ±0.25	DRAW	DATE	SIZE A4		WCON-Dongguan
				X.x ±0.40	Ding	2017/10/17	UNIT mm	TITLE: WF4201-2WSXXXW7	WCON-Kunshan
					SCALE FIT				Http: www.wcon.com


2x10P




2x11P




2x12P




2x06P




2x07P




2x08P




2x09P




2x01P




2x02P




2x03P



2x04P



2x05P



H

G

F

E

D

C

B

A

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Wcon](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)