







NOTES:
 Rated Current:9.0AMP
 Contact Resistance:30mΩ max
 Withstand Voltage:1500V AC/minute
 Insulation Resistance:100MΩ min
 Operation Temperature:-25℃ to +85℃

Contact Material:Brass
 Contact Plating:Sn Over Ni
 Insulator Material:P66 White(UL94-V0)

Ordering Information

WF4201-2WS
 XX
 W
 X
 7

- Blank=Tray
- A=Tray
- Packing
- 0=PE Bag
- W=White
- Color
- Contact Plating
- Blank=Tin
- No.of pins
- 01-12P
- Insulation Material
- Blank=P66
- No.of Row
- Dual Row



Dimensional & Ordering Information

Dimension	Part No.	Circuit
A	WF4201-2WS01WX7	2x01
B	WF4201-2WS02WX7	2x02
	WF4201-2WS03WX7	2x03
	WF4201-2WS04WX7	2x04
	WF4201-2WS05WX7	2x05
	WF4201-2WS06WX7	2x06
	WF4201-2WS07WX7	2x07
	WF4201-2WS08WX7	2x08
	WF4201-2WS09WX7	2x09
	WF4201-2WS10WX7	2x10
	WF4201-2WS11WX7	2x11
	WF4201-2WS12WX7	2x12


REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM TOL	APPROVE	DATE	PROJ.	CUSTOMER NO.
A0	2017/10/17	NEW		Angle ± 3°				
				X.XXX ±0.15				
				X.XX ±0.25				
				X.X ±0.40				
					OPERATION	DATE	SCALE	PART NO.
					DRAW	2017/10/17	mm	SEE TAB
					CHECK	DATE	UNIT	TITLE:
					APPROVE	DATE	SIZE	4.20 MINI FIT DUAL ROW 180° WITH SHORT BUMP WITHOUT POST.
					SHEET	1/2	A4	WCON-Dongguan
								WCON-Kunshan

Tel: +86 769 85358920 Fax: +86 512 57468468
 E-mail: sales@wcon.com
 WCON-Dongguan
 WCON-Kunshan
 Http: www.wcon.com


HSF

REV	DATE	MODIFICATION DESCRIPTION		CHANGE	DIM TOL	Angle	APPROVE	DATE	PROJ.	Customer NO.	E-mail: sales@wcon.com
A0	2017/10/17	NEW		—	±.3	°					Fax: +86 769 85358915
					X.XXX	±0.15	CHECK	DATE	SIZE	4.20 MINI FIT DUAL ROW 180°	Tel: +86 769 85358920
					X.X	±0.25	DRAW	DATE	UNIT	WITH SHORT BUMP WITHOUT POST	WCON-Dongguan
					X.X	±0.40	Ding	2017/10/17	mm	TITLE:	WCON-Kunshan
							SCALE	FIT	WF4201-2WSXXXWX7	Http: www.wcon.com	


2x10P




2x11P




2x12P




2x06P




2x07P




2x08P




2x09P




2x01P




2x02P




2x03P



2x04P



2x05P



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Wcon](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)