

**KLBU 10-20 SC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Product image****Shielding and earthing**

Our protective earth conductor and shielding terminals featuring different connection technologies allow you to effectively protect both people and equipment from interference, such as electrical or magnetic fields. A comprehensive range of accessories rounds off our range.

**General ordering data**

|            |                                     |
|------------|-------------------------------------|
| Version    | Clamping yoke, Clamping yoke, Steel |
| Order No.  | <a href="#">1712321001</a>          |
| Type       | KLBU 10-20 SC                       |
| GTIN (EAN) | 403224803234 1                      |
| Qty.       | 10 pc(s).                           |

**KLBUE 10-20 SC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|                            |         |                 |            |
|----------------------------|---------|-----------------|------------|
| Depth                      | 40 mm   | Depth (inches)  | 1.575 inch |
| Height                     | 26 mm   | Height (inches) | 1.024 inch |
| Width                      | 23.6 mm | Width (inches)  | 0.929 inch |
| Mounting dimension - width | 22.1 mm | Net weight      | 31.948 g   |

**Temperatures**

|                     |                |
|---------------------|----------------|
| Storage temperature | -25 °C...55 °C |
|---------------------|----------------|

**Material data**

|          |       |        |        |
|----------|-------|--------|--------|
| Material | Steel | Colour | silver |
|----------|-------|--------|--------|

**System specifications**

|         |                         |
|---------|-------------------------|
| Version | For a shield connection |
|---------|-------------------------|

**Additional technical data**

|                          |         |                     |                 |
|--------------------------|---------|---------------------|-----------------|
| Explosion-tested version | No      | Installation advice | Direct mounting |
| Type of fixing           | Snap-on | Type of mounting    | Screw           |

**Conductors for clamping (rated connection)**

|                      |       |                      |       |
|----------------------|-------|----------------------|-------|
| Cable diameter, max. | 20 mm | Cable diameter, min. | 10 mm |
|----------------------|-------|----------------------|-------|

**Dimensions**

|                  |        |                 |       |
|------------------|--------|-----------------|-------|
| Length of thread | 5.3 mm | Pitch in mm (P) | 30 mm |
|------------------|--------|-----------------|-------|

**General**

|                     |                 |
|---------------------|-----------------|
| Installation advice | Direct mounting |
|---------------------|-----------------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002020    | ETIM 7.0    | EC002020    |
| ETIM 8.0    | EC002020    | ECLASS 9.0  | 27-14-11-50 |
| ECLASS 9.1  | 27-14-11-50 | ECLASS 10.0 | 27-14-11-50 |
| ECLASS 11.0 | 27-14-11-50 |             |             |

**Approvals**

Approvals



|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**KLBUE 10-20 SC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Downloads**Approval/Certificate/Document of  
Conformity[EAC certificate](#)

Engineering Data

[CAD data – STEP](#)

Engineering Data

[EPLAN, WSCAD](#)

User Documentation

[Beipackzettel\\_KLBUE.pdf](#)[StorageConditionsTerminalBlocks](#)

Catalogues

[Catalogues in PDF-format](#)

Brochures

**KLBUE 10-20 SC**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Accessories****Tools**

Our special tools support within the cabinet process in the area of wiring or also the assembly of the components.

**General ordering data**

|            |                            |                       |
|------------|----------------------------|-----------------------|
| Type       | BTWZ KLBUE                 | Version               |
| Order No.  | <a href="#">1742630000</a> | Tools, Operating tool |
| GTIN (EAN) | 4008190980764              |                       |
| Qty.       | 1 pc(s).                   |                       |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminal Block Tools & Accessories](#) category:*

*Click to view products by [Weidmuller](#) manufacturer:*

Other Similar products are found below :

[00171430102](#) [00171420102](#) [600HL](#) [600RJ-07](#) [600RJ-11](#) [600RJ-14](#) [600RJS-10](#) [600RJS-12](#) [600RJS-15](#) [600RJS-21](#) [601RJ-09](#) [602SP](#) [602Z](#)  
[604J](#) [CSTSPC1-2](#) [7B941-7](#) [88943-2100](#) [QC102](#) [1437403-6](#) [1437403-9](#) [1437403-8](#) [1453128-1](#) [147832-1](#) [EC0037-000](#) [MT2/H--](#) [MT6/H-N](#)  
[MT6/V-GRND](#) [BC2-12](#) [BCC-1-8/10](#) [EP2.5/4UN/BG](#) [1707755](#) [1735590](#) [1755480](#) [1789281](#) [1840227](#) [1840230](#) [2-1437402-1](#) [JA2-03](#) [JB1-](#)  
[03/J](#) [JB2-04](#) [JB2-05](#) [JB2-07](#) [JB2-09/J](#) [PARALLELJUMPERLINK](#) [JS601](#) [2204082](#) [2302463](#) [2305949](#) [8PCV-BUSHING](#) [8TK2-24](#)