


HDC-CR24-7B GR**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



The sturdy CR24 module frames are available in polycarbonate or die-cast zinc.

The frames are designed so that 7 individual modules or corresponding double modules can be installed. ??? dementsprechende The CR24 frames are designed to fit the size-8 housings.

General ordering data

| | |
|------------|--|
| Version | Heavy-duty connectors, HDC insert, ConCept frame |
| Order No. | 1758510000 |
| Type | HDC-CR24-7B GR |
| GTIN (EAN) | 4032248019731 |
| Qty. | 5 pc(s). |

Creation date September 16, 2022 10:25:39 AM CEST

Catalogue status 09.09.2022 / We reserve the right to make technical changes.

HDC-CR24-7B GR

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Depth | 111 mm | Depth (inches) | 4.37 inch |
| Height | 35 mm | Height (inches) | 1.378 inch |
| Width | 34 mm | Width (inches) | 1.339 inch |
| Net weight | 38.14 g | | |

Temperatures

| | |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 125 °C |
|-------------------|-------------------|

Environmental Product Compliance

| | | | |
|------------|--|------|-----------------------------------|
| REACH SVHC | Potassium perfluorobutane sulfonate 29420-49-3 | SCIP | 2f94735a-9fba-4903-842f-4fb9aa902 |
|------------|--|------|-----------------------------------|

ConCept Pneumatic module

| | | | |
|--------|-------|---------------------------|-----|
| Colour | beige | UL 94 flammability rating | V-0 |
|--------|-------|---------------------------|-----|

Dimensions

| | | | |
|------------------|-------|-------------------|--------|
| Height of socket | 35 mm | Total length base | 111 mm |
| Width | 34 mm | | |

General data

| | | | |
|---------------------------|-----|----------|---------------|
| BG | 8 | Material | Polycarbonate |
| Number of poles | 1 | Series | ConCept frame |
| Size | 8 | Type | Female |
| UL 94 flammability rating | V-0 | | |

Connection data PE

| | | | |
|---------------------------------------|------------------|---------------------------------------|--------|
| Connection type PE | Screw connection | Tightening torque, max. PE connection | 1.5 Nm |
| Tightening torque, min. PE connection | 1.2 Nm | | |

Version

| | | | |
|------|---|---|---------------|
| BG | 8 | Material | Polycarbonate |
| Size | 8 | Wire connection cross section AWG, max. | AWG 14 |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002312 | ETIM 7.0 | EC002312 |
| ETIM 8.0 | EC002312 | ECLASS 9.0 | 27-44-02-06 |
| ECLASS 9.1 | 27-44-02-06 | ECLASS 10.0 | 27-44-02-06 |
| ECLASS 11.0 | 27-44-02-06 | ECLASS 12.0 | 27-44-02-92 |

HDC-CR24-7B GR

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data**Approvals**

Approvals



ROHS

Conform

Downloads

| | |
|------------------|--|
| Engineering Data | CAD data – STEP |
| Engineering Data | WSCAD |
| Catalogues | Catalogues in PDF-format |
| Brochures | FL FIELDWIRING EN |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heavy Duty Power Connectors](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[6646058-2](#) [6646137-1](#) [6646138-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#) [696475-1](#) [702-32-01109](#) [73000005059](#) [73080254296](#)
[73080965046](#) [7310205040001](#) [765-15-0080A](#) [765-16-0080B](#) [765-18-0080D](#) [PS00/A0620/6300](#) [129-1J](#) [E6374G1](#) [e6389g2](#) [157-43GW8](#)
[MS3117-14AC](#) [1643543-1](#) [1766966-1](#) [1791340000](#) [NLDFT-3-BL-L-S120-M40A](#) [NLDFT-N-W-L-C240-M40B](#) [1926015-1](#) [NLS-N-W-C240-](#)
[M40B](#) [2-1589900-8](#) [2199314-1](#) [KA8102](#) [9300480317](#) [294-0091-01100](#) [296-0040-01100](#) [1648582-1](#) [A32595-0049](#) [1766249-1](#) [1766280-1](#)
[1766818-1](#) [AN0264023](#) [279-0841-10100A](#) [30-9717](#) [RMSB4](#) [4729](#) [492H414-9-01](#) [BSB5](#) [419-2083-301](#) [LCDX4/0-14B-X](#) [075-8519-001](#)