

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Product image





Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

Туре	AEB 35 SC/1	
Order No.	<u>1991920000</u>	
Version	A-series, End bracket	
GTIN (EAN)	4050118376722	
Qty.	50 pc(s).	

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Dimensions and weights			
Width	8 mm	Width (inches)	0.315 inch
Height	58 mm	Height (inches)	2.283 inch
Depth	36 mm	Depth (inches)	1.417 inch
Net weight	13.32 g		
Temperatures			
Storage temperature, max.	40 °C	Storage temperature, min.	10 °C
Storage temperature	10 °C40 °C	Continuous operating temp., min.	-60 °C
Continuous operating temp., max.	130 °C		
Material data			
Matarial		Colour	de de la sino
Material UL 94 flammability rating	WEMID GF 30 V-0	Colour	dark beige
	¥-0		
System specifications			
Version	For the terminals	Rail	TS 35
Additional technical data			
Installation advice	Rail	Interlock	for screw fixing
Open sides	closed	Snap-on	No
Type of mounting	when screwed in	With snap-in pegs	No
Classifications			
ETIM 6.0	EC001041	ETIM 7.0	EC001041
eClass 9.0	27-14-11-35	eClass 9.1	27-14-11-35
eClass 10.0	27-14-11-35		
Approvals			
ROHS	Conform		
Downloads			
Brochure/Catalogue	<u>CAT 1 TERM 16/17 EN</u>		
Engineering Data	EPLAN, WSCAD, Zuken	<u>E3.S</u>	
Engineering Data	<u>STEP</u>		
Tender specification	Klippon® Connect 199 Klippon® Connect 199		
User Documentation	StorageConditionsTerm	inalBlocks	

Accessories



			٦
	Ξ.		
	-		
			4
	-	-	4
⊢	5	-	4
-	-	-	4
⊢	-	-	4



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- · Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WAD 8 MC NE WS	Version
Order No.	<u>1112940000</u>	Group markers, Cover, 33.3 x 8 mm, Pitch in mm (P): 8.00 white
GTIN (EAN)	4032248891825	
Qty.	48 pc(s).	
. ,		

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 10/8 PLUS MC NE WS	Version
Order No.	<u>1905950000</u>	WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528103	white
Qty.	420 pc(s).	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

With lightning flash

-0-	
45	
48	٦
de .	٦
de .	
ultr	٦
	٦
÷	
*	
-12	
-12	
-	-1

The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

•	
WAD 5 MC B GE/SW	Version
<u>1120450000</u>	Group markers, Cover, 33.3 x 5 mm, Pitch in mm (P): 5.00 yellow
4032248901272	
48 pc(s).	
	<u>1120450000</u> 4032248901272

Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/8 PLUS MC NE WS	Version
Order No.	<u>1046350000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248782055	Weidmueller, white
Qty.	800 pc(s).	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Custom printing

-	
-	
-	

The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WAD 5 MC SDR	Version
Order No.	<u>1112930000</u>	Group markers, Cover, 33.3 x 5 mm, Pitch in mm (P): 5.00 To
GTIN (EAN)	4032248891764	customer specification
Qty.	12 pc(s).	

With lightning flash



The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WAD 8 MC B GE/SW	Version
Order No.	<u>1120470000</u>	Group markers, Cover, 33.3 x 8 mm, Pitch in mm (P): 8.00 yellow
GTIN (EAN)	4032248901289	
Qty.	48 pc(s).	

Accessories



		-	1
	-	-	
		_	
_	5		4
-	-		4
-			۲
-	-		٦
	-]
	-		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

<u> </u>	
WAD 5 MC NE WS	Version
<u>1112910000</u>	Group markers, Cover, 33.3 x 5 mm, Pitch in mm (P): 5.00 white
4032248891689	
48 pc(s).	
	<u>1112910000</u> 4032248891689

Custom printing



The WAD connector marker is suitable for W-series terminals and for the WEW 35/2 and ZEW 35/2 end brackets. The markers are available as blank markers, with custom printing or standard print with lightning symbol. The WAD MultiCard markers are suitable for labelling with PrintJet ADVANCED printers.

- High-quality and resistant printing with PrintJet
- WAD marker and cover for the W-series terminals and the WEW 35/2 or ZEW 35/2 end brackets
- Available as blank markers, with custom printing or standard print with lightning symbol
- Quick and easy installation

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WAD 8 MC SDR	Version
Order No.	<u>1112970000</u>	Group markers, Cover, 33.3 x 8 mm, Pitch in mm (P): 8.00 To
GTIN (EAN)	4032248891788	customer specification
Qty.	12 pc(s).	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN Rail Terminal Blocks category:

Click to view products by Weidmuller manufacturer:

Other Similar products are found below :

 1045932
 00110420202
 00110430402
 5724.2/L
 592808-3
 CTS25U/BL
 CTS2.5U-N/Y
 90.080
 91.010
 91.040
 DP25-GY-ND
 15288
 90.070

 90.202
 90.905
 91.001
 91.020
 91.201
 91.340
 2713793
 280-331
 283-317
 283-607
 2909044
 2909798
 29-2052
 SRT2-OD08CL-1

 CDL4U(E)MOV
 2757801
 2794660
 284-317
 2890975
 2907033
 3048496
 CTS2.5U-N/O
 5542152
 5602077
 0709880
 5520682
 5607102

 EPUSC
 SRT2-OD16P
 2901288
 591620-2
 1-591651-1
 NRA37-1/2
 592814-1
 592814-3
 SRT2-ID16P
 NRA37-12