

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### **Product image**





#### Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

Туре	A3C 10 PE
Order No.	<u>2490590000</u>
Version	PE terminal, PUSH IN, 10 mm², 1000 V, white
GTIN (EAN)	4050118500929
Qty.	25 pc(s).

# Technical data



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Dimensions and weights				
	10		0.204 in al	
Width	10 mm	Width (inches)	0.394 inch	
Height	102 mm	Height (inches)	4.016 inch	
Depth	51.5 mm	Depth (inches)	2.028 inch	
Depth including DIN rail	52.5 mm	Net weight	49.944 g	
Temperatures				
Storage temperature, max.	40 °C	Storage temperature, min.	10 °C	
Storage temperature	10 °C40 °C	Continuous operating temp., min.	-60 °C	
Continuous operating temp., max.	130 °C			
Material data				
Material	Wemid	Colour	white	
Colour of operational elements	orange	UL 94 flammability rating	V-0	
	orange	OE 54 hannability fating	V-0	
Rating data IECEx/ATEX				
Certificate No. (ATEX)	TUEV16ATEX7909U	Certificate No. (IECEX)	IECEXTUR16.0036U	
Wire cross section max. (ATEX)	10 mm <sup>2</sup>	Wire cross section max. (IECEX)	10 mm <sup>2</sup>	
Marking EN 60079-7	Ex eb II C Gb	Ex 2014/34/EU label	ll 2 G D	
System specifications				
End cover plate required	Yes	Number of potentials	1	
Number of levels	1	Number of clamping points per level	3	
Number of potentials per tier	1	PE connection	Yes	
Rail	TS 35		165	
Additional technical data				
la stallation a duine	D-11	On an eider		
Installation advice	Rail No	Open sides Type of fixing	right	
Snap-on Type of mounting	TS 35	With snap-in pegs	Snap-on No	
CSA rating data				
Certificate No. (CSA)	200039-70089609	Voltage size B (CSA)	600 V	
Voltage size C (CSA)	600 V	Voltage size D (CSA)	600 V	
Wire cross section max. (CSA)	6 AWG	Wire cross section min. (CSA) 20 AWG		

# **Technical data**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Conductors for clamping (rated connection)	

1.0 x 5.5 mm	Clamping range, max.	10 mm²		
	Connection cross-section, stranded,			
0.5 mm <sup>2</sup>	max.	10 mm <sup>2</sup>		
nin. 0.5 mm²	Connection direction	top		
A6	Number of connections	3		
18 mm	Twin wire-end ferrules, max.	4 mm <sup>2</sup>		
0.5 mm <sup>2</sup>	Type of connection	PUSH IN		
	Wire connection cross section AWG,			
AWG 6	min.	AWG 18		
	Wire connection cross-section, finely			
	stranded with wire-end ferrules DIN			
10 mm²	46228/1, max.	10 mm <sup>2</sup>		
	Wire connection cross-section, finely			
	stranded with wire-end ferrules DIN			
0.5 mm <sup>2</sup>	46228/4, max.	10 mm²		
	Wire connection cross-section, finely			
	stranded, min.			
0.5 mm²		0.5 mm <sup>2</sup>		
	Wire connection cross-section, solid			
10 mm <sup>2</sup>	core, min.	0.5 mm²		
	nin. 0.5 mm <sup>2</sup> A6 18 mm 0.5 mm <sup>2</sup> AWG 6 10 mm <sup>2</sup> 0.5 mm <sup>2</sup>	0.5 mm²       Connection cross-section, stranded, max.         nin. 0.5 mm²       Connection direction         A6       Number of connections         18 mm       Twin wire-end ferrules, max.         0.5 mm²       Type of connection         AWG 6       wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, max.         10 mm²       46228/1, max.         0.5 mm²       Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, max.         0.5 mm²       Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, max.         0.5 mm²       Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, max.         0.5 mm²       Wire connection cross-section, finely stranded, min.         0.5 mm²       Wire connection cross-section, finely stranded, min.		

#### **Rating data**

Rated cross-section	10 mm <sup>2</sup>	Rated voltage	1,000 V
Rated voltage to adjoining terminal	1,000 V	Standards	IEC 60947-7-2
Volume resistance according to IEC		Power loss in accordance with IEC	
60947-7-x	0.56 mΩ	60947-7-x	1.82 W
Rated impulse withstand voltage	8 kV	Pollution severity	3
Surge voltage category			

#### **UL** rating data

Certificate No. (cURus)		Conductor size Factory wiring max.		
	E60693	(cURus)	6 AWG	
Conductor size Factory wiring n	nin.	Conductor size Field wiring max	. (cURus)	
(cURus)	20 AWG		6 AWG	
Conductor size Field wiring min	. (cURus) 20 AWG	Voltage size B (cURus)	600 V	
Voltage size C (cURus)	600 V	Voltage size D (cURus)	600 V	

#### Classifications

ETIM 6.0	EC000901	ETIM 7.0	EC000901
eClass 9.0	27-14-11-41	eClass 9.1	27-14-11-41
eClass 10.0	27-14-11-41		

#### Approvals

**Downloads** 

# **Technical data**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Approval/Certificate/Document of	
Conformity	DE_PT0132_20171107_006_ISSUE01
Engineering Data	EPLAN
Engineering Data	<u>STEP</u>
Tender specification	Klippon® Connect 2490590000 DE
	Klippon® Connect 2490590000 EN
User Documentation	<u>StorageConditionsTerminalBlocks</u>
	Aderendhülsen für die Klippon® Connect A-Reihe
	Wire end ferrules for Klippon® Connect A-series

## Accessories

Plus



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/5 PLUS MC NE WS	Version
Order No.	<u>1854490000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4032248393596	Weidmueller, white
Qty.	1,000 pc(s).	
Туре	DEK 5/5 PLUS MC NE GE	Version
	DEK 5/5 PLUS MC NE GE	Version Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
Туре		

#### Blank

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	WS 10/5 MC NE GE	Version
Order No.	<u>1773531687</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141753	Allen-Bradley, yellow
Qty.	720 pc(s).	

# Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Туре	WS 10/5 PLUS MC NE WS	Version
Order No.	<u>1046380000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248782086	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 10/5 M MC NE WS	Version
Order No.	<u>1792000000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248223862	Allen-Bradley, white
Qty.	720 pc(s).	
Туре	WS 10/5 MC NE BL	Version
Order No.	<u>1773531693</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141814	Allen-Bradley, blue
Qty.	720 pc(s).	
Туре	WS 10/5 MC NE RT	Version
Order No.	<u>1773531686</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141746	Allen-Bradley, red
Qty.	720 pc(s).	
Туре	WS 10/5 M PLUS MC NE WS	Version
Order No.	<u>2003770000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4050118424447	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 10/5 MC NE WS	Version
Order No.	<u>1635000000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190261948	Allen-Bradley, white
Qty.	720 pc(s).	

## Accessories

#### **DEK 5/6**





#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark** 

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

#### **General ordering data**

Туре	DEK 5/6 MM WS	Version
Order No.	2007120000	Dekafix, Terminal marker, 5 x 6 mm, Weidmueller, white
GTIN (EAN)	4050118392104	
Qty.	600 pc(s).	

#### **End brackets**



#### Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

Туре	AEB 35 SCL/1 VO BK	Version
Order No.	<u>2661300000</u>	A-series, End bracket
GTIN (EAN)	4050118702187	
Qty.	20 pc(s).	
Туре	AEB 35 SCL/1 V0 GY	Version
Order No.	<u>2661290000</u>	A-series, End bracket
Order No. GTIN (EAN)	2 <u>661290000</u> 4050118702170	A-series, End bracket

# Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Туре	AEB 35 SC/1	Version
Order No.	<u>1991920000</u>	A-series, End bracket
GTIN (EAN)	4050118376722	
Qty.	50 pc(s).	
Туре	AEB 35 SC/1 BK	Version
Order No.	<u>2475310000</u>	A-series, End bracket
GTIN (EAN)	4050118487114	
Qty.	50 pc(s).	
Туре	AEB 35 SCL/1 V0	Version
Order No.	<u>2661280000</u>	A-series, End bracket
GTIN (EAN)	4050118702163	
Qty.	20 pc(s).	

Blank



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/8 MC NE WS	Version
Order No.	<u>1856740000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248400850	Weidmueller, white
Qty.	800 pc(s).	

## Accessories

V0



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

	-	
Туре	DEK 5/5 MC NE VO WS	Version
Order No.	<u>1388530000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118188622	Weidmueller, white
Qty.	1,000 pc(s).	

#### Blank



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/6 MC NE GE	Version
Order No.	<u>1238280000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118038750	Weidmueller, yellow
Qty.	1,000 pc(s).	

# Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Туре	DEK 5/6 MC NE OR	Version
Order No.	<u>1912090000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4032248540525	Weidmueller, orange
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE GR	Version
Order No.	<u>1238330000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118323306	Weidmueller, grey
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE WS	Version
Order No.	<u>1609820000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4008190203436	Weidmueller, white
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE GN	Version
Type Order No.	DEK 5/6 MC NE GN 1238310000	Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
Order No.	<u>1238310000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
Order No. GTIN (EAN)	<u>1238310000</u> 4050118271812	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
Order No. GTIN (EAN) Qty.	1238310000 4050118271812 1,000 pc(s).	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green
Order No. GTIN (EAN) Qty. Type	1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green Version
Order No. GTIN (EAN) Qty. Type Order No.	1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR 1454900000	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
Order No. GTIN (EAN) Qty. Type Order No. GTIN (EAN)	1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR 1454900000 4050118323313	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
Order No. GTIN (EAN) Qty. Type Order No. GTIN (EAN) Qty.	1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR 1454900000 4050118323313 1,000 pc(s).	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, brown
Order No. GTIN (EAN) Qty. Type Order No. GTIN (EAN) Qty. Type	1238310000 4050118271812 1,000 pc(s). DEK 5/6 MC NE BR 1454900000 4050118323313 1,000 pc(s). DEK 5/6 MC NE BL	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, green Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, brown

#### Plus



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/6 PLUS MC NE WS	Version
Order No.	<u>1011320000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4032248717644	Weidmueller, white
Qty.	1,000 pc(s).	

## Accessories

#### **Custom printing**





#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### General ordering data

Туре	WS 10/8 PLUS MC SDR	Version
Order No.	<u>1906030000</u>	WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528196	To customer specification
Qty.	84 pc(s).	

#### **DEK 5/8**



#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark** 

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

#### General ordering data

 Type
 DEK-A 5/8 MM WS

 Order No.
 2448860000

 GTIN (EAN)
 4050118462968

 Qty.
 500 pc(s).

Dekafix, Terminal marker, 5 x 8.1 mm, Weidmueller, white

Creation date January 7, 2020 2:03:29 PM CET

Version

## Accessories

Туре		DEK 5/8 MM WS	Version
Order	r No.	<u>2007130000</u>	Dekafix, Terminal marker, 5 x 8 mm, Weidmueller, white
GTIN	(EAN)	4050118392012	
Qty.		500 pc(s).	

#### WS 8/3.5



#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

## Your benefits with MultiMark

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General								
Туре	WS 8/3.5 MM WS	Version						
Order No.	<u>2007140000</u>	WS, Terminal marker, 8 x 3.5 mm, Weidmueller, white						
GTIN (EAN)	4050118391893							
Qty.	1,000 pc(s).							

#### **End plates**



#### Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

#### **General ordering data**

General ordering data

	••••••••••••••••••••••••••••••••••••••	
Туре	AEP 3C 10/16 BL	Version
Order No.	<u>2490540000</u>	A-series, End plate
GTIN (EAN)	4050118501001	
Qty.	20 pc(s).	

#### Creation date January 7, 2020 2:03:29 PM CET



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

## Accessories

 Type
 AEP 3C 10/16

 Order No.
 2490530000

 GTIN (EAN)
 4050118500912

 Qty.
 20 pc(s).

#### **Custom printing**



Version

A-series, End plate

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/8 PLUS MC SDR	Version
Order No.	<u>1046370000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248782079	Weidmueller, To customer specification
Qty.	160 pc(s).	
Туре	DEK 5/8 MC SDR	Version
	DEK 5/8 MC SDR 1856750000	Version Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
Туре		



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

## Accessories

WS 8/5





#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark** 

## • Firm hold and durable printing

- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

#### **General ordering data**

Туре	WS 8/5 MM WS	Version
Order No.	<u>2007150000</u>	WS, Terminal marker, 8 x 5 mm, Weidmueller, white
GTIN (EAN)	4050118392029	
Qty.	800 pc(s).	

#### **Digital multimeters**



Multimeters are capable of measuring a number of variables. Each instrument can measure voltage and resistance, as well as performing continuity and diode testing as standard.

In addition, the individual multimeters also feature extra measuring options such as current, frequency, capacitance and temperature. Digital multimeters have the advantage of a clear display which can be read easily and directly. With these instruments, mistakes arising from faulty conversion of the measuring ranges or misreading the display are a thing of the past.

Туре	ZUB MULTIMETER	Version
Order No.	<u>9205270000</u>	Multimeter
GTIN (EAN)	4032248723522	
Qty.	1 pc(s).	

## Accessories

#### **Custom printing**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/6 PLUS MC SDR	Version
Order No.	<u>1038650000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4032248767908	Weidmueller, To customer specification
Qty.	200 pc(s).	
Туре	DEK 5/6 MC SDR	Version
Type Order No.	DEK 5/6 MC SDR 1609830000	Version Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00

#### **Test adapter**



#### Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

General	General ordering data				
Туре	ATPG 10 MI-R				
Order No.	<u>1991870000</u>				
GTIN (EAN)	4050118376678				
Qty.	50 pc(s).				
Туре	ATPG 1.5-10 L				
Order No.	<u>1991890000</u>				
GTIN (EAN)	4050118376647				
Qty.	50 pc(s).				

## Accessories

#### **Custom printing**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	•					
Туре	DEK 5/5 MC SDR	Version				
Order No.	<u>1609810000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00				
GTIN (EAN)	4008190456597	Weidmueller, To customer specification				
Qty.	200 pc(s).					
Туре	DEK 5/5 PLUS MC SDR	Version				
Order No.	<u>1854500000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00				
GTIN (EAN)	4032248393602	Weidmueller, To customer specification				
Qty.	200 pc(s).					
Туре	DEK 5/5 S MC SDR	Version				
Order No.	<u>1341590000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00				
GTIN (EAN)	4050118146042	Weidmueller, To customer specification				
Qty.	80 pc(s).					

## Accessories

#### Blank

						6



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

	-	
Туре	DEK 5/6.5 MC NE WS	Version
Order No.	<u>1609840000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4008190203429	Weidmueller, white
Qty.	900 pc(s).	

#### Blank

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/5 MC NE BR	Version
Order No.	<u>1249870000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118051865	Weidmueller, brown
Qty.	1,000 pc(s).	

# Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

-		· · · · · · · · · · · · · · · · · · ·
Туре	DEK 5/5 MC NE SW	Version
Order No.	1457550000	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118263817	Weidmueller, Black
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE GR	Version
Order No.	<u>1609801691</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397159	Weidmueller, grey
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE RT	Version
Order No.	<u>1609801686</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397128	Weidmueller, red
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE GE	Version
Order No.	<u>1609801687</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397135	Weidmueller, yellow
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE BL	Version
Order No.	<u>1609801693</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397166	Weidmueller, blue
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE VI	Version
Order No.	<u>1249860000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118042764	Weidmueller, violet
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE WS	Version
Order No.	1609801044	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397111	Weidmueller, white
Qty.	1,000 pc(s).	
Туре	DEK 5/5 S MC NE WS	Version
Order No.	1341620000	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118145793	Weidmueller, white
Qty.	400 pc(s).	
Type	DEK 5/5 MC NE GN	Version
Order No.	<u>1609801688</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397142	Weidmueller, green
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE OR	Version
Order No.	<u>1238340000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118062632	Weidmueller, orange
Qty.	1,000 pc(s).	Proteinuoliot, orango
czty.	1,000 pc(s).	

## Accessories

Plus

		1



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/6.5 PLUS MC NE WS	Version
Order No.	<u>1046340000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4032248782048	Weidmueller, white
Qty.	900 pc(s).	
Туре	DEK 5/6.5 PLUS MC NE GE	Version
Type Order No.	DEK 5/6.5 PLUS MC NE GE 1364020000	Version Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50

## Accessories

WS 8/8

# (10)



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark** 

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

Туре	WS-A 8/8 MM WS	Version
Order No.	<u>2448930000</u>	WS, Terminal marker, 8 x 8.1 mm, Weidmueller, white
GTIN (EAN)	4050118462982	
Qty.	500 pc(s).	
Туре	WS 8/8 MM WS	Version
Type Order No.	WS 8/8 MM WS 2007170000	Version WS, Terminal marker, 8 x 8 mm, Weidmueller, white
	· · · · · · · · · · · · · · · · · · ·	

## Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### **Custom printing**

L		1111
ľ		1818
ľ	1111111	11.11
ľ	11111111	1818
ľ	11111111	IX IX
ľ	1111111	1111
ľ	1111111	1111
ľ	1111111	1515
ľ	11111111	1118
ľ		1318
ľ	1111111	1111
ľ	1111111	1111

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

Can be fitted in strips or individually

• Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 10/5 MC M SDR	Version
Order No.	<u>1792010000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248223879	Allen-Bradley, To customer specification
Qty.	144 pc(s).	
Туре	WS 10/5 MC SDR	Version
Order No.	<u>1635010000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190456634	Allen-Bradley, To customer specification
Qty.	144 pc(s).	
Туре	WS 10/5 PLUS MC SDR	Version
Type Order No.	WS 10/5 PLUS MC SDR 1046320000	Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No.	1046320000	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No. GTIN (EAN)	<u>1046320000</u> 4032248782024	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No. GTIN (EAN) Qty.	1046320000 4032248782024 120 pc(s).	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification
Order No. GTIN (EAN) Qty. Type	1046320000 4032248782024 120 pc(s). WS 10/5 M PLUS MC SDR	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification Version

## Accessories

WS 8/6





#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark** 

#### · Firm hold and durable printing

- Firm hold and durable printingContinuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

#### **General ordering data**

	<b>J J H</b>	
Туре	WS 8/6 MM WS	Version
Order No.	<u>2007160000</u>	WS, Terminal marker, 8 x 6 mm, Weidmueller, white
GTIN (EAN)	4050118391879	
Qty.	600 pc(s).	

#### Covers



#### Spring connection with PUSH IN Technology

The innovative PUSH IN technology reduces the amount of time you spend on wiring to a minimum. Direct insertion guarantees high conductor pull-out forces and simple handling for all conductor types.

Туре	AAM 10 YE FLASH	Version
Order No.	<u>2635580000</u>	Terminal marker, 14 x 10 mm, yellow
GTIN (EAN)	4050118674521	
Qty.	40 pc(s).	

## **Accessories**

#### Blank



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	WS 10/8 PLUS MC NE WS	Version
Order No.	<u>1905950000</u>	WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528103	white
Qty.	420 pc(s).	

#### Plus

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/8 PLUS MC NE WS	Version
Order No.	<u>1046350000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248782055	Weidmueller, white
Qty.	800 pc(s).	

## Accessories

#### **Custom printing**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	DEK 5/6.5 MC SDR	Version
Order No.	<u>1609850000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4008190456610	Weidmueller, To customer specification
Qty.	180 pc(s).	
Qiy.	100 pc(s).	
Сцу. Туре	DEK 5/6.5 PLUS MC SDR	Version
· · ·	,	Version Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
Туре	DEK 5/6.5 PLUS MC SDR	

#### Blank

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	WS 10/6 PLUS MC NE WS	Version
Order No.	<u>1046390000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248782109	Allen-Bradley, white
Qty.	600 pc(s).	

## Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

T		
	WS 10/6 M PLUS MC NE WS	Version
	<u>2003780000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4050118424461	Allen-Bradley, white
Qty.	600 pc(s).	
Type \	WS 10/6 M MC NE WS	Version
Order No.	<u>1818400000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248310876	Allen-Bradley, white
Qty.	600 pc(s).	
Туре \	WS 10/6 MC M NE RT	Version
Order No.	<u>1917440000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551644	Allen-Bradley, red
Qty.	600 pc(s).	
Туре \	WS 10/6 MC M NE BL	Version
Order No.	1069080000	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248824618	Allen-Bradley, blue
Qty.	600 pc(s).	
Туре \	WS 10/6 MC NE WS	Version
Order No.	<u>1828450000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248350513	Allen-Bradley, white
Qty.	600 pc(s).	
Туре \	WS 10/6 MC M NE GN	Version
Order No.	<u>1917420000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551620	Allen-Bradley, green
Qty.	600 pc(s).	
Туре \	WS 10/6 MC M NE GE	Version
Order No.	1917430000	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551637	Allen-Bradley, yellow
Qty.	600 pc(s).	

#### **Custom printing**

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with laser printer, PrintJet ADVANCED, plotter or MC-Mobilo is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

#### **General ordering data**

Туре	WS 10/6 MC M SDR	Version
Order No.	<u>1818410000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248310883	Allen-Bradley, To customer specification
Qty.	120 pc(s).	

# Accessories



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Туре	WS 10/6 MC SDR	Version
Order No.	<u>1828460000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248367399	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/6 PLUS MC SDR	Version
Order No.	<u>1046330000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248782031	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/6 M PLUS MC SDR	Version
Order No.	<u>2007780000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4050118393187	Allen-Bradley, To customer specification
Qty.	120 pc(s).	

**DEK 5/5** 



#### WS/ DEK

MultiMark DEK/WS connector markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wear-resistant labelling. A print resolution of 300 dpi also produces a very legible script.

#### Your benefits with MultiMark

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

Туре	DEK 5/5 MM WS	Version
Order No.	<u>2007110000</u>	Dekafix, Terminal marker, 5 x 5 mm, Weidmueller, white
GTIN (EAN)	4050118391862	
Qty.	800 pc(s).	

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN Rail Terminal Blocks category:

Click to view products by Weidmuller manufacturer:

Other Similar products are found below :

 00110201060
 00110410002
 00110420002
 00110420004
 00110420202
 00110420302
 00110430402
 00110440002

 00175111500
 0117960000 AP SAK4-10
 0117980000 AP SAK4-10 BL
 0203069
 0205067
 0210421
 0260015
 0261014
 0261027
 0270018

 0271017
 0279560000 AP SAK2.5
 0279580000 AP SAK2.5 BL
 0302216
 0303370
 0303396
 0304298
 0305080
 0305226
 0305297
 0305352

 0308210
 0309086
 0309109
 0309112
 0309549
 0310321
 0310389
 0311087
 0311126
 0311171
 031-12
 0311359
 0311540
 0311728

 0311760
 031-238
 0313085
 0321019
 0328920000 SAKS
 3/35 G/5X30 500V