

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Product image



To feed through power, signal, and data is the classical requirement in electrical engineering and panel building. The insulating material, the connection system and the design of the terminal blocks are the differentiating features. A feed-through terminal block is suitable for joining and/or connecting one or more conductors. They could have one or more connection levels that are on the same potential or insulated against one another.

General ordering data

Version	Feed-through terminal, PUSH IN, 35 mm², 1000 V, 125 A, dark beige
	125 A, uark beige
Order No.	<u>2551510000</u>
Туре	A2C 35
GTIN (EAN)	4050118628012
Qty.	10 pc(s).

Creation date March 26, 2022 4:25:47 AM CET

Catalogue status 11.03.2022 / We reserve the right to make technical changes.

Technical data

A2C 35



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Dimensions and weights			
Depth	71.5 mm	Depth (inches)	2.815 inch
Height	101.5 mm	Height (inches)	3.996 inch
Width	16 mm	Width (inches)	0.63 inch
Net weight	79.726 g		0.03 mm
Temperatures			
Storage temperature	-25 °C55 °C	Continuous operating temp., min.	-60 °C
Continuous operating temp., max.	130 °C		
Material data			
Material	Wemid	Colour	dark beige
Colour of operational elements	orange	UL 94 flammability rating	V-0
Rating data IECEx/ATEX	J	, .	
Certificate No. (ATEX)	TUEV16ATEX7909U	Certificate No. (IECEX)	IECEXTUR16.0036U
Max. voltage (ATEX)	880 V	Current (ATEX)	105 A
Wire cross section max. (ATEX)	35 mm ²	Max. voltage (IECEX)	880 V
Current (IECEX)	105 A	Wire cross section max. (IECEX)	35 mm²
System specifications			
End cover plate required	Νο	Number of levels	1
Number of clamping points per level	2	Levels cross-connected internally	No
Rail	TS 35	N-function	No
PE function	No	PEN function	No
Additional technical data			
0		<u></u>	X
Open sides Type of fixing	closed TS 35	<u>Snap-on</u> Type of mounting	Yes TS 35
туре от пліну	10 00	Type of mounting	10 00
CSA rating data			
Certificate No. (CSA)	200039-70089609	Current size B (CSA)	101 A
Current size C (CSA)	101 A	Current size D (CSA)	15 A
Voltage size B (CSA)	1000 V	Voltage size C (CSA)	1000 V
Voltage size D (CSA)	600 V	Wire cross section max. (CSA)	2 AWG
Wire cross section min. (CSA)	12 AWG		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Conductors for clamping (rated connection)

Blade size	1.0 x 5.5 mm	Clamping range, max.	35 mm²
Clamping range, min.		Connection cross-section, stranded,	
	2.5 mm ²	max.	35 mm²
Connection cross-section, stranded, min		Number of connections	2
Stripping length	25 mm	Twin wire-end ferrules, max.	10 mm²
Twin wire-end ferrules, min.	2.5 mm ²	Type of connection	PUSH IN
Wire connection cross section AWG, max.	AWG 2	Wire connection cross section AWG, min.	AWG 12
Wire connection cross section, finely stranded, max.	35 mm²	Wire connection cross section, finely stranded, min.	10 mm ²
Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, max.	35 mm²	Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/1, min.	2.5 mm²
Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, max.	35 mm²	Wire connection cross-section, finely stranded with wire-end ferrules DIN 46228/4, min.	2.5 mm²
Wire connection cross-section, solid	00 11111	Wire connection cross-section, solid	2.0 11111
core, max.	16 mm²	core, min.	2.5 mm²
General			
Number of males	1		120.00
Number of poles	1	Operating temperature range, max.	130 °C
Operating temperature range, min.	-50 °C	Rail	TS 35
Standards	IEC 60947-7-1	Wire connection cross section AWG, max.	AWG 2
Wire connection cross section AWG.		IIIaX.	AVIG 2
min.	AWG 12		
Rating data			
Rated cross-section	35 mm²	Rated voltage	1,000 V
	35 mm² 1,000 V	Rated voltage Rated DC voltage	1,000 V 1,500 V DC
Rated cross-section Rated AC voltage Rated current			
Rated AC voltage	1,000 V	Rated DC voltage	1,500 V DC
Rated AC voltage Rated current	1,000 V	Rated DC voltage Current at maximum wires	1,500 V DC
Rated AC voltage Rated current	1,000 V 125 A IEC 60947-7-1 8 kV	Rated DC voltage Current at maximum wires Volume resistance according to IEC	1,500 V DC 125 A
Rated AC voltage Rated current Standards	1,000 V 125 A IEC 60947-7-1	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC	1,500 V DC 125 A 0.26 mΩ
Rated AC voltage Rated current Standards Rated impulse withstand voltage	1,000 V 125 A IEC 60947-7-1 8 kV	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x	1,500 V DC 125 A 0.26 mΩ 4 W
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data	1,000 V 125 A IEC 60947-7-1 8 kV	Rated DC voltageCurrent at maximum wiresVolume resistance according to IEC60947-7-xPower loss in accordance with IEC60947-7-xSurge voltage category	1,500 V DC 125 A 0.26 mΩ 4 W
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data Certificate No. (cURus)	1,000 V 125 A IEC 60947-7-1 8 kV	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category Conductor size Factory wiring max. (cURus)	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data Certificate No. (cURus) Conductor size Factory wiring min.	1,000 V 125 A IEC 60947-7-1 8 kV 3	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data Certificate No. (cURus) Conductor size Factory wiring min. (cURus)	1,000 V 125 A IEC 60947-7-1 8 kV 3 E60693 12 AWG	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category Conductor size Factory wiring max. (cURus)	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG IS)
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data	1,000 V 125 A IEC 60947-7-1 8 kV 3 E60693 12 AWG	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category Conductor size Factory wiring max. (cURus) Conductor size Field wiring max. (cURus)	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG IS) 2 AWG
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data Certificate No. (cURus) Conductor size Factory wiring min. (cURus) Conductor size Field wiring min. (cURus	1,000 V 125 A IEC 60947-7-1 8 kV 3 E60693 12 AWG) 12 AWG	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category Conductor size Factory wiring max. (cURus) Conductor size Field wiring max. (cURu Current size B (cURus)	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG 113 A
Rated AC voltage Rated current Standards Rated impulse withstand voltage Pollution severity UL rating data Certificate No. (cURus) Conductor size Factory wiring min. (cURus) Conductor size Field wiring min. (cURus Current size C (cURus)	1,000 V 125 A IEC 60947-7-1 8 kV 3 E60693 12 AWG 112 AWG 113 A	Rated DC voltage Current at maximum wires Volume resistance according to IEC 60947-7-x Power loss in accordance with IEC 60947-7-x Surge voltage category Conductor size Factory wiring max. (cURus) Conductor size Field wiring max. (cURus) Current size B (cURus) Current size D (cURus)	1,500 V DC 125 A 0.26 mΩ 4 W III 2 AWG 113 A 5 A

ETIM 6.0	EC000897	ETIM 7.0	EC000897
ETIM 8.0	EC000897	ECLASS 9.0	27-14-11-20
ECLASS 9.1	27-14-11-20	ECLASS 10.0	27-14-11-20
ECLASS 11.0	27-14-11-20		

Technical data



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26 D-32758 Detmold

Germany

www.weidmueller.com

Approvals	
Approvals	
	ATEX
UL File Number Search	E60693
Downloads	
Approval/Certificate/Document of Conformity	Atestation of Conformity IECEx Certificate ATEX Certificate CCC Ex Certificate CE Declaration of Conformity
Engineering Data	<u>CAD data – STEP</u>
Engineering Data	EPLAN
User Documentation	StorageConditionsTerminalBlocks NTI A2C 35 BPZL A2C 35
Catalogues	Catalogues in PDF-format



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26 D-32758 Detmold

Germany

www.weidmueller.com

Drawings

Electric symbol



Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

	1	1	2	1	•	1	8	•	8	1	•	*		
	1	1	ð	1	8	1	8	1	8	1	8	ï	1	
	1	1	1	5	8	5	1	5	8	5	8	5		
i	1	1	1	1	8	1	8	1	0	1	8	i		
	1	į	i	1	1	i	ð	1	ð	1	8	i		
	1	1	3	5	8	1	8	3	8	5	8	8		
	1	1	1	1	1	ı	1	1	0	ı	8	i		
	1	ł	i	i	ā	i	ð	i	ð	i	ð	i		
	1	1	ž	1	8	i	8	1	8	1	8	i		
i	1	1	1	5	1	5	1	5	0	5	8	5		
	1	1	1	t	2	t	8	1	0	t	8	t		
	1	1	1	1	2	1	2	1	ð	1	2	i		

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 10/6 MC M SDR	Version
Order No.	<u>1818410000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248310883	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/6 PLUS MC SDR	Version
Order No.	<u>1046330000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248782031	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/6 M PLUS MC SDR	Version
Type Order No.	WS 10/6 M PLUS MC SDR 2007780000	Version WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
Order No.	<u>2007780000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
Order No. GTIN (EAN)	2007780000 4050118393187	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
Order No. GTIN (EAN) Qty.	2007780000 4050118393187 120 pc(s).	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, Allen-Bradley, To customer specification
Order No. GTIN (EAN) Qty. Type	2007780000 4050118393187 120 pc(s). WS 10/6 MC SDR	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, Allen-Bradley, To customer specification Version
Order No. GTIN (EAN) Qty. Type Order No.	2007780000 4050118393187 120 pc(s). WS 10/6 MC SDR 1828460000	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, Allen-Bradley, To customer specification Version WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,

Accessories

DEK 5/6





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

General ordering data

Туре	DEK 5/6 MM WS	Version
Order No	o. <u>2007120000</u>	Dekafix, Terminal marker, 5 x 6 mm, Weidmueller, white
GTIN (EA	N) 4050118392104	
Qty.	600 pc(s).	

Custom printing

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z- series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.
•
 Can be fitted in strips or individually
 Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	•	
Туре	WS 12/8 PLUS MC SDR	Version
Order No.	<u>1906010000</u>	WS, Terminal marker, 12 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528165	To customer specification
Qty.	84 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories

Blank





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	_	
Туре	DEK 5/3.5 PLUS MC NE WS	Version
Order No.	2003750000	Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4050118424430	Weidmueller, white
Qty.	1,600 pc(s).	
Туре	DEK 5/3.5 MC NE WS	Version
Order No.	<u>1755270000</u>	Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4032248017348	Weidmueller, white
Qty.	500 pc(s).	
Туре	DEK 5/3.5 MC NE GE	Version
Order No.	<u>1369480000</u>	Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4050118171860	Weidmueller, yellow
Qty.	500 pc(s).	

Accessories

Blank

ľ	T	T	1	I	1	1	1	1
ľ			T			1	1	
					1	1	E.	
ľ					T		1	
Ï.					Т			
ĺ								
ľ								
İ.								
ř								



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	<u>v</u>	
Туре	DEK 5/6.5 MC NE WS	Version
Order No.	<u>1609840000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4008190203429	Weidmueller, white
Qty.	900 pc(s).	

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 10/8 PLUS MC NE WS	Version
Order No.	<u>1905950000</u>	WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528103	white
Qty.	420 pc(s).	

Accessories

WS 12/6





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

• Firm hold and durable printing

- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

	<u> </u>	
Туре	WS 12/6 MM WS	Version
Order No.	<u>2007200000</u>	WS, Terminal marker, 12 x 6 mm, Weidmueller, white
GTIN (EAN)	4050118391886	
Qty.	600 pc(s).	





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

r	
ŀ	
r	
r	0000000
Г	
Г	0000000
Г	00000009
Г	
Г	11111111111
5	CONTRACTOR 1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	DEK 5/7.5 MC SDR	Version
Order No.	<u>1770490000</u>	Dekafix, Terminal marker, 5 x 7.5 mm, Pitch in mm (P): 7.50
GTIN (EAN)	4032248119738	Weidmueller, To customer specification
Qty.	64 pc(s).	

V0

T		Ι	T	T	Ľ	I	L	IJ]
Ľ	LLI	I	I	I	L	L	L	IJ	1
	111	T	T	I	T	T.	I	Ŀ.	1
Ľ			T	T	L	L	T.	E	1
Ľ				T			T	Ŀ	1
Ľ			T			T	T	E	1
Ľ			I	I		T	L	10	1
		T	Ì	T	T	T	I	1].
Ľ		T	T	T	T	T	T		J
1	111	T	Ť	Ť		T	T	T	1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	DEK 5/5 MC NE VO WS	Version
Order No.	<u>1388530000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN) 4050118188622	Weidmueller, white
Qty.	1,000 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

WS markers are the perfect match for the W-series
connectors. Thanks to their system compatibility, the
WS tags can also be used with the I-series and the Z-
•
series. The large marking surfaces do not only permit
long character strings but also multi-line text.
WS markers are ideal for labels with long, customised
character strings. Thanks to the proven MultiCard format,
printing with Print lat CONNECT adar (or Platter in
printing with PrintJet CONNECT oder/or Plotter is
possible.
 Can be fitted in strips or individually
· Markers in proven MultiCard format
 Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 12/3.5 MC SDR	Version
Order No.	<u>1778280000</u>	WS, Terminal marker, 12 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4032248161058	Weidmueller, Allen-Bradley, To customer specification
Qty.	120 pc(s).	

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/6 PLUS MC SDR	Version
Order No.	<u>1038650000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4032248767908	Weidmueller, To customer specification
Qty.	200 pc(s).	

Accessories

We	idn	nüll	er	¥

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Туре	DEK 5/6 MC SDR	Version
Order No.	<u>1609830000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4008190456603	Weidmueller, To customer specification
Qty.	200 pc(s).	

Blank

-	
5	TITITI
F	TITTTTTT
-	

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 12/3.5 MC NE WS	Version
Order No.	<u>1778270000</u>	WS, Terminal marker, 12 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4032248161041	Weidmueller, Allen-Bradley, white
Qty.	600 pc(s).	

Custom printing

*******	WS markers are the perfect match for the W-series
110101010101	connectors. Thanks to their system compatibility, the
********	WS tags can also be used with the I-series and the Z-
101000000	series. The large marking surfaces do not only permit
TREATORNE	long character strings but also multi-line text.
*******	• •
10000000000	WS markers are ideal for labels with long, customised
	character strings. Thanks to the proven MultiCard format,
101101010101	printing with PrintJet CONNECT oder/or Plotter is
1111111111111	possible.
	 Can be fitted in strips or individually
	 Markers in proven MultiCard format
	-

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 12/6 PLUS MC SDR	Version
Order No.	<u>1927540000</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248574711	Allen-Bradley, To customer specification
Qty.	120 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories

Weidmüller 🗲	 		-	
	oid	miil	lor	
	CIU	па		

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Туре	WS 12/6 MC SDR	Version
Order No.	<u>1609910000</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4008190456658	Allen-Bradley, To customer specification
Qty.	120 pc(s).	

Blank

T		I	I	I	I	1	I	I	1	1	L
1		I			I	1	I	I	1	I	L
I							I		1	1	L
1							T	I	1	1	L
1							T	I	I	T	T
Î		1					T	1	I	T	T

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Gomorai	ordering data	
Туре	WS 8/5 MC NE BL	Version
Order No.	<u>1773521693</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141715	Allen-Bradley, blue
Qty.	720 pc(s).	
Туре	WS 8/5 MC NE WS	Version
Order No.	<u>1640740000</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190279103	Allen-Bradley, white
Qty.	720 pc(s).	
Туре	WS 8/5 MC NE RT	Version
Order No.	<u>1773521686</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141531	Allen-Bradley, red
Qty.	720 pc(s).	
Туре	WS 8/5 MC NE OR	Version
Order No.	<u>1773521690</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248143092	Allen-Bradley, orange
Qty.	720 pc(s).	
Туре	WS 8/5 PLUS MC NE WS	Version
Order No.	<u>1951870000</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248631605	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 8/5 MC NE GE	Version
Order No.	<u>1773521687</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141548	Allen-Bradley, yellow
Qty.	720 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 12/6.5 MC NE RT	Version
Order No.	<u>1773561686</u>	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4032248142026	Weidmueller, Allen-Bradley, red
Qty.	540 pc(s).	
Туре	WS 12/6.5 MC NE GE	Version
Order No.	<u>1773561687</u>	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4032248142033	Weidmueller, Allen-Bradley, yellow
Qty.	540 pc(s).	
Туре	WS 12/6.5 MC NE BL	Version
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	V00 12/0.0 MICINE DE	Version
Order No.	<u>1773561693</u>	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50
Order No.	<u>1773561693</u>	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50
Order No. GTIN (EAN)	<u>1773561693</u> 4032248142095	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50
Order No. GTIN (EAN) Qty.	1773561693 4032248142095 540 pc(s).	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50 Weidmueller, Allen-Bradley, blue
Order No. GTIN (EAN) Qty. Type	1773561693 4032248142095 540 pc(s). WS 12/6.5 MC NE WS	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50 Weidmueller, Allen-Bradley, blue Version
Order No. GTIN (EAN) Qty. Type Order No.	1773561693 4032248142095 540 pc(s). WS 12/6.5 MC NE WS 1609920000	WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50 Weidmueller, Allen-Bradley, blue Version WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50

Accessories

Custom printing

12	LL	E	L	L	L	L	13
E	LL	T	L	L	L	L	
	T.T	Т	Т	Т	Ŀ	L	
E	TT	Т	Т	Т	Т	T	
E	ТT	Т	Т	Т	Ŀ	Т	3
E	TT	T	T.	T	T.	Т	1
E	T T	T	1	Т	1	T	
	П	T	T	Т	T	T	
Ē	T T	T			T	Т]'
10		Т	Т	T	Т	Т	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General	or dering data	
Туре	DEK 5/8 MC SDR	Version
Order No.	<u>1856750000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248400867	Weidmueller, To customer specification
Qty.	160 pc(s).	
Туре	DEK 5/8 PLUS MC SDR	Version
Order No.	<u>1046370000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248782079	Weidmueller, To customer specification
Qty.	160 pc(s).	

Accessories

Plus

ï			1		I	1	I		I	Ľ	1
I					T	1	I		1		ĺ
						1	I		I		1,
1									1		1
Į											1
Ï											1
l											1
											J.
l											1
Ï											1



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	DEK 5/6 PLUS MC NE WS	Version			
Order No.	<u>1011320000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00			
GTIN (EAN)	4032248717644	Weidmueller, white			
Qty.	1,000 pc(s).				

Blank

12	LI		T.	L	L	L	ľ
E	LI		L	Ŀ	L	L	1
	1.1	Т	1	Т	Ŀ	L	1
E	11	Т	Т	T	Ŀ	T	1
1	1.1	Т	Т	Т	Ŀ	T	1
E	TT	T	1	.1.	T.	Т	1
E	11	T	1	1	L	Т	
	11	Т	Т	Т	Т	Т	
°E	11	T	T		Т	Т	11
1	LI	T	Т	T	Т	Т	1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	0	
Туре	DEK 5/8 MC NE WS	Version
Order No.	<u>1856740000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248400850	Weidmueller, white
Qty.	800 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET



Dekafix





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	DEK 5/5.5 PLUS MC NE	Version
Order No.	<u>1125030000</u>	Dekafix, Terminal marker, 5 x 5.5 mm, Pitch in mm (P): 5.50
GTIN (EAN)	4032248956777	Weidmueller, white
Qty.	1,000 pc(s).	

Step-down bridges



Power feed-in

Our wide range of W-Series terminal blocks with our WPD main line branch terminals, which are optimised to guarantee both convenience and space gains, ensures a secure and convenient connection at the power feed-in.

Туре	ZQV 35N-10
Order No.	2562670000
GTIN (EAN)	4050118571271
Qty.	10 pc(s).
Туре	ZQV 35N-16
Type Order No.	ZQV 35N-16 2562660000

Accessories

Plus

Ì	T	T	1	I	1	1		ľ
ľ			T	T		1	1	ŋ
					1	1	T.	1
ľ				1	T			1
l					Т			1
ľ								ľ
ľ								1
								1
Í.								1
ł								n



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	-	
Туре	DEK 5/6.5 PLUS MC NE WS	Version
Order No.	1046340000	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4032248782048	Weidmueller, white
Qty.	900 pc(s).	
Туре	DEK 5/6.5 PLUS MC NE GE	Version
Order No.	<u>1364020000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
Order No. GTIN (EAN)	<u>1364020000</u> 4050118166057	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50 Weidmueller, yellow

Accessories

DEK 5/8





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

	•	
Туре	DEK 5/8 MM WS	Version
Order No.	<u>2007130000</u>	Dekafix, Terminal marker, 5 x 8 mm, Weidmueller, white
GTIN (EAN)	4050118392012	
Qty.	500 pc(s).	

Accessories

WS 8/5





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

• Firm hold and durable printing

- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

Туре	WS 8/5 MM WS	Version
Order No.	<u>2007150000</u>	WS, Terminal marker, 8 x 5 mm, Weidmueller, white
GTIN (EAN)	4050118392029	
Qty.	800 pc(s).	

Accessories

Blank

T	ELLELLELLE
Ľ	SECONDERED
	EREFERENCE
Ľ	CELEBERE I
Ľ	TELEVILLE
T	
Ľ	
	in in the j.
Ľ	
r	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

DEK 5/5 MC NE OR Type Version Order No. 1238340000 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 4050118062632 GTIN (EAN) Weidmueller, orange Qty. 1,000 pc(s). DEK 5/5 MC NE SW Туре Version Order No 1457550000 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4050118263817 Weidmueller black Qty. 1,000 pc(s). Tvpe DEK 5/5 MC NE GE Version Order No. 1609801687 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4008190397135 Weidmueller, yellow Qty. 1,000 pc(s). DEK 5/5 MC NE BR Туре Version 1249870000 Order No. Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4050118051865 Weidmueller, brown Qty. 1,000 pc(s). DEK 5/5 MC NE VI Туре Version Order No. 1249860000 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 4050118042764 GTIN (EAN) Weidmueller, violet Qty. 1,000 pc(s). Туре DEK 5/5 MC NE BL Version Order No. 1609801693 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4008190397166 Weidmueller, blue Qty. 1,000 pc(s). DEK 5/5 S MC NE WS Туре Version Order No. 1341620000 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4050118145793 Weidmueller, white 400 pc(s). Qty. DEK 5/5 MC NE WS Туре Version Order No. 1609801044 Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00 GTIN (EAN) 4008190397111 Weidmueller, white Qty. 1,000 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Туре	DEK 5/5 MC NE RT	Version
Order No.	<u>1609801686</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397128	Weidmueller, red
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE GN	Version
Order No.	<u>1609801688</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397142	Weidmueller, green
Qty.	1,000 pc(s).	
Туре	DEK 5/5 MC NE GR	Version
Order No.	<u>1609801691</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190397159	Weidmueller, grey
Qty.	1,000 pc(s).	

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	ordering data	
Туре	WS 10/6 MC M NE BL	Version
Order No.	<u>1069080000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248824618	Allen-Bradley, blue
Qty.	600 pc(s).	
Туре	WS 10/6 MC M NE RT	Version
Order No.	<u>1917440000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551644	Allen-Bradley, red
Qty.	600 pc(s).	
Туре	WS 10/6 PLUS MC NE WS	Version
Order No.	<u>1046390000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248782109	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 10/6 MC M NE GE	Version
Order No.	<u>1917430000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551637	Allen-Bradley, yellow
Qty.	600 pc(s).	
Туре	WS 10/6 MC M NE GN	Version
Order No.	<u>1917420000</u>	WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248551620	Allen-Bradley, green
Qty.	600 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories

A2C 35



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Туре WS 10/6 M PLUS MC NE WS Version Order No. 2003780000 WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, GTIN (EAN) 4050118424461 Allen-Bradley, white Qty. 600 pc(s). Туре WS 10/6 MC NE WS Version Order No. 1828450000 WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, GTIN (EAN) 4032248350513 Allen-Bradley, white 600 pc(s). Qty. Туре WS 10/6 M MC NE WS Version Order No. 1818400000 WS, Terminal marker, 10 x 6 mm, Pitch in mm (P): 6.00 Weidmueller, GTIN (EAN) 4032248310876 Allen-Bradley, white 600 pc(s). Qty.

Custom printing



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Gonorai	oracing data	
Туре	DEK 5/5 MC SDR	Version
Order No.	<u>1609810000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4008190456597	Weidmueller, To customer specification
Qty.	200 pc(s).	
Туре	DEK 5/5 S MC SDR	Version
Order No.	<u>1341590000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4050118146042	Weidmueller, To customer specification
Qty.	80 pc(s).	
Туре	DEK 5/5 PLUS MC SDR	Version
Order No.	<u>1854500000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4032248393602	Weidmueller, To customer specification
Qty.	200 pc(s).	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

P	1	2	1	•	1	8	•	8	1	•	*		
P	1	2	1	8	1	1	1	5	1	8	ï		
1	5	1	5	8	5	1	5	8	5	8	5		
ľ		1	1	8	1	8	1	0	1	8	i		
P	1	i	1	å	1	ð	1	ð	1	8	i		
1	5	3	5	8	1	8	3	8	5	8	8		
P	1	1	1	8	I	0	5	0	I	8	t		
P	1	i	i	å	i	ð	1	ð	1	ð	i		
P	1	ž	1	1	i	8	1	8	1	8	i		
P	1	1	5	8	5	1	5	0	5	8	5		
P	8	1	t	2	t	8	1	0	t	8	t		
P	1	1	1	2	1	2	1	å	1	2	i		

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 10/8 PLUS MC SDR	Version
Order No.	<u>1906030000</u>	WS, Terminal marker, 10 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528196	To customer specification
Qty.	84 pc(s).	

WS 12/5



WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

Туре	WS 12/5 MM WS	Version
Order No.	<u>2007190000</u>	WS, Terminal marker, 12 x 5 mm, Weidmueller, white
GTIN (EAN)	4050118392036	
Qty.	800 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

000000
101010101
10000000
100030109
Distances a
11100000
Discourses .

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	DEK 5/8-11.5 MC SDR	Version
Order No.	<u>1341610000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4050118146059	Weidmueller, To customer specification
Qty.	100 pc(s).	

Custom printing

 WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Z-series. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible. Can be fitted in strips or individually Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 8/5 MC SDR	Version
Order No.	<u>1640750000</u>	WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190456627	Allen-Bradley, To customer specification
Qty.	144 pc(s).	

Accessories

A2C 35



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

TypeWS 8/5 PLUS MC SDRVersionOrder No.1038790000WS, Terminal marker, 8 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,GTIN (EAN)4032248768066Allen-Bradley, To customer specificationQty.120 pc(s).

A-Series



Weidmüller's range of products includes end brackets that guarantee a permanent, reliable mounting on the terminal rail and prevent sliding. Versions with and without screws are available. The end brackets include marking options, also for group markers, and also a test plug holder.

	5. a.c	
Туре	AEB 35 SCL/1 V0	Version
Order No.	<u>2661280000</u>	A-series, End bracket
GTIN (EAN)	4050118702163	
Qty.	20 pc(s).	
Туре	AEB 35 SCL/1 V0 GY	Version
Order No.	<u>2661290000</u>	A-series, End bracket
GTIN (EAN)	4050118702170	
Qty.	20 pc(s).	
Туре	AEB 35 SCL/1 V0 BK	Version
Order No.	<u>2661300000</u>	A-series, End bracket
GTIN (EAN)	4050118702187	
Qty.	20 pc(s).	
Туре	AEB 35 SC/1 BK	Version
Order No.	<u>2475310000</u>	A-series, End bracket
GTIN (EAN)	4050118487114	
Qty.	50 pc(s).	
Туре	AEB 35 SC/1	Version
Order No.	<u>1991920000</u>	A-series, End bracket
GTIN (EAN)	4050118376722	
Qty.	50 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank

1	1	Ι	I	I	I	I	I	I	1	1	I	1
1	1	Ι	I	I	I	1	1	I	1	I	I	
[1	Ι	I	I		1	I	I	1	I	I	Ŋ
1	I	I	1	I	I	1	1	I		1	I	
1	I	I	I	I	I		I	I	I	Ι	I]-
Ţ	I	I	I	I	I	I		T	I	I	Ι	II.

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	V	
Туре	WS 10/5 MC NE WS	Version
Order No.	<u>1635000000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190261948	Allen-Bradley, white
Qty.	720 pc(s).	
Туре	WS 10/5 MC NE BL	Version
Order No.	<u>1773531693</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141814	Allen-Bradley, blue
Qty.	720 pc(s).	
Туре	WS 10/5 M PLUS MC NE WS	Version
Order No.	2003770000	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4050118424447	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 10/5 MC NE GE	Version
Order No.	<u>1773531687</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141753	Allen-Bradley, yellow
Qty.	720 pc(s).	
Туре	WS 10/5 M MC NE WS	Version
Order No.	<u>1792000000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248223862	Allen-Bradley, white
Qty.	720 pc(s).	
Туре	WS 10/5 PLUS MC NE WS	Version
Order No.	<u>1046380000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248782086	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 10/5 MC NE RT	Version
Order No.	<u>1773531686</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141746	Allen-Bradley, red
Qty.	720 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Custom printing

1		1
h		1
h		1
h		1
F		1
F		1
F	0000009	1
F		1
F		1
1		1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/6.5 MC SDR	Version
Order No.	<u>1609850000</u>	Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50
GTIN (EAN)	4008190456610	Weidmueller, To customer specification
Qty.	180 pc(s).	
Туре	DEK 5/6.5 PLUS MC SDR	Version
Type Order No.	DEK 5/6.5 PLUS MC SDR 1046360000	Version Dekafix, Terminal marker, 5 x 6.5 mm, Pitch in mm (P): 6.50

Accessories

WS 12/3.5





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

• Firm hold and durable printing

- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

	<u>v</u>	
Туре	WS 12/3.5 MM WS	Version
Order No.	<u>2007180000</u>	WS, Terminal marker, 12 x 3.5 mm, Weidmueller, white
GTIN (EAN	l) 4050118392203	
Qty.	1,000 pc(s).	

35 mm²



Power feed-in

Our wide range of W-Series terminal blocks with our WPD main line branch terminals, which are optimised to guarantee both convenience and space gains, ensures a secure and convenient connection at the power feed-in.

Туре	ZQV 35N/2
Order No.	<u>2634950000</u>
GTIN (EAN)	4050118694208
Qty.	10 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank

				L	L	L	
	T	T	T	T	n		i
							ľ
				Т	1		I
				T			i
	Τ			1			
	T						

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	J	
Туре	WS 12/5 MC NE GE	Version
Order No.	<u>1773541687</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141845	Allen-Bradley, yellow
Qty.	720 pc(s).	
Туре	WS 12/5 MC NE BL	Version
Order No.	<u>1773541693</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141906	Allen-Bradley, blue
Qty.	720 pc(s).	
Туре	WS 12/5 MC NE RT	Version
Order No.	<u>1773541686</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141838	Allen-Bradley, red
Qty.	720 pc(s).	
Туре	WS 12/5 MC NE WS	Version
Order No.	<u>1609860000</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190203481	Allen-Bradley, white
Qty.	720 pc(s).	
Туре	WS 12/5 PLUS MC NE WS	Version
Order No.	<u>1927510000</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248574186	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 12/5 MC NE OR	Version
Order No.	<u>1773541690</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248141876	Allen-Bradley, orange
Qty.	720 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank

					L	L	L	4
ĥ	T		T	T	T	T	T	1
				1			1	ľ
ſ				T		T	T	1
				1				1
	Τ							1
							T	1
								18
	1							- 11

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	•	
Туре	WS 12/6 MC NE BR	Version
Order No.	<u>1773551692</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248143252	Allen-Bradley, brown
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE WS	Version
Order No.	<u>1609900000</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4008190203467	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE OR	Version
Order No.	<u>1773551690</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248143245	Allen-Bradley, orange
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE RT	Version
Order No.	<u>1773551686</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248141920	Allen-Bradley, red
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE BL	Version
Order No.	<u>1773551693</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248143269	Allen-Bradley, blue
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE VI	Version
Order No.	<u>1773551689</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248143238	Allen-Bradley, violet
Qty.	600 pc(s).	
Туре	WS 12/6 PLUS MC NE WS	Version
Order No.	<u>1927530000</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248574209	Allen-Bradley, white
Qty.	600 pc(s).	
Туре	WS 12/6 MC NE GE	Version
Order No.	<u>1773551687</u>	WS, Terminal marker, 12 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248141937	Allen-Bradley, yellow
Qty.	600 pc(s).	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

110101010101

11111111111111
1111111111111
1111111111111
1111111111111
1111111111111
11111111111111
11111111111111

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 10/5 M PLUS MC SDR	Version
Order No.	<u>2007770000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4050118393279	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/5 PLUS MC SDR	Version
Order No.	<u>1046320000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4032248782024	Allen-Bradley, To customer specification
Qty.	120 pc(s).	
Туре	WS 10/5 MC SDR	Version
Type Order No.	WS 10/5 MC SDR <u>1635010000</u>	Version WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No.	<u>1635010000</u>	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No. GTIN (EAN)	<u>1635010000</u> 4008190456634	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
Order No. GTIN (EAN) Qty.	1635010000 4008190456634 144 pc(s).	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification
Order No. GTIN (EAN) Qty. Type	1635010000 4008190456634 144 pc(s). WS 10/5 MC M SDR	WS, Terminal marker, 10 x 5 mm, Pitch in mm (P): 5.00 Weidmueller, Allen-Bradley, To customer specification Version



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank

51	1	1			1		I	I	1	I		I	Ę
-1	11	I	I	1	I	I	I	I	I	I	I	I	Ę
h	11	1	ĺ	1	I	I	I	I	I	I	1	I	Ę
h	11	1		1	I	1	I	I	l	1	1	1	ł
					1			l	1		1	1	H
-1	1	I			I	I	I	I	I		I	1	H

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 10/3.5 PLUS MC NE WS	Version
Order No.	<u>2003760000</u>	WS, Terminal marker, 10 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4050118424454	Weidmueller, white
Qty.	960 pc(s).	

WS 8/16



WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- · Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

General ordering data

Туре	WS-A 8/16 MM WS	Version
Order No.	<u>2619910000</u>	WS, Terminal marker, 8 x 16 mm, Weidmueller, white
GTIN (EAN)	4050118626179	
Qty.	200 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories

Plus

E	I.	I.	E	L	1	1	1	1
þ	1	1	1	1	1	1	1	
į.	1	1	T	1	1	1	1	
h	1	1	1	1	1	1	1	
	1	1	T	1	1	1	1	
þ	I		I	1	1	1	1	
þ	1	1	1	1	J.	1	1	
F	T	1	1	1	1	1	1	
	T	T	T	1	1	1	1	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	<u> </u>	
Туре	DEK 5/8 PLUS MC NE WS	Version
Order No.	1046350000	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4032248782055	Weidmueller, white
Qty.	800 pc(s).	

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

- · Can be fitted in strips or individually
- Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 8/6 PLUS MC NE WS	Version
Order No.	<u>1951880000</u>	WS, Terminal marker, 8 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248632114	white
Qty.	600 pc(s).	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

1111111111111

1111111111111
1111111111111

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	WS 12/5 MC SDR	Version
Order No.	<u>1609870000</u>	WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,
GTIN (EAN)	4008190456641	Allen-Bradley, To customer specification
Qty.	144 pc(s).	
Туре	WS 12/5 PLUS MC SDR	Version
Type Order No.	WS 12/5 PLUS MC SDR 1927520000	Version WS, Terminal marker, 12 x 5 mm, Pitch in mm (P): 5.00 Weidmueller,



DEK 5/3.5





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

	•	
Туре	DEK 5/3.5 MM WS	Version
Order No.	2007100000	Dekafix, Terminal marker, 5 x 3.5 mm, Weidmueller, white
GTIN (EAN)	4050118391992	
Qty.	1,000 pc(s).	



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Custom printing

r		1
h		1
h		1
h		1
F		1
F		1
F	0000009	1
		1
F		1
1		1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

	-	
Туре	DEK 5/3.5 MC SDR	Version
Order No.	<u>1767730000</u>	Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4032248102532	Weidmueller, To customer specification
Qty.	100 pc(s).	
Туре	DEK 5/3.5 PLUS MC SDR	Version
Type Order No.	DEK 5/3.5 PLUS MC SDR 2007790000	Version Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50

Accessories

WS 12/6.5





Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

D-32758 Detmold Germany

www.weidmueller.com

WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

• Firm hold and durable printing

- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- High flexibility thanks to manufacturer independence

	- · · · · · · · · · · · · · · · · · · ·	
Туре	WS 12/6.5 MM WS	Version
Order No.	<u>2619930000</u>	WS, Terminal marker, 12 x 6.5 mm, Weidmueller, white
GTIN (EAN)	4050118626155	
Qty.	600 pc(s).	

Accessories

Blank

T			1	1	I	I	I	I	1	1
Ľ				1	I					1
					I					1,
C										1
E										1
Ľ										1
Ľ										1
										J.
C]
T.										1



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General	ordering	data
---------	----------	------

General	ordering data	
Туре	DEK 5/6 MC NE GR	Version
Order No.	<u>1238330000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118323306	Weidmueller, grey
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE GE	Version
Order No.	<u>1238280000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118038750	Weidmueller, yellow
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE GN	Version
Order No.	<u>1238310000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118271812	Weidmueller, green
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE BL	Version
Order No.	<u>1238290000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118267327	Weidmueller, blue
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE OR	Version
Order No.	<u>1912090000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4032248540525	Weidmueller, orange
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE WS	Version
Order No.	<u>1609820000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4008190203436	Weidmueller, white
Qty.	1,000 pc(s).	
Туре	DEK 5/6 MC NE BR	Version
Order No.	<u>1454900000</u>	Dekafix, Terminal marker, 5 x 6 mm, Pitch in mm (P): 6.00
GTIN (EAN)	4050118323313	Weidmueller, brown
Qty.	1,000 pc(s).	

Accessories

Blank





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- · Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	J	
Туре	DEK 5/7.5 MC NE WS	Version
Order No.	<u>1720620000</u>	Dekafix, Terminal marker, 5 x 7.5 mm, Pitch in mm (P): 7.50
GTIN (EAN)	4008190362300	Weidmueller, white
Qty.	320 pc(s).	

Blank

Ľ						ľ
Ľ						1
				10	6.0	1
Ľ						1
Ľ						1
Ľ						ľ
Ľ					11.	1
						1
Ľ						ľ
r	-	-	-		100	1

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

	•	
Туре	DEK 5/8-11.5 MC NE WS	Version
Order No.	<u>1341630000</u>	Dekafix, Terminal marker, 5 x 8 mm, Pitch in mm (P): 8.00
GTIN (EAN)	4050118145946	Weidmueller, white
Qty.	500 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Blank



WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 12/8 PLUS MC NE WS	Version
Order No.	<u>190600000</u>	WS, Terminal marker, 12 x 8 mm, Pitch in mm (P): 8.00 Weidmueller,
GTIN (EAN)	4032248528158	white
Qty.	420 pc(s).	

Custom printing

11111000000000	WS markers are the perfect match for the W-series
********	connectors. Thanks to their system compatibility, the
******	WS tags can also be used with the I-series and the Z-

TREESESSES.	series. The large marking surfaces do not only permit
*****	long character strings but also multi-line text.
	o o
11111111111111	WS markers are ideal for labels with long, customised
111111111111111	character strings. Thanks to the proven MultiCard format,
1011010101010	printing with PrintJet CONNECT oder/or Plotter is
TATATATATATA	printing with Frintget CONNECT oder/of Flotter is
1010000000	possible.
	 Can be fitted in strips or individually
	Markers in proven MultiCard format
	•

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data Type WS 12/6.5 MC SDR Version Order No. 1609930000 WS, Terminal marker, 12 x 6.5 mm, Pitch in mm (P): 6.50 GTIN (EAN) 4008190456655 Weidmueller, Allen-Bradley, To customer specification Qty. 108 pc(s). Version

Accessories

A2C 35



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Slotted screwdriver Slotted screwdriver with rounded blade SD DIN 5265, ISO 2380/2, output to DIN 5264, ISO 2380/1. ChromTop tip, SoftFinish grip **General ordering data** SDS 1.0X5.5X150 Version Order No. 2749380000 Screwdriver, Blade width (B): 5.5 mm, Blade length: 150 mm, Blade GTIN (EAN) 4050118895605 thickness (A): 1 mm 1 pc(s).

Plus

Туре

Qty.

-		LL	I	I	ī	l	1	1	1
-	J.	1.1	l	J	1	1	1	1	
-		LI	1	1	1	1	1	L	
-		I.I.	1	1	1	1	1	1	r,
	1	i.I.	I	1	1	I	1	1	n)
-		БĿБ	I	1	1	1	1	l	
-		I.I.	I	1	1	1	1	1	4
-		11	I	1	1	1	1	1	ų
-	T	II.	I	1	1	I	1	1	-
		П	I	I	1	1	1	1	

The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- · Large range of ready-to-use markers
- · Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

Туре	DEK 5/5 PLUS MC NE GE	Version
Order No.	<u>1907520000</u>	Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00
GTIN (EAN)	4032248532100	Weidmueller, yellow
Qty.	1,000 pc(s).	
Туре	DEK 5/5 PLUS MC NE WS	Version
Type Order No.	DEK 5/5 PLUS MC NE WS 1854490000	Version Dekafix, Terminal marker, 5 x 5 mm, Pitch in mm (P): 5.00



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

A-Series



Test adapters and test plugs are used for the electrical connection between terminal blocks and the test equipment. In this way, an electrical contact can be established in the wired state and measurements can be done easily.

General	ordering data
Туре	ATPG 1.5 MI-R
Order No.	<u>1991880000</u>
GTIN (EAN)	4050118376715
Qty.	50 pc(s).
Туре	ATPG 10 MI-R
Order No.	<u>1991870000</u>
GTIN (EAN)	4050118376678
Qty.	50 pc(s).
Гуре	ATPG 2.5 MI-R
Order No.	<u>1991960000</u>
GTIN (EAN)	4050118376685
Qty.	50 pc(s).
Туре	ATPG 2.5/5
Order No.	2041180000
GTIN (EAN)	4050118409505
Qty.	25 pc(s).
Туре	ATPG 1.5-10 L
Order No.	<u>1991890000</u>
GTIN (EAN)	4050118376647
Qty.	50 pc(s).
Туре	ATPG 4 MI-R
Order No.	<u>1991860000</u>
GTIN (EAN)	4050118376661
Qty.	50 pc(s).
Туре	ATPG 2.5/3
Order No.	2041190000
GTIN (EAN)	4050118409604
Qty.	25 pc(s).
Туре	ATPG 6 MI-R
Order No.	<u>1991930000</u>
GTIN (EAN)	4050118376555
S	

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

110101	. 11111
101101	10101
	10000
INCOME	
10100	10101
111111	10000
1511517	15151

WS markers are the perfect match for the W-series connectors. Thanks to their system compatibility, the WS tags can also be used with the I-series and the Zseries. The large marking surfaces do not only permit long character strings but also multi-line text. WS markers are ideal for labels with long, customised character strings. Thanks to the proven MultiCard format, printing with PrintJet CONNECT oder/or Plotter is possible.

· Can be fitted in strips or individually

• Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 8/6 PLUS MC SDR	Version
Order No.	<u>1038820000</u>	WS, Terminal marker, 8 x 6 mm, Pitch in mm (P): 6.00 Weidmueller,
GTIN (EAN)	4032248768073	To customer specification
Qty.	120 pc(s).	

DEK 5/7.5



WS/ DEK

MultiMark terminal markers use an innovative composite material made from two components. The hard base contour of the marker snaps securely into the connector. The elastic surface finish makes the marker easy to mount. This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tend to add up, especially with long terminal blocks. Another advantage: the excellent printability of the surface material guarantees durable and wearresistant labelling. A print resolution of 300 dpi also produces a very legible script. **Your benefits with MultiMark**

- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Large label field for optimal legibility
- · High flexibility thanks to manufacturer independence

General ordering data

Туре	DEK 5/7.5 MM WS	Version
Order No.	<u>2619920000</u>	Dekafix, Terminal marker, 5 x 7.5 mm, Weidmueller, white
GTIN (EAN)	4050118626162	
Qty.	500 pc(s).	

Creation date March 26, 2022 4:25:47 AM CET

Accessories



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Custom printing

WS markers are the perfect match for the W-series
connectors. Thanks to their system compatibility, the
WS tags can also be used with the I-series and the Z-
series. The large marking surfaces do not only permit
long character strings but also multi-line text.
WS markers are ideal for labels with long, customised
•
character strings. Thanks to the proven MultiCard format,
printing with PrintJet CONNECT oder/or Plotter is
possible.
 Can be fitted in strips or individually
Markers in proven MultiCard format

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Туре	WS 10/3.5 PLUS MC SDR	Version
Order No.	<u>2007760000</u>	WS, Terminal marker, 10 x 3.5 mm, Pitch in mm (P): 3.50
GTIN (EAN)	4050118393262	Weidmueller, To customer specification
Qty.	192 pc(s).	

A-Series



Power feed-in

Our wide range of W-Series terminal blocks with our WPD main line branch terminals, which are optimised to guarantee both convenience and space gains, ensures a secure and convenient connection at the power feed-in.

Туре	AAC 35 2X6 BK-YL
Order No.	<u>2583190000</u>
GTIN (EAN)	4050118593327
Qty.	5 pc(s).
Туре	AAC 35 2X6 GN-YL
Order No.	<u>2583180000</u>
GTIN (EAN)	4050118593310
Qty.	5 pc(s).
Туре	AAC 35 2X6 BL
Order No.	<u>2583170000</u>
GTIN (EAN)	4050118593303
Qty.	5 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Туре	AAC 35 2X6
Order No.	<u>2583090000</u>
GTIN (EAN)	4050118592771
Qty.	5 pc(s).

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN Rail Terminal Blocks category:

Click to view products by Weidmuller manufacturer:

Other Similar products are found below :

00110420202 8WA1011-1BH23 8WA1011-1EF20 8WA1011-6DG11 91.010 9102100000 91.040 9123140000 9123140001 RBO 5-T-B-HEX 1333564 DP25-GY-ND 1431306 1433306 90.070 90.202 91.020 912314 260-301_NR 2757571 280-331 280-560 280-564 281-611/281-542 281-673/281-411 281-994 283-317 283-607 2909798 264-724 264-726 280-530 280-555 280-619 281-610 281-622/281-417 284-317 284-601 2907033 3048496 5542152 35956 USK 10 102510 102510 0000 5520682 5607102 EMH 25-ZE30 591620-2 UM 45-SEFE M.NUT BK