

SDS 0.8X4.0X100

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





Slotted screwdriver with rounded blade SD DIN 5265, ISO 2380/2, output to DIN 5264, ISO 2380/1. ChromTop tip, SoftFinish grip

General ordering data

Version	Screwdriver, Screwdriver
Order No.	<u>9008340000</u>
Туре	SDS 0.8X4.0X100
GTIN (EAN)	4032248056293
Qty.	1 pc(s).
Delivery status	This article will no longer be available in the future.
Available until	2021-02-28
Alternative product	<u>2749360000</u>

Creation date March 26, 2022 2:58:05 AM CET



SDS 0.8X4.0X100

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights

Width	210 mm	Width (inches)	8.268 inch
Diameter	30 mm	Weight	62 g
Net weight	61.795 a		

Environmental Product Compliance

DE 4 OLL OV (1 LO	1 17400 00 4
REACH SVHC	Lead 7439-92-1

Technical data

Description of article Insulated screwdriver with

slotted bit 0.8x4

Screwing tools

Blade length	100 mm	Blade thickness (A)	0.8 mm
Blade type	Α	Blade width (B)	4 mm
Form	Slotted		

Classifications

ETIM 6.0	EC000158	ETIM 7.0	EC000158
ETIM 8.0	EC000158	ECLASS 9.0	21-04-04
ECLASS 9.1	21-04-04-07	ECLASS 10.0	21-04-04
ECLASS 11.0	21-04-04-07		

Approvals

Approvals



Downloads

Approval/Certificate/Document of	
Conformity	Declaration of the Manufacturer
Catalogues	Catalogues in PDF-format
Brochures	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Weidmuller manufacturer:

Other Similar products are found below:

272012M 27850 CE-16-03400-00-HNDLE-TORQ 323451-000 HMM-HH WUVT-1-120AC-P 00-8987-YWPP TS-35 32024 TL10416

XW4Z-00B 49-22-4073 96025 96030 96560 96430 31830 92270 96012 96436 96536 92064 72820 96520 92040 96416 96570 72823

96525 96720 31832 92020 96523 96510 96427 92073 92052 72905 72741 72663 32061 30751 130203/TA KLEIN TOOLS

SCREWDRIVER 4-IN-1 612020B 35-045 6951 83 9058 9977