

**Pressing tool  
HTG 58/59**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Crimping tools for coaxial connectors**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

|            |  |
|------------|--|
| Type       | HTG 58/59  |
| Order No.  | <a href="#">9012020000</a>                                       |
| Version    | Pressing tool, Crimping tool for contacts,<br>Hexagonal crimping |
| GTIN (EAN) | 4008190018207  |
| Qty.       | 1 pc(s).   |

**Data sheet**

**Pressing tool  
HTG 58/59**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

|        |        |                |            |
|--------|--------|----------------|------------|
| Width  | 200 mm | Width (inches) | 7.874 inch |
| Weight | 420 g  | Net weight     | 418.7 g    |

**Environmental Product Compliance**

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

**Technical data**

|         |   |
|---------|---|
| Version | Mechanical, without interchangeable inserts |
|---------|---|

**Description of contact**

|                 |                   |
|-----------------|-------------------|
| Type of contact | Coaxial connector |
|-----------------|-------------------|

**tool data crimping**

|                               |                    |                               |         |
|-------------------------------|--------------------|-------------------------------|---------|
| Crimping type/profile         | Hexagonal crimping | Hexagon AF (A)                | 5.4 mm  |
| Hexagon spanner width (A 2)   | 6.48 mm            | Hexagon spanner width (A 3)   | 1.72 mm |
| Crimping station, width (B 1) | 10 mm              | Crimping station, width (B 2) | 10 mm   |
| Crimping station, width (B 3) | 2.3 mm             | Internal contact diameter (D) | 2 mm    |

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 3.0   | EC000524    | ETIM 4.0   | EC000524    |
| ETIM 5.0   | EC000168    | ETIM 6.0   | EC000168    |
| UNSPSC     | 56-11-15-08 | eClass 5.1 | 27-40-02-18 |
| eClass 6.2 | 21-04-38-11 | eClass 7.1 | 21-04-38-11 |
| eClass 8.1 | 21-04-38-11 | eClass 9.0 | 21-04-38-11 |
| eClass 9.1 | 21-04-38-11 |            |             |

**Approvals**

Approvals



**Downloads**



|                    |                                      |
|--------------------|--------------------------------------|
| Brochure/Catalogue | <a href="#">CAT 6 TOOLS 15/16 EN</a> |
|--------------------|--------------------------------------|

**Data sheet**

**Pressing tool  
HTG 58/59**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Crimpers / Crimping Tools](#) category:*

*Click to view products by [Weidmuller](#) manufacturer:*

Other Similar products are found below :

[TH493-1](#) [63455-1207](#) [7-1579001-9](#) [7-23471-1](#) [124208](#) [DCE.91.073.BVC](#) [DCE.91.130.5MVU](#) [1490357-3](#) [1-59619-8](#) [980285-2](#) [2-305183-0](#)  
[240658-1](#) [4-22279-9](#) [3-23620-3](#) [DCE.91.051.BVC](#) [DCE.91.133.BVM](#) [11184809](#) [112108-0003](#) [734768-1](#) [314479-1](#) [354004-2](#) [HT802/DF63-](#)  
[2022S-1](#) [89853094A](#) [1-305731-5](#) [125466-2](#) [3-305832-7](#) [455676-1](#) [46000](#) [679298-1](#) [679495-2](#) [E110.010](#) [E110.020](#) [22.014](#) [8-240641-9](#)  
[CRIMPIT-F-4](#) [576718-5](#) [7-455888-2](#) [9-1803018-2](#) [1803323-8](#) [2217277-1](#) [1-1633710-8](#) [1803248-9](#) [2-238009-9](#) [4-1803187-7](#) [7-1803187-2](#)  
[9-1803018-7](#) [7-1803016-8](#) [6-1803019-9](#) [8-1803017-2](#) [1-1803246-4](#)