

**HTF 28****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for flat blade connectors and flat blade receptacles with open or rolled crimping claw**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

**General ordering data**

Version	Pressing tool, Crimping tool for contacts, 0.1mm <sup>2</sup> , 1mm <sup>2</sup> , B-Crimp
Order No.	<a href="#">9013090000</a>
Type	HTF 28
GTIN (EAN)	4008190129439
Qty.	1 pc(s).

Creation date September 18, 2022 4:24:02 AM CEST

Catalogue status 09.09.2022 / We reserve the right to make technical changes.

## HTF 28

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Width	200 mm	Width (inches)	7.874 inch
Net weight	449.98 g		

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1	SCIP	b28ab223-64ec-44cf-adb0-4dd6ebcae141
------------	----------------	------	--------------------------------------

## Technical data

Description of article	Crimping tools for flat-blade connectors and flat-blade receptacles, connector width 2.8 mm	Version	Mechanical, without interchangeable inserts
------------------------	---	---------	---

## Description of contact

Conductor cross-section, max. AWG	AWG 18	Conductor cross-section, min. AWG	AWG 28
Crimping range, max.	1 mm <sup>2</sup>	Crimping range, min.	0.1 mm <sup>2</sup>
Plug width	2.8 mm	Type of contact	F-plug / -sleeve

## tool data crimping

Crimping profile 1, max.	0.25 mm <sup>2</sup>	Crimping profile 1, min.	0.1 mm <sup>2</sup>
Crimping profile 2, max.	0.5 mm <sup>2</sup>	Crimping profile 2, min.	0.25 mm <sup>2</sup>
Crimping profile 3, max.	1 mm <sup>2</sup>	Crimping profile 3, min.	0.6 mm <sup>2</sup>
Crimping type/profile	B-Crimp		

## Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ECLASS 9.0	21-04-38-11
ECLASS 9.1	21-04-38-11	ECLASS 10.0	21-04-38-11
ECLASS 11.0	21-04-38-11	ECLASS 12.0	21-04-38-11

## Approvals

Approvals



## Downloads

Approval/Certificate/Document of Conformity	<a href="#">Declaration of the Manufacturer</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	


**Data sheet**

**HTF 28**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminal Block Tools & Accessories](#) category:*

*Click to view products by [Weidmuller](#) manufacturer:*

Other Similar products are found below :

[600HL](#) [600RJ-11](#) [600RJ-14](#) [600RJS-10](#) [600RJS-12](#) [600RJS-15](#) [600RJS-21](#) [601RJ-09](#) [602SP](#) [604J](#) [CSTSPC1-2](#) [7B941-7](#) [88943-2100](#)  
[QC102](#) [1437403-6](#) [1437403-9](#) [1437403-8](#) [1453128-1](#) [147832-1](#) [EC0037-000](#) [MT2/H--](#) [MT6/H-N](#) [MT6/V-GRND](#) [MT8/H-51-60](#) [BC2-12](#)  
[BCC-1-8/10](#) [EP2.5/4UN/BG](#) [1735590](#) [1840227](#) [1840230](#) [2-1437402-1](#) [JA2-03](#) [JB1-03/J](#) [JB2-04](#) [JB2-05](#) [JB2-07](#) [JB2-09/J](#)  
[PARALLELJUMPERLINK](#) [JS601](#) [2204082](#) [2302463](#) [2305949](#) [8PCV-BUSHING](#) [8TK2-24](#) [8WA1853](#) [91.201.1](#) [9200768](#) [2778.0](#) [281-421](#)  
[2MP/J](#)