

**EF 60 55 GY****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Similar to illustration**

The fluted filter mat of the IP 55 version extends the service life by up to 300% in comparison to conventional filter mats. Thought out details as the functional flap cover enable a fast and tool-less change of the filter mats which saves time and money.

**General ordering data**

|            |                            |
|------------|----------------------------|
| Type       | EF 60 55 GY                |
| Order No.  | <a href="#">2557230000</a> |
| Version    | Exhaust filter, IP55, grey |
| GTIN (EAN) | 4050118567861              |
| Qty.       | 1 pc(s).                   |

**EF 60 55 GY****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |        |                 |             |
|------------|--------|-----------------|-------------|
| Width      | 320 mm | Width (inches)  | 12.598 inch |
| Height     | 320 mm | Height (inches) | 12.598 inch |
| Depth      | 46 mm  | Depth (inches)  | 1.811 inch  |
| Net weight | 700 g  |                 |             |

**General data**

|                                |               |                                 |             |
|--------------------------------|---------------|---------------------------------|-------------|
| Colour                         | grey          | EMC version                     | No          |
| Filter class                   | G 4           | Height of installation cut-outs | 291 mm      |
| Material                       | Thermoplastic | Mounting depth                  | 39 mm       |
| Mounting height                | 7 mm          | Operating temperature range     | -40...55 °C |
| Protection class (UL)          | Type 12       | Type of mounting                | Snap-on     |
| Width of installation cut-outs | 291 mm        | With filter                     | Yes         |

**Classifications**

|            |             |             |             |
|------------|-------------|-------------|-------------|
| ETIM 6.0   | EC0025 13   | ETIM 7.0    | EC0025 13   |
| eClass 9.1 | 27-18-07-06 | eClass 10.0 | 27-18-07-06 |

**Approvals**

Approvals



ROHS Conform

**Downloads**

|                    |                                                          |
|--------------------|----------------------------------------------------------|
| Engineering Data   | <a href="#">STEP</a>                                     |
| User Documentation | <a href="#">Installation- and operating instructions</a> |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Weidmuller manufacturer](#):*

Other Similar products are found below :

[0101700000](#) [0103300000](#) [0105620000](#) [0105820000](#) [0110020000](#) [0110060000](#) [0114660000](#) [0117500000](#) [0117510000](#) [0117920000](#)  
[0117960000](#) [0117960000 AP SAK4-10](#) [011796 AP \(SAK4/6\)](#) [0117980000](#) [0117980000 AP SAK4-10 BL](#) [0119660000](#) [0119760000](#)  
[0119960000](#) [0120060000](#) [0122800000](#) [012280 \(PACK OF 5\)](#) [0122810000](#) [0124300000](#) [0124800000](#) [0126160000](#) [0126260000](#) [0126360000](#)  
[0126700000](#) [0128360000](#) [012836 SAK4](#) [0128380000](#) [012838 SAK4](#) [0130160000](#) [0131700000](#) [0132961027](#) [0132961039](#) [0133360001](#)  
[0133360011](#) [0133660000](#) [0134220000](#) [0134500000](#) [0134700000](#) [0134920000](#) [0137100000](#) [0139160000](#) [0140200000](#) [0140320000](#)  
[0140800000](#) [0141620000](#) [0146720000](#)