

THM GEW FLAG 54/8 WS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Similar to illustration

The THM labels offer brilliant printing quality thanks to the thermal transfer technology. Different materials and the user-friendly printing system M-Print® PRO under Windows optimise all labelling efforts.

- High-quality polyester labels in different colours
- Due to their flexible material and the thick adhesive layer, the THM GEW can be used on angled or round objects such as cables or hoses
- Roll-packaged THM ET S7 can be used to label the Simatic 200S, S7-300 and S7-400 modules from Siemens
- Labels are automatically positioned in the printer for perfectly centred prints on each label.
- Labelling with the THM MultiMark or THM MultiMark Plus thermal transfer printers

General ordering data

| | |
|------------|---|
| Version | THM, Conductor and cable markers, 1 - 12 mm, 54 x 8 mm, white |
| Order No. | 1107350000 |
| Type | THM GEW FLAG 54/8 WS |
| GTIN (EAN) | 4032248882885 |
| Qty. | 1 pc(s). |

THM GEW FLAG 54/8 WS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|----------------|------------|-----------------|------------|
| Height | 54 mm | Height (inches) | 2.126 inch |
| Net weight | 673 g | Width | 8 mm |
| Width (inches) | 0.315 inch | | |

Temperatures

| | |
|-----------------------------|-------------|
| Operating temperature range | -29...80 °C |
|-----------------------------|-------------|

General data

| | | | |
|-----------------------------------|---|--|------------------|
| Adhesive | Natural rubber adhesive | Colour | white |
| Material | Vinyl-coated cotton fabric | Material colour according to resistance code | 9 |
| Number of markers per combination | 1 Reel = 4000 Conductor and cable markers | Number per roll | 4,000 |
| Operating temperature range | -29...80 °C | Operating temperature range, max. | 80 °C |
| Operating temperature range, min. | -29 °C | Printing method | Thermal transfer |
| Size of labelling field | 21.4 x 8 mm | UL 94 flammability rating | V-0 |
| Width | 8 mm | | |

Conductor and cable markers

| | | | |
|-------------------------------|----------------------|----------------------------------|---------------------------|
| Conductor O.D. | 1 - 12 mm | Conductor O.D., max. | 12 mm |
| Conductor O.D., min. | 1 mm | Conductor cross-section, max. | 70 mm ² |
| Conductor cross-section, min. | 0.75 mm ² | Cross-section for connected wire | 0.75 - 70 mm ² |
| Text field height | 8 mm | Text field width | 21.34 mm |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC001530 | ETIM 7.0 | EC001530 |
| ECLASS 9.0 | 27-40-04-01 | ECLASS 9.1 | 27-40-04-01 |
| ECLASS 10.0 | 27-40-04-01 | ECLASS 11.0 | 27-28-11-02 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|------------------|--|
| Engineering Data | STEP |
| Engineering Data | EPLAN, WSCAD, Zuken E3.S |

Data sheet

THM GEW FLAG 54/8 WS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Labels & Markers](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[89078GBEST](#) [89082GBESR](#) [89082GBEST](#) [PCL025-4](#) [5761-2SF](#) [58400](#) [586R734H02](#) [M1.040.0000.6](#) [CRS-CM5M](#) [CRS-M18M](#) [CS1836-000](#) [CS8626-000](#) [CU6337-000](#) [CU6342-000](#) [CU6343-000](#) [CWD01-0](#) [CWD012-0](#) [CWD012-7](#) [CWD015-3](#) [CWD015-7](#) [CWD02-0](#) [CWD02-3](#) [CWD02-4](#) [CWD02-6](#) [CWD02-8](#) [CWD02-A](#) [CWD02-D](#) [CWD02-H](#) [CWD02-K](#) [CWD02-L](#) [CWD02-M](#) [CWD02-P](#) [CWD02-Q](#) [CWD02-R](#) [CWD02-U](#) [CWD02-W](#) [CWD02-Y](#) [CWD03-+](#) [CWD03-0](#) [CWD03-P](#) [CWD06-0](#) [CWD06-8](#) [CWD06-9](#) [CWD06-L](#) [CWD06-N](#) [CWD09-0](#) [CWD09-5](#) [CWD09-7](#) [6806810001](#) [CZ2857-000](#)