




IP67

SF
12



● SF12 IP67 Push-pull coupling




Material and spec

Coupling	PUSH-PULL
Shell material	Brass with chrome plating
Insert material	PPS max temperature 260 °C, fire resistance : V-0
Contact material	Brass with gold plating
Termination	Solder
Cable outer diameter range	I : 4-6.5mm II : 5-8mm
IP rating	IP67
Mating cycle	>500
Temperature range	-40C~+85C
Insulation resistance MΩ	2000


SF12 Series IP67

SF
12




Cable connector
Mate with SF1211, SF1212, SF1213

SF1210 / P — SF1210 / S





Cable outer diameter: I : 4-6.5mm, II : 5-8mm
Number of contact: 2, 3, 4, 5, 6, 7, 9




In-line cable connector
Mate with SF1210

SF1211 / P — SF1211 / S


Front mount
Mate with SF1210

SF1212 / P — SF1212 / S




• Panel cutout

Number of contact: 2, 3, 4, 5, 6, 7, 9




Square flange
Mate with SF1210

SF1213 / P — SF1213 / S




• Panel cutout










Angled cable connector
Mate with SF1211, SF1212, SF1213

SF1214 / P — II SF1214 / S — II



Contact arrangement and spec for solder termination

Number of contact	2	3	4	5	6	7	9
Male contact face view							
Rated current (A)	13A	13A	5A	5A	5A	5A	3A
Contact diameter	∅ 1.6X2	∅ 1.6X3	∅ 1X4	∅ 1X5	∅ 1X6	∅ 1X7	∅ 0.7X9
Rated voltage (AC.V)	250V	250V	200V	180V	125V	125V	125V
Test voltage(AC.V) 1 min	1500V	1500V	1500V	1000V	1000V	1000V	1000V
Contact resistance $m\Omega$	2	2	5	5	5	5	10
Wire size mm^2 /AWG	≤2/14	≤2/14	≤0.785/18	≤0.785/18	≤0.785/18	≤0.785/18	≤0.785/18

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [Weipu](#) manufacturer:

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600247N007](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#)
[6280-7SG-3DC](#) [6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6293](#) [6382-2PG-311](#) [6382-2PG-3DC](#)
[6382-2SG-321](#) [6382-2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [681-PMG](#) [CXC3106A1811S](#) [CXS3102A14S2P](#) [CXS3102A181S](#)
[CXS3106A14S6S](#) [D38999/20FC8SA](#) [L/C](#) [MB12P-1](#) [MB12R-6](#) [7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#)
[7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190011-03P](#) [75-190216-08S](#) [75-190218-10P](#) [75-214636-52P](#) [75-474118-10P](#) [75-474211-03P](#)