The Zyklop Ratchets, 1/4"







EAN: 4013288121868 **Size:** 170x40x40 mm

Part number:05003500001Weight:168 gArticle number:8000 ACountry of origin:CZ

Customs tariff 82041100

number:











- · Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

Zyklop ratchet with 1/4"drive. The 72 fine-pitched teeth ensure a low return angle of only 5°. The ratchet head pivots freely and can be locked into any position by using the slide switch that is positioned on either side. It is even possible to work conveniently in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking positions at 0°, 15° und 90°, both to the right and left, ensure safe working without any slipping of the ratchet head. The ratchet can be used as a conventional screwdriver in the 0° position by attaching an adaptor and a bit. The flywheel design ensures rapid screwdriving. The rotation-symmetric construction of the Kraftform handle and the free-turning sleeve support rapid twisting. The outstanding design of the Kraftform handle fits perfectly into the hand preventing hand injuries such as blisters and calluses. The hard materials used for the handle ensure quick and easy hand repositioning without any danger of the skin "sticking" to the handle. The softer anti-slip zones enable the low-loss transfer of high torque. For 1/4" square sockets as well as 1/4" adaptors with square drive, equipped with ball lock.

09.10.2020 - 1 / 3

The Zyklop Ratchets, 1/4"



Zyklop "6 in 1"



1. Fine-tooth ratchet 2. Flex-head ratchet 3. Angle ratchet 4. Quick-release ratchet 5. Power ratchet 6. Screwdriver

Pivots freely



The ratchet head pivots freely and can be locked into any defined position by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and left, ensure safe working without any slipping of the ratchet head.

Fast movers



The Zyklop Speed ratchets are really fast movers. The gyrating mass design means that screwdriving is accelerated. The rotation-symmetric structure of the Kraftform handle and the freeturning sleeve reinforce this rapid twisting process, particularly when the ratchet does not engage due to too little resistance in the thread.

Simple direction change

Incredibly fast 1/4" Zyklop Speed

ratchet with pivoting ratchet head

and 5 predefined locking positions



All Zyklop Speed ratchets feature a thumbwheel that can be used to quickly and easily switch between clockwise and anticlockwise rotation, at any position. No complicated handling, no loss of time!

Low return angle



The reversible ratchet with 72 finepitched teeth has a low return angle of only 5°. This short stroke allows fast and precise work in all types of installation.

Screwdriver



The ratchet can be used as a conventional screwdriver in the 0° position by attaching a bitholding adaptor and a bit.

Ball lock



The ball lock holds the sockets and attachments securely, ensuring safe working. A changeover into any predefined position is completed by simply pressing the release button — this is even the case in the 90° position.

8000 A Zyklop Speed Ratchet with 1/4" drive, 1/4" x 152 mm

The Zyklop Ratchets, 1/4"



Further versions in this product family:

	0	₩ ×
	inch	mm
05003500001	1/4"	152.0

Web link https://products.wera.de/en/tools_for_bicycles_and_e-bikes_8000_a.html Wera - 8000 A 05003500001 - 4013288121868

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Spanners category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

74008 1406504-3 1406504-4 1406504-5 1725859-2 9965 1055267-1 1-1406504-0 TG70-24 1055512-1 1055276-1 R282303020 TOL222901 523200-4 TOL-171801 1490262-2 9968 1302340394 AC24VS BT-BS-609WT BT-BS-610R BT-BS-610RT BT-ST-302D 103127R 1031-34R 1060-29 1061-24 1067-10 1067-27 1067-32 1071-48 10F0-26P 10F0-32P 10F0-55P 0-90-947 0-90-949 43032 40080606
40082626 40093232 50184065 58211008 58211011 58211013 58211014 58211015 58211016 58211019 58214022 58214024