
932 A Screwdriver for slotted screws, 1.6 x 10 x 175 mm

Kraftform Plus - Series 900



- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.















Kraftform Plus – Series 900



Integrated impact cap

Pound-thru blade

Integrated hex bolster



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!

Wera Black Point tip



integrated impact An cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Kraftform



A hexagon blade made out of highquality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Rapid hand repositioning



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Non-roll feature



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels across the hand.



The hexagonal non-roll feature prevents any rolling away at the workplace.

Kraftform Plus - Series 900



Further versions in this product family:

			\bigcirc					Å
	mm	mm	mm	mm	mm	mm	inch	inch
050182600011)	0.6	3.5	4		80	81	9/64	3 1/8
05018262001	0.8	4.5	5	8	90	98	0.178	3 1/2
05018264001	1.0	5.5	6	10	100	105	7/32	4
05018266001	1.2	7.0	6	10	125	105	9/32	5
05018268001	1.6	9.0	8	13	150	112	11/32	6
05018270001	1.6	10.0	8	13	175	112	3/8	7
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2	8
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16	10

1) No throughout blade, no impact cap and no hexagon bolster 2) Kraftform with non-roll feature, single-component

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below :

 272012M
 27850
 CE-16-03400-00-HNDLE-TORQ
 323451-000
 HMM-HH
 WUVT-1-120AC-P
 00-8987-YWPP
 32024
 XW4Z-00B

 49-22-4073
 96025
 96030
 96560
 96430
 31830
 92270
 96012
 96436
 96536
 92064
 72820
 96520
 92040
 96416
 96570
 72823
 96525
 96720

 31832
 92020
 96523
 96510
 96427
 92073
 92052
 72905
 72741
 72663
 32061
 30751
 130203/TA
 KLEIN TOOLS SCREWDRIVER 4-IN-1

 612020B
 35-045
 6951
 83
 9058
 9977
 EMF
 PTE6