

950 L-key, metric, chrome-plated, 5 x 160 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288018694	Size:	160x28x6 mm
Part number:	05021625001	Weight:	31 g
Article number:	950 L	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- L-keys with Hex-Plus advantage for a longer screw life
- High corrosion protection thanks to chrome-plating
- Extra-long arm
- Metric

High quality L-keys for hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The precise chrome-plated design ensures high corrosion protection; with extra-long arm.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_l.html

Wera - 950 L
05021625001 - 4013288018694

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Size identification








The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

Further versions in this product family:

	 mm	 mm	 mm	 inch	 inch
05021600001 ¹⁾	1.5	90	14	3 1/2	9/16
05021605001	2.0	100	16	4	5/8
05021610001	2.5	112	18	4 7/16	23/32
05021615001	3.0	126	20	5	25/32
05021620001	4.0	140	25	5 1/2	1
05021625001	5.0	160	28	6 5/16	1 3/32
05021630001	6.0	180	32	7 1/16	1 1/4
05021632001	7.0	190	30	7 1/2	1 1/4
05021635001	8.0	200	36	8	1 7/16
05021640001	10.0	219	40	8 11/16	1 9/16
05021645001	12.0	250	45	10	1 3/4

1) Regular hexagon

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_l.html

Wera - 950 L

05021625001 - 4013288018694

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tool Kits & Cases](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)