



EAN:	4013288221315	Size:	245x95x25 mm
Part number:	05021721001	Weight:	529 g
Article number:	950/13 Hex-Plus Imperial 1 SB	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- BlackLaser for high corrosion protection and long service life
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

13-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface

Tip: Hex-Plus, hexagonal ball tip at the long arm

Web link


https://products.wera.de/en/news_and_promotional_products_autumn_winter_2021_2022_our_autumn_winter_production_innovations_950_13_hex-plus_imperial_1_sb.html

Wera - 950/13 Hex-Plus Imperial 1 SB
05021721001 - 4013288221315

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Our Autumn/Winter production innovations

Set contents:

	950 PKL inch	
	05022068001	1 x 5/64" x 100 mm
	05022070001	1 x 3/32" x 112 mm
	05022071001	1 x 7/64" x 119 mm
	05022072001	1 x 1/8" x 126 mm
	05022073001	1 x 9/64" x 132 mm
	05022074001	1 x 5/32" x 140 mm
	05022076001	1 x 3/16" x 160 mm
	05022078001	1 x 7/32" x 180 mm
	05022079001 ¹⁾	1 x 0.05" x 83 mm
	05022080001	1 x 1/4" x 190 mm
	05022081001 ¹⁾	1 x 1/16" x 91 mm
	05022082001	1 x 5/16" x 200 mm
05022095001	1 x 3/8" x 212 mm	

1) Regular hexagon

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link

https://products.wera.de/en/news_and_promotional_products_autumn_winter_2021_2022_our_autumn_winter_production_innovations_950_13_hex-plus_imperial_1_sb.html

Wera - 950/13 Hex-Plus Imperial 1 SB
05021721001 - 4013288221315

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Our Autumn/Winter production innovations

Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Web link

https://products.wera.de/en/news_and_promotional_products_autumn_winter_2021_2022_our_autumn_winter_production_innovations_950_13_hex-plus_imperial_1_sb.html

Wera - 950/13 Hex-Plus Imperial 1 SB
05021721001 - 4013288221315

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tool Kits & Cases](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)