## L-Keys for Hexagon Socket Screws











**EAN:** 4013288018885 **Size:** 126x20x4 mm

Part number:05022072001Weight:9 gArticle number:950 PKL inchCountry of origin:CZ

Customs tariff 82041100 number:

- L-keys for hexagonal socket screws
- · Hex-Plus allows socket head screws to live longer
- · Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
- Imperial

High quality L-keys for imperial hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

#### L-Keys for Hexagon Socket Screws

We questioned the classic L-key

design, since all too often the

screw head recess is rounded out,

meaning screws can no longer be

tightened or loosened - and so the

user finds the L-key slipping out of

the recess. Wera Hex-Plus tools

have a larger contact surface in

the screw head. The notching

effects are reduced and thereby

the deformation of the screws. At

the same time, as much as 20 %

more torque can be applied.



#### L-Keys

# Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

#### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

#### Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

## Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

Web link https://products.wera.de/en/l-keys\_l-keys\_for\_hexagon\_socket\_screws\_950\_pkl\_inch.html

Wera - 950 PKL inch 05022072001 - 4013288018885

# L-Keys for Hexagon Socket Screws



# Further versions in this product family:

	0	A v		A v	
	inch	mm	mm	inch	inch
050220790011)	0.05	83	14	3 1/4	9/16
050220810011)	1/16	91	15	3 1/2	19/32
05022068001	5/64	100	16	4	5/8
05022070001	3/32	112	18	4 7/16	23/32
05022071001	7/64	119	19	4 3/4	3/4
05022072001	1/8	126	20	5	25/32
05022073001	9/64	132	23	5 3/16	29/32
05022074001	5/32	140	25	5 1/2	1
05022076001	3/16	160	25	6 5/16	1
05022078001	7/32	180	27	7 1/16	1 1/16
05022080001	1/4	190	34	7 1/2	1 5/16
05022082001	5/16	200	36	8	1 7/16
05022095001	3/8	212	38	8 3/8	1 1/2
05022096001	1/2	224	40	9	1 9/16

<sup>1)</sup> Regular hexagon

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tool Kits & Cases category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

217434-1 4263 1055420-1 11-18-3023 63902-3270 63860-8170 856600-2 690372163 11-40-3247 63883-2870 63885-0270 63901-5670 63866-1070 63863-5070 63892-7370 11-18-3209 63860-4070 63881-0970 A0403641 11-18-3040 63865-2070 63910-1470 63861-5070 63850-7470 11-18-3201 63910-7570 FM 0501 146 63883-0670 63830-0070 63902-9170 11-18-3147 11-18-3079 63883-2670 63900-1770 11-18-3190 63851-1070 63912-4770 63911-5270 63895-1070 63860-1470 63850-6070 1-69411-3 63852-9270 63802-6270 63902-4870 11-18-3202 63852-9170 63850-1070 63830-0170 63910-2870