

## 950/9 Hex-Plus 6 L-key set, metric, BlackLaser, 9 pieces

### L-Keys for Hexagon Socket Screws



<b>EAN:</b>	4013288104809	<b>Size:</b>	229x83x25 mm
<b>Part number:</b>	05022086001	<b>Weight:</b>	411 g
<b>Article number:</b>	950/9 Hex-Plus 6	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- BlackLaser for high corrosion protection and long service life
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

High quality L-key set for hexagonal socket screws in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal. L-keys with Hex-Plus profile: offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_6.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_6.html)

Wera - 950/9 Hex-Plus 6  
05022086001 - 4013288104809

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

L-Keys for Hexagon Socket Screws

Set contents:



**950 PKL BM**

05027101001 <sup>1)</sup>	1 x 1.5 x 90 mm
05027102001	1 x 2 x 100 mm
05027103001	1 x 2.5 x 112 mm
05027104001	1 x 3 x 126 mm
05027105001	1 x 4 x 140 mm
05027106001	1 x 5 x 160 mm
05027107001	1 x 6 x 180 mm
05027108001	1 x 8 x 200 mm
05027109001	1 x 10 x 219 mm

1) Regular hexagon

**L-Keys**



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

**Hex-Plus**



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

**Ball tip**



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

**Size identification**



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_6.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_6.html)

Wera - 950/9 Hex-Plus 6  
05022086001 - 4013288104809

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_6.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_6.html)

Wera - 950/9 Hex-Plus 6  
05022086001 - 4013288104809

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wera](#) manufacturer:*

Other Similar products are found below :

[05057122001](#) [5031610001](#) [05006120001](#) [05031612001](#) [05118042001](#) [05003500001](#) [160 I/7](#) [165 I PZ2 VDE](#) [05059291001](#) [05073599001](#)  
[7431 ESD 30,0 - 100,0 NCM](#) [7450 10,0 NCM](#) [967L/9 HF TORX](#) [05030081001](#) [05059636001](#) [JOKER 17 + 19 METRISCH](#) [05003472001](#)  
[05073676001](#) [05074702001](#) [05004970001](#) [05480223001](#) [05003880001](#) [05003882001](#) [05003970001](#) [05003971001](#) [05003973001](#)  
[05104652001](#) [05075623001](#) [05006451001](#) [05074752001](#) [05074757001](#) [05004203001](#) [05004202001](#) [05004201001](#) [05020090001](#)  
[05057432001](#) [8790 4.0](#) [8790 14.0](#) [8767 40 X 28MM](#) [05022171001](#) [5004019001](#) [05056683001](#) [05056294001](#) [05056161001](#) [05020072001](#)  
[05020129001](#) [05008061001](#) [05017010001](#) [05074800001](#) [05074734001](#)