

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function, 9 pieces  
L-Keys for Hexagon Socket Screws



<b>EAN:</b>	4013288207227	<b>Size:</b>	245x95x25 mm
<b>Part number:</b>	05022130001	<b>Weight:</b>	480 g
<b>Article number:</b>	950/9 L Hex-Plus HF 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- The holding function on the long arm keeps screws securely on the tool
- Hex-Plus allows socket head screws to live longer
- Extra-long arm
- High corrosion protection thanks to chrome-plating
- Wear-resistant clip material for enhanced durability

Set of high-quality L-keys for hexagon socket screws with high corrosion protection and extra long lever for high power transmission and working in low positions. The Hex-Plus profile offers larger contact surfaces at the screw head. The notch effect is thereby reduced to a minimum, the destruction of the screw head almost eliminated. Tools from size 3 onwards offer a holding function through a pressed resilient ball.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_l\\_hex-plus\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_l_hex-plus_hf_1.html)

Wera - 950/9 L Hex-Plus HF 1  
05022130001 - 4013288207227

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# 950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function, 9 pieces

## L-Keys for Hexagon Socket Screws



### Set contents:



#### 950 L HF

05022124001	1 x 8 x 200 mm
05022122001	1 x 5 x 160 mm
05022120001	1 x 3 x 126 mm
05022125001	1 x 10 x 219 mm
05022123001	1 x 6 x 180 mm
05022121001	1 x 4 x 140 mm



#### 950 L

05021605001	1 x 2 x 100 mm
05021610001	1 x 2.5 x 112 mm
05021600001 <sup>1)</sup>	1 x 1.5 x 90 mm


1) Regular hexagon

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### With retaining function on long arm




The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw on the tool.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Size markings



The size of each L-keys has been engraved by a laser making it easy to find the right tool.

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_l\\_hex-plus\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_l_hex-plus_hf_1.html)

Wera - 950/9 L Hex-Plus HF 1  
05022130001 - 4013288207227

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function, 9 pieces**  
**L-Keys for Hexagon Socket Screws**

**High corrosion protection thanks to chrome-plating**



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

**Secure hold and easy removal**



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_l\\_hex-plus\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_l_hex-plus_hf_1.html)

Wera - 950/9 L Hex-Plus HF 1  
05022130001 - 4013288207227

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wera](#) manufacturer:*

Other Similar products are found below :

[05057122001](#) [5031610001](#) [05006120001](#) [05031612001](#) [05118042001](#) [05003500001](#) [160 I/7](#) [165 I PZ2 VDE](#) [05059291001](#) [7431 ESD 30,0 - 100,0 NCM](#) [7450](#) [10,0 NCM](#) [967L/9 HF TORX](#) [05030081001](#) [05059636001](#) [JOKER 17 + 19 METRISCH](#) [05003472001](#) [05073676001](#)  
[05074702001](#) [05004970001](#) [05480223001](#) [05003880001](#) [05003882001](#) [05003970001](#) [05003971001](#) [05003973001](#) [05104652001](#)  
[05075623001](#) [05074752001](#) [05074757001](#) [05004203001](#) [05004202001](#) [05004201001](#) [05135918001](#) [05020090001](#) [05057432001](#) [8790 14.0](#)  
[8767 40 X 28MM](#) [05022171001](#) [5004019001](#) [05056294001](#) [05056161001](#) [05020072001](#) [05020129001](#) [05008061001](#) [05017010001](#)  
[05074800001](#) [05074734001](#) [05003780001](#) [BELT B, 8-TEILIG, UNBESTÜCKT](#) [05056472001](#)