

**3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless, TX 10**  
x 112 mm  
L-Keys for TORX® Screws



<b>EAN:</b>	4013288207159	<b>Size:</b>	114x22x4 mm
<b>Part number:</b>	05022682001	<b>Weight:</b>	8 g
<b>Article number:</b>	3967 SXL HF TORX® Multicolour	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- The holding function on the long arm keeps screws securely on the tool
- Extremely high corrosion protection thanks to ice-hardened stainless steel design
- Handle-friendly hose jacket with tool finder "Take it easy": Colour coding according to size

High quality stainless steel L-key for internal TORX® screws. Very corrosion-resistant due to ice-hardened stainless steel material of the L-key, avoiding the transmission of extraneous rust in stainless steel screw connections. With holding function on the long arm: The clamping force resulting from the surface pressure between the output tip and the screw profile holds the screws securely on the tool. With extra long arm for working in a low position. The grip-friendly hose jacket facilitates screwdriving even at low temperatures. "Take it easy" tool finder with colour coding by size.



**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_3967\\_sxl\\_hf\\_torx\\_multicolour.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_3967_sxl_hf_torx_multicolour.html)

Wera - 3967 SXL HF TORX® Multicolour  
05022682001 - 4013288207159

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# 3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless, TX 10

x 112 mm

L-Keys for TORX® Screws



## Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

## With sleeve



L-keys with a thermoplastic sleeve are manufactured out of easy-to-grip, circular material. The sleeve ensures that work is safe and comfortable even at low temperatures. Colour coding and large stamp to enable the desired L-key to be easily located.

## Holding function for recessed TORX® screws








The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

## Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

## Further versions in this product family:

					
		mm	mm	inch	inch
05022680001	TX 8	90	16	3 1/2	5/8
05022681001	TX 9	101	16	4	5/8
<b>05022682001</b>	<b>TX 10</b>	<b>112</b>	<b>19</b>	<b>4 7/16</b>	<b>3/4</b>
05022683001	TX 15	123	21	4 7/8	27/32
05022684001	TX 20	137	24	5 3/8	1
05022685001	TX 25	154	27	6 1/16	1 1/16
05022686001	TX 27	172	31	6 3/4	1 1/4
05022687001	TX 30	195	37	7 11/16	1 7/16
05022688001	TX 40	224	42	9	1 11/16

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_3967\\_sxl\\_hf\\_torx\\_multicolour.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_3967_sxl_hf_torx_multicolour.html)

Wera - 3967 SXL HF TORX® Multicolour  
05022682001 - 4013288207159

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Tool Kits & Cases](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)  
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)  
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)  
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)  
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)