


3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless, TX 27
x 172 mm
L-Keys for TORX® Screws



| | | | |
|------------------------|----------------------------------|-----------------------------------|-------------|
| EAN: | 4013288207197 | Size: | 178x7x38 mm |
| Part number: | 05022686001 | Weight: | 38 g |
| Article number: | 3967 SXL HF TORX® Multicolour | Country of origin: | CZ |
| | | Customs tariff number: | 82041100 |

- The holding function on the long arm keeps screws securely on the tool
- Extremely high corrosion protection thanks to ice-hardened stainless steel design
- Handle-friendly hose jacket with tool finder "Take it easy": Colour coding according to size

High quality stainless steel L-key for internal TORX® screws. Very corrosion-resistant due to ice-hardened stainless steel material of the L-key, avoiding the transmission of extraneous rust in stainless steel screw connections. With holding function on the long arm: The clamping force resulting from the surface pressure between the output tip and the screw profile holds the screws securely on the tool. With extra long arm for working in a low position. The grip-friendly hose jacket facilitates screwdriving even at low temperatures. "Take it easy" tool finder with colour coding by size.



Web link

https://products.wera.de/en/l-keys_l-keys_for_torx_screws_3967_sxl_hf_torx_multicolour.html

Wera - 3967 SXL HF TORX® Multicolour
05022686001 - 4013288207197

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless, TX 27

x 172 mm

L-Keys for TORX® Screws



Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

With sleeve



L-keys with a thermoplastic sleeve are manufactured out of easy-to-grip, circular material. The sleeve ensures that work is safe and comfortable even at low temperatures. Colour coding and large stamp to enable the desired L-key to be easily located.

Holding function for recessed TORX® screws








The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Further versions in this product family:

| |  |  |  |  |  |
|--------------------|---|---|---|---|---|
| | | mm | mm | inch | inch |
| 05022680001 | TX 8 | 90 | 16 | 3 1/2 | 5/8 |
| 05022681001 | TX 9 | 101 | 16 | 4 | 5/8 |
| 05022682001 | TX 10 | 112 | 19 | 4 7/16 | 3/4 |
| 05022683001 | TX 15 | 123 | 21 | 4 7/8 | 27/32 |
| 05022684001 | TX 20 | 137 | 24 | 5 3/8 | 1 |
| 05022685001 | TX 25 | 154 | 27 | 6 1/16 | 1 1/16 |
| 05022686001 | TX 27 | 172 | 31 | 6 3/4 | 1 1/4 |
| 05022687001 | TX 30 | 195 | 37 | 7 11/16 | 1 7/16 |
| 05022688001 | TX 40 | 224 | 42 | 9 | 1 11/16 |

Web link

https://products.wera.de/en/l-keys_l-keys_for_torx_screws_3967_sxl_hf_torx_multicolour.html

Wera - 3967 SXL HF TORX® Multicolour
05022686001 - 4013288207197

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tool Kits & Cases](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63902-3270](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#)
[63866-1070](#) [63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#)
[63850-7470](#) [11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#)
[11-18-3190](#) [63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#)
[11-18-3202](#) [63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#)