

## 3950 PKL L-key, metric, stainless, 2 x 101 mm

### L-Keys for Hexagon Socket Screws



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288111272 | <b>Size:</b>                  | 101x16x3 mm |
| <b>Part number:</b>    | 05022701001   | <b>Weight:</b>                | 6 g         |
| <b>Article number:</b> | 3950 PKL      | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82041100    |

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html)

Wera - 3950 PKL  
05022701001 - 4013288111272

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html)

Wera - 3950 PKL  
05022701001 - 4013288111272

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                    | <br>mm | <br>mm | <br>mm | <br>inch | <br>inch |
|--------------------|---|---|---|---|---|
| 05022700001        | 1.5   | 90  | 14  | 3 1/2   | 9/16  |
| <b>05022701001</b> | <b>2.0</b>  | <b>101</b>  | <b>16</b>   | <b>4</b>  | <b>5/8</b>  |
| 05022702001        | 2.5   | 112   | 19  | 4 7/16  | 3/4   |
| 05022703001        | 3.0   | 123   | 21  | 4 7/8   | 27/32   |
| 05022704001        | 4.0   | 137   | 24  | 5 3/8   | 1   |
| 05022705001        | 5.0   | 154   | 27  | 6 1/16  | 1 1/16  |
| 05022706001        | 6.0   | 172   | 31  | 6 3/4   | 1 1/4   |
| 05022708001        | 8.0   | 195   | 37  | 7 11/16   | 1 7/16  |
| 05022709001        | 10.0  | 224   | 42  | 9   | 1 11/16   |

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html)

Wera - 3950 PKL

05022701001 - 4013288111272

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Tool Kits & Cases](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)  
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)  
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)  
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)  
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)