

967 XL HF TORX® L-key with holding function, long, TX 20 x 137 mm

L-Keys for TORX® Screws



| | | | |
|------------------------|-----------------|-------------------------------|-------------|
| EAN: | 4013288193711 | Size: | 142x29x5 mm |
| Part number: | 05024455001 | Weight: | 19 g |
| Article number: | 967 XL HF TORX® | Country of origin: | CZ |
| | | Customs tariff number: | 82041100 |

- L-keys for recessed TORX® screws
- Holding function for recessed TORX® screws
- BlackLaser for high corrosion protection and long service life
- Laser-engraved and thereby wear-resistant size markings
- Zinc phosphate plated

High quality L-keys for recessed TORX® screws. Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. Comes with extra-long arm. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

Web link


https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_xl_hf_torx.html

Wera - 967 XL HF TORX®
05024455001 - 4013288193711

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for TORX® Screws

Holding function for recessed TORX® screws








The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Further versions in this product family:

| |  |  |  |  |  |
|--------------------|---|---|---|---|---|
| | | mm | mm | inch | inch |
| 05024451001 | TX 8 | 90 | 16 | 3 1/2 | 5/8 |
| 05024452001 | TX 9 | 101 | 16 | 4 | 5/8 |
| 05024453001 | TX 10 | 112 | 19 | 4 7/16 | 3/4 |
| 05024454001 | TX 15 | 123 | 21 | 4 7/8 | 27/32 |
| 05024455001 | TX 20 | 137 | 24 | 5 3/8 | 1 |
| 05024456001 | TX 25 | 154 | 27 | 6 1/16 | 1 1/16 |
| 05024457001 | TX 27 | 172 | 31 | 6 3/4 | 1 1/4 |
| 05024458001 | TX 30 | 195 | 37 | 7 11/16 | 1 7/16 |
| 05024459001 | TX 40 | 224 | 42 | 9 | 1 11/16 |

Web link

https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_xl_hf_torx.html

Wera - 967 XL HF TORX®
05024455001 - 4013288193711

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tool Kits & Cases](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)