

# 967 XL HF TORX® L-key with holding function, long, TX 30 x 195 mm

## L-Keys for TORX® Screws



<b>EAN:</b>	4013288193742	<b>Size:</b>	195x53x6 mm
<b>Part number:</b>	05024458001	<b>Weight:</b>	50 g
<b>Article number:</b>	967 XL HF TORX®	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- L-keys for recessed TORX® screws
- Holding function for recessed TORX® screws
- BlackLaser for high corrosion protection and long service life
- Laser-engraved and thereby wear-resistant size markings
- Zinc phosphate plated

High quality L-keys for recessed TORX® screws. Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. Comes with extra-long arm. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

### Web link


[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_967\\_xl\\_hf\\_torx.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_xl_hf_torx.html)

Wera - 967 XL HF TORX®  
05024458001 - 4013288193742

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

L-Keys for TORX® Screws

Holding function for recessed TORX® screws








The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Further versions in this product family:

					
		mm	mm	inch	inch
05024451001	TX 8	90	16	3 1/2	5/8
05024452001	TX 9	101	16	4	5/8
05024453001	TX 10	112	19	4 7/16	3/4
05024454001	TX 15	123	21	4 7/8	27/32
05024455001	TX 20	137	24	5 3/8	1
05024456001	TX 25	154	27	6 1/16	1 1/16
05024457001	TX 27	172	31	6 3/4	1 1/4
<b>05024458001</b>	<b>TX 30</b>	<b>195</b>	<b>37</b>	<b>7 11/16</b>	<b>1 7/16</b>
05024459001	TX 40	224	42	9	1 11/16

Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_967\\_xl\\_hf\\_torx.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_xl_hf_torx.html)

Wera - 967 XL HF TORX®  
05024458001 - 4013288193742

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Tool Kits & Cases](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)  
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)  
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)  
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)  
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)