
395 HO Nutdriver, 13 x 90 mm

Kraftform Plus – Series 300









- Nutsetter for hexagon head screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Hollow shaft for protruding threaded rods, chrome-plated

High quality nutsetter with hollow shaft by Wera. Hollow shaft for the fastening of threaded rods; only then can the threaded rod with nut slip into the hollow shaft. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal anti-roll feature prevents any rolling away and handle markings make for simplified finding and sorting of the tool; for hexagon head screws.

395 HO Nutdriver, 13 x 90 mm

Kraftform Plus – Series 300



Hollow shaft nutsetter

Kraftform

Rapid hand repositioning



shaft Hollow for protruding threaded rods



A screwdriver with a hollow shaft is needed whenever there are screwdriving jobs involving threaded rods i.e. the threaded rod through the nut can slip into the hollow shaft of the screwdriver.



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with internationally recognised the Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as 1960s. After a long the development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.



The hard materials used for the handle rapid hand ensure repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels across the hand.

Large contact area



The large contact area - with particularly high friction to the soft zones - results in high torque transfer without any bruising from the edges.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Identification marking



The screw symbol and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

Kraftform Plus – Series 300



Further versions in this product family:

				↓ ▼	Ø	A v
	mm	inch	mm	mm	mm	inch
05029460001	5.0		90	98	7.2	3 35/64
05029461001	5.5		90	98	7.2	3 35/64
05029462001	6.0		90	98	7.2	3 35/64
05029463001	7.0		90	105	7.2	3 35/64
05029464001	8.0		90	105	9.3	3 35/64
05029465001	10.0		90	112	9.3	3 35/64
05029466001	13.0		90	112	11.0	3 35/64
05029501001	,	3/16"	90	98	7.2	3 35/64
05029502001	,	1/4	90	98	7.2	3 35/64
05029503001		5/16"	90	105	9.3	3 35/64
05029504001	,	11/32"	90	105	9.3	3 35/64
05029505001		3/8"	90	112	9.3	3 35/64
05029506001	-	7/16"	90	112	11.0	3 35/64
05029507001	, 	1/2"	90	112	11.0	3 35/64

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below :

 272012M
 27850
 CE-16-03400-00-HNDLE-TORQ
 323451-000
 HMM-HH
 WUVT-1-120AC-P
 00-8987-YWPP
 32024
 XW4Z-00B

 49-22-4073
 96025
 96030
 96560
 96430
 31830
 92270
 96012
 96436
 96536
 92064
 72820
 96520
 92040
 96416
 96570
 72823
 96525
 96720

 31832
 92020
 96523
 96510
 96427
 92073
 92052
 72905
 72741
 72663
 32061
 30751
 130203/TA
 KLEIN TOOLS SCREWDRIVER 4-IN-1

 612020B
 35-045
 6951
 83
 9058
 9977
 EMF
 PTE6