
Series Kraftform Screwdrivers Stainless Steel



- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- · Lasertip tip, stainless to prevent extraneous rust

High quality Kraftform Plus screwdriver out of stainless steel. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation. The Lasertip tip literally bites into the head of the screw and thereby prevents any slipping out of the screw head. Multi-component Kraftform handle for fast and low-fatigue working. "Take it easy" Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.













#### Series Kraftform Screwdrivers Stainless Steel





Screw stainless steel together with stainless steel!

Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

A CONTRACTOR OF THE OWNER OWNER OF THE OWNER O

Vacuum ice-hardened

The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

### Lasertip prevents slipping out



It happens time and time again that the tip slips out of the screw head when screwdriving, sometimes damaging valuable surfaces or even causing injury. The tips of the Wera Lasertip screwdrivers are microscopically roughened by means of a laser. This rough surface literally "bites" itself firmly into the screw head. Slipping out becomes a thing of the past.

### Series Kraftform Screwdrivers Stainless Steel



#### Lasertip

A precisely-focused laser creates a sharp-edged surface structure. This laser treatment results in an edge hardness of up to 1000 HV 0.3. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

Reduced contact pressure



Wera Lasertip reduces the contact pressure required and enhances force transfer – meaning less screwdriving effort is required. Screwdriving becomes safer and easier.

## "Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

#### Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Further versions in this product family:

		A v	↓ ↓	Ø	↓ ▼
		mm	mm	mm	inch
050320300011)	PZ 0	60	81	3.0	2 3/8
05032031001	PZ 1	80	98	4.5	3 1/8
05032032001	PZ 2	100	105	6.0	4
05032033001	PZ 3	150	112	8.0	6

1) without Lasertip

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below :

 272012M
 27850
 CE-16-03400-00-HNDLE-TORQ
 323451-000
 HMM-HH
 WUVT-1-120AC-P
 00-8987-YWPP
 32024
 XW4Z-00B

 49-22-4073
 96025
 96030
 96560
 96430
 31830
 92270
 96012
 96436
 96536
 92064
 72820
 96520
 92040
 96416
 96570
 72823
 96525
 96720

 31832
 92020
 96523
 96510
 96427
 92073
 92052
 72905
 72741
 72663
 32061
 30751
 130203/TA
 KLEIN TOOLS SCREWDRIVER 4-IN-1

 612020B
 35-045
 6951
 83
 9058
 9977
 EMF
 PTE6