Bits for Phillips Screws









EAN: 4013288014412 Size: 25x7x7 mm

Part number: 05056664001 Weight: 5 g Article number: 853/1 TZ ACR PH Country of origin: CZ

> **Customs tariff** 82079030 number:

- For Phillips screws
- Ductile and tough for hard materials
- Torsion design against premature wear
- · ACR (anti cam-out feature) to prevent any slipping out of the screw head
- 1/4" hexagon drive (Wera connecting series 1)

High quality bits with Torsion zone: where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR). Tough viscous, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Bits for Phillips Screws



ACR®-Bits



ACR® stands for "anti-cam-out ribs". ACR® bits have ribs at the drive tip that protect against slipping out of the screw head. It is recommended that ACR® bits are matched with ribbed ACR® screws for maximum effect. ACR® is a registered trademark of Phillips Screw Company.

TZ-Bits



TZ-Bits are tough bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

			∏ Å v
		mm	inch
05056660001	PH 1	25	1
05056662001	PH 2	25	1
05056664001	PH 3	25	1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

272012M 27850 CE-16-03400-00-HNDLE-TORQ 323451-000 HMM-HH WUVT-1-120AC-P 00-8987-YWPP 32024 XW4Z-00B
49-22-4073 96025 96030 96560 96430 31830 92270 96012 96436 96536 92064 72820 96520 92040 96416 96570 72823 96525 96720
31832 92020 96523 96510 96427 92073 92052 72905 72741 72663 32061 30751 130203/TA KLEIN TOOLS SCREWDRIVER 4-IN-1
612020B 35-045 6951 83 9058 9977 EMF PTE6