Bits for Pozidriv Screws









EAN: 4013288015587 **Size:** 25x7x7 mm

Part number:05056938001Weight:4 gArticle number:856/1 TZ ACR PZCountry of origin:CZ

Customs tariff 82079030

number:

• Suitable for Pozidriv screws

- Ductile and tough for hard materials
- Torsion design against premature wear
- 1/4" hexagon drive (Wera connecting series 1)
- Suitable for Bosch, Fein, Holz-Her, Lecreux, Metabo

High quality bits with Torsion zone: where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR). Tough viscous, for universal use; ¼" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Bits for Pozidriv Screws



ACR®-Bits

TZ-Bits



ACR® stands for "anti-cam-out ribs". ACR® bits have ribs at the drive tip that protect against slipping out of the screw head. It is recommended that ACR® bits are matched with ribbed ACR® screws for maximum effect. ACR® is a registered trademark of Phillips Screw Company.



TZ-Bits are tough viscous bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

Further versions in this product family:

	*	T A	A v
		mm	inch
05056937001	PZ 1	25	1
05056938001	PZ 2	25	1
05056939001	PZ 3	25	1

Web link https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_pozidriv_screws_856_1_tz_acr_pz.html

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

272012M 27850 CE-16-03400-00-HNDLE-TORQ 323451-000 HMM-HH WUVT-1-120AC-P 00-8987-YWPP 32024 XW4Z-00B
49-22-4073 96025 96030 96560 96430 31830 92270 96012 96436 96536 92064 72820 96520 92040 96416 96570 72823 96525 96720
31832 92020 96523 96510 96427 92073 92052 72905 72741 72663 32061 30751 130203/TA KLEIN TOOLS SCREWDRIVER 4-IN-1
612020B 35-045 6951 83 9058 9977 EMF PTE6