

## 800/2 Z bits, 2.5 x 14 x 41 mm

### Bits for Slotted Screws



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288011312 | <b>Size:</b>                  | 41x14x14 mm |
| <b>Part number:</b>    | 05057250001   | <b>Weight:</b>                | 26 g        |
| <b>Article number:</b> | 800/2 Z       | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82079030    |

- For slotted screws
- Ductile and tough for hard materials
- 5/16" hexagon drive (Wera connecting series 2)
- Suitable for Bosch, Fein, Holz-Her, Lecloux, Metabo
- Prevents premature breakage of the drive tip

Tough viscous bits for slotted screws for universal use. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_slotted\\_screws\\_800\\_2\\_z.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_slotted_screws_800_2_z.html)

Wera - 800/2 Z  
05057250001 - 4013288011312

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)






## Bits for Slotted Screws

## Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

|                    |  |  |  |  |  |
|--------------------|---|---|---|---|---|
|                    | mm  | mm  | mm  | inch  | mm  |
| 05057210001        | 0.8   | 5.5   | 41  | 1 19/32   | 5.5   |
| 05057213001        | 1.0   | 5.5   | 41  | 1 19/32   | 5.5   |
| 05057223001        | 1.2   | 6.5   | 41  | 1 19/32   | 6.5   |
| 05057225001        | 1.2   | 8.0   | 41  | 1 19/32   | 7.8   |
| 05057230001        | 1.6   | 8.0   | 41  | 1 19/32   | 7.8   |
| 05057235001        | 1.6   | 10.0  | 41  | 1 19/32   | 7.8   |
| 05057240001        | 2.0   | 12.0  | 41  | 1 19/32   | 12.0  |
| <b>05057250001</b> | <b>2.5</b>  | <b>14.0</b>   | <b>41</b>   | <b>1 19/32</b>  | <b>14.0</b>   |
| 05057255001        | 2.5   | 16.0  | 41  | 1 19/32   | 16.0  |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_slotted\\_screws\\_800\\_2\\_z.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_slotted_screws_800_2_z.html)

Wera - 800/2 Z

05057250001 - 4013288011312

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [XW4Z-00B](#)  
[49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#)  
[31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#)  
[612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#) [PTE6](#)