

## 800/4 Z bits, 1.2 x 6.5 x 50 mm

### Bits for Slotted Screws



<b>EAN:</b>	4013288011619	<b>Size:</b>	50x7x6 mm
<b>Part number:</b>	05059337001	<b>Weight:</b>	11 g
<b>Article number:</b>	800/4 Z	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For slotted screws
- Ductile and tough for hard materials
- 1/4" hexagon drive
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.
- Prevents premature breakage of the drive tip

Tough viscous Wera bits for slotted screws for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_slotted\\_screws\\_800\\_4\\_z.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_slotted_screws_800_4_z.html)

Wera - 800/4 Z  
05059337001 - 4013288011619

Wera Werkzeuge GmbH  
Korzeter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

800/4 Z bits, 1.2 x 6.5 x 50 mm

Bits for Slotted Screws



Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

**Web link**






[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_slotted\\_screws\\_800\\_4\\_z.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_slotted_screws_800_4_z.html)

Wera - 800/4 Z  
05059337001 - 4013288011619

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for Slotted Screws

Further versions in this product family:

	 mm	 mm	 mm	 inch	 mm
05059305001	0.5	3.0	50	2	3.0
05059466001	0.5	3.0	70	2 3/4	3.0
05059307001	0.5	4.0	50	2	4.0
05059310001	0.6	3.5	50	2	3.5
05059472001	0.6	3.5	70	2 3/4	3.5
05059450001	0.6	3.5	152	6	3.5
05059315001	0.6	4.5	50	2	4.5
05059489001	0.6	4.5	89	3 1/2	4.5
05059320001	0.8	4.0	50	2	4.0
05059478001	0.8	4.0	70	2 3/4	4.0
05059480001	0.8	4.0	89	3 1/2	4.0
05059451001	0.8	4.0	152	6	4.0
05059325001	0.8	5.5	50	2	5.5
05059330001	1.0	5.5	50	2	5.5
05059486001	1.0	5.5	70	2 3/4	5.5
05059488001	1.0	5.5	89	3 1/2	5.5
05059452001	1.0	5.5	152	6	5.5
05059335001	1.0	6.0	50	2	6.0
<b>05059337001</b>	<b>1.2</b>	<b>6.5</b>	<b>50</b>	<b>2</b>	<b>6.2</b>
05059492001	1.2	6.5	70	2 3/4	6.2
05059490001	1.2	6.5	89	3 1/2	6.2
05059453001	1.2	6.5	152	6	6.2
05059340001	1.2	8.0	50	2	8.0
05059496001	1.2	8.0	89	3 1/2	8.0
05059345001	1.6	8.0	50	2	8.0
05059500001	1.6	8.0	89	3 1/2	8.0

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_slotted\\_screws\\_800\\_4\\_z.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_slotted_screws_800_4_z.html)

Wera - 800/4 Z

05059337001 - 4013288011619

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [XW4Z-00B](#)  
[49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#)  
[31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#)  
[612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#) [PTE6](#)