


## 840/4 Z bits, 1/8" x 89 mm

### Bits for Hexagon Socket Screws



<b>EAN:</b>	4013288155504	<b>Size:</b>	89x7x6 mm
<b>Part number:</b>	05059663001	<b>Weight:</b>	11 g
<b>Article number:</b>	840/4 Z Hex-Plus	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For socket head screws
- Ductile and tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

Tough viscous Wera bits for hexagon socket screws for universal use. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059663001 - 4013288155504

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Hex-Plus

## Tough-absorbing bits








Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

	 mm	 inch	 mm	 inch	 mm
05160885001	0.9		50	2	2.6
05059602001	1.5		50	2	2.0
05059603001	2.0		50	2	4.0
05059628001	2.0		89	3 1/2	4.0
05059604001	2.5		50	2	4.0
05059629001	2.5		89	3 1/2	4.0
05059605001	3.0		50	2	4.0
05059630001	3.0		89	3 1/2	4.0
05380033001	3.0		152	6	4.0
05059610001	4.0		50	2	5.0
05059631001	4.0		89	3 1/2	5.0
05059634001	4.0		152	6	5.0
05059615001	5.0		50	2	6.0
05059632001	5.0		89	3 1/2	6.0
05059635001	5.0		152	6	6.0
05059620001	6.0		50	2	5.0

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
 05059663001 - 4013288155504

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

## Bits for Hexagon Socket Screws

05059633001	6.0		89	3 1/2	-
05059636001	6.0		152	6	-
05059625001	8.0		50	2	-
05059637001	8.0		89	3 1/2	-
05350430001		0.05	50	2	2.5
05135090001		1/16"	50	2	2.5
05135091001		5/64"	50	2	3.0
05059660001		5/64"	89	3 1/2	3.0
05135092001		3/32"	50	2	3.0
05059661001		3/32"	89	3 1/2	3.5
05135093001		7/64"	50	2	3.5
05059662001		7/64"	89	3 1/2	4.0
05135094001		1/8"	50	2	4.0
<b>05059663001</b>		<b>1/8"</b>	<b>89</b>	<b>3 1/2</b>	<b>4.0</b>
05380045001		1/8"	152	6	4.0
05135095001		9/64"	50	2	4.5
05059664001		9/64"	89	3 1/2	4.5
05380046001		9/64"	152	6	4.5
05135096001		5/32"	50	2	5.0
05059665001		5/32"	89	3 1/2	5.0
05380047001		5/32"	152	6	5.0
05135097001		3/16"	50	2	6.0
05059666001		3/16"	89	3 1/2	6.0
05380048001		3/16"	152	6	6.0
05135098001		7/32"	50	2	-
05059667001		7/32"	89	3 1/2	-
05380049001		7/32"	152	6	-
05135099001		1/4"	50	2	-
05059668001		1/4"	89	3 1/2	-
05380050001		1/4"	152	6	-
05346288001		5/16	50	2	-

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059663001 - 4013288155504

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [TL10416](#) [XW4Z-00B](#) [49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#) [31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER](#) [4-IN-1](#) [612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#)