

Bits for TORX® Screws



|                        |                |                               |           |
|------------------------|----------------|-------------------------------|-----------|
| <b>EAN:</b>            | 4013288107206  | <b>Size:</b>                  | 25x7x7 mm |
| <b>Part number:</b>    | 05066082001    | <b>Weight:</b>                | 5 g       |
| <b>Article number:</b> | 867/1 ZA TORX® | <b>Country of origin:</b>     | CZ        |
|                        |                | <b>Customs tariff number:</b> | 82079030  |

- For recessed TORX® screws
- Ductile and tough for hard materials
- TORX® bit with central pin
- 1/4" hexagon drive (Wera connecting series 1)
- Suitable for Bosch, Fein, Holz-Her, Leclercq, Metabo

High quality bits for SPAX® T-STAR plus® screws. Come with a pin which, together with the bore hole within the screw, makes it easier to centre the tool. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_1\\_za\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_torx_screws_867_1_za_torx.html)

Wera - 867/1 ZA TORX®  
05066082001 - 4013288107206

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Bits for TORX® Screws

TORX® bits with central pin

Tough-absorbing bits







The protruding pin that fits into the borehole of the screw makes it easier to centre the tool in the screw recess.



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

|                    |  |  |  |  |
|--------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                    |                                                                                   | mm                                                                                | inch                                                                                | mm                                                                                  |
| 05066080001        | TX 10                                                                             | 25                                                                                | 1                                                                                   | 4.0                                                                                 |
| 05066081001        | TX 15                                                                             | 25                                                                                | 1                                                                                   | 4.0                                                                                 |
| <b>05066082001</b> | <b>TX 20</b>                                                                      | <b>25</b>                                                                         | <b>1</b>                                                                            | <b>5.0</b>                                                                          |
| 05066083001        | TX 25                                                                             | 25                                                                                | 1                                                                                   | 5.0                                                                                 |
| 05066084001        | TX 30                                                                             | 25                                                                                | 1                                                                                   | 6.0                                                                                 |
| 05066085001        | TX 40                                                                             | 25                                                                                | 1                                                                                   | -                                                                                   |

Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_1\\_za\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_torx_screws_867_1_za_torx.html)

Wera - 867/1 ZA TORX®  
05066082001 - 4013288107206

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [XW4Z-00B](#)  
[49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#)  
[31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#)  
[612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#) [PTE6](#)