L-Keys for Hexagon Socket Screws











EAN: 4013288106414 **Size:** 245x95x30 mm

Part number:05073596001Weight:479 gArticle number:950/9 Hex-Plus 6 SB SiSCountry of origin:CZ

Customs tariff 82054000

number:

- In a practical clip out of wear-free material
- · Hex-Plus allows socket head screws to live longer
- BlackLaser for high corrosion protection and long service life
- Laser-engraved and thereby wear-resistant size markings on the L-keys
- In a practical clip out of wear-free material

High quality L-key set for hexagonal socket screws in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal. L-keys with Hex-Plus profile: offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

L-Keys for Hexagon Socket Screws



Set contents:

950 PKL BM

05027101001¹⁾ 1 x 1.5 x 90 mm 05027102001 1 x 2 x 100 mm 05027103001 1 x 2.5 x 112 mm 05027104001 1 x 3 x 126 mm 05027105001 1 x 4 x 140 mm 05027106001 1 x 5 x 160 mm 05027107001 1 x 6 x 180 mm 05027108001 1 x 8 x 200 mm 05027109001 1 x 10 x 219 mm

1) Regular hexagon

L-Keys

We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus




Hexagon screws can endure a problem because the contact surfaces delivering the power from conventional tool, transferred to the screw via very surface areas. consequence: the screw become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving inbs

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes — for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_6_sb_sis.html

Wera - 950/9 Hex-Plus 6 SB SiS 05073596001 - 4013288106414

L-Keys for Hexagon Socket Screws

Wera BE A 7001 REBEL

Surface protection

Secure hold and easy removal



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tool Kits & Cases category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

217434-1 4263 1055420-1 11-18-3023 63860-8170 856600-2 690372163 11-40-3247 63883-2870 63885-0270 63901-5670 63866-1070 63863-5070 63892-7370 11-18-3209 63860-4070 63881-0970 A0403641 11-18-3040 63865-2070 63910-1470 63861-5070 63850-7470 11-18-3201 63910-7570 FM 0501 146 63883-0670 63830-0070 63902-9170 11-18-3147 11-18-3079 63883-2670 63900-1770 11-18-3190 63851-1070 63912-4770 63911-5270 63895-1070 63860-1470 63850-6070 1-69411-3 63852-9270 63802-6270 63902-4870 11-18-3202 63852-9170 63850-1070 63830-0170 63910-2870 11-18-3010