



EAN:	4013288106438	Size:	145x80x28 mm
Part number:	05073598001	Weight:	230 g
Article number:	967/9 TX 1 SB SiS	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for recessed TORX® screws
- TORX® ballpoint on the long arm
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant size marking
- Wear-resistant clip material for enhanced durability

High quality L-key set for recessed TORX® screws. Partially with ballpoint: the ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys. Come in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal.

Web link

https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_1_sb_sis.html

Wera - 967/9 TX 1 SB SiS
05073598001 - 4013288106438

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for TORX® Screws

Set contents:



967 PKL TORX®

05024100001 ¹⁾	1 x TX 9 x 79 mm
05024105001 ¹⁾	1 x TX 10 x 85 mm
05024199001 ¹⁾	1 x TX 8 x 76 mm
05024200001	1 x TX 15 x 90 mm
05024202001	1 x TX 20 x 96 mm
05024204001	1 x TX 25 x 104 mm
05024206001	1 x TX 27 x 112 mm
05024208001	1 x TX 30 x 122 mm
05024210001	1 x TX 40 x 132 mm

1) Product without ball-end at the long arm.

TORX® ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

Secure hold and easy removal



Wear-resistant clip material ensures secure storage of the L-keys as well as simple removal

Web link

https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_1_sb_sis.html

Wera - 967/9 TX 1 SB SiS
05073598001 - 4013288106438

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tool Kits & Cases](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[217434-1](#) [4263](#) [1055420-1](#) [11-18-3023](#) [63860-8170](#) [856600-2](#) [690372163](#) [11-40-3247](#) [63883-2870](#) [63885-0270](#) [63901-5670](#) [63866-1070](#)
[63863-5070](#) [63892-7370](#) [11-18-3209](#) [63860-4070](#) [63881-0970](#) [A0403641](#) [11-18-3040](#) [63865-2070](#) [63910-1470](#) [63861-5070](#) [63850-7470](#)
[11-18-3201](#) [63910-7570](#) [FM 0501 146](#) [63883-0670](#) [63830-0070](#) [63902-9170](#) [11-18-3147](#) [11-18-3079](#) [63883-2670](#) [63900-1770](#) [11-18-3190](#)
[63851-1070](#) [63912-4770](#) [63911-5270](#) [63895-1070](#) [63860-1470](#) [63850-6070](#) [1-69411-3](#) [63852-9270](#) [63802-6270](#) [63902-4870](#) [11-18-3202](#)
[63852-9170](#) [63850-1070](#) [63830-0170](#) [63910-2870](#) [11-18-3010](#)