#### Innovations and Autumn/Winter Campaign 2019/2020













**EAN:** 4013288207517 **Size:** 145x95x30 mm

Part number:05133164001Weight:431 gArticle number:950/9 Hex-Plus MulticolourCountry of origin:CZ

...., ....

Customs tariff 82041100 number:

• L-keys for hexagonal socket screws

2

- Hex-Plus allows socket head screws to live longer
- · L-keys are quickly to hand thanks to their size markings
- Wear-resistant size marking
- Wear-resistant clip material for enhanced durability

High quality set of L-keys for hexagonal socket screws in a practical clip made of wear-free material for lasting secure retention of the L-keys, with easy removal when required. Hex-Plus L-keys provide larger contact surfaces on the screw head. The notching effect is thereby reduced to a minimum; the destruction of the screw head is almost eliminated. The ball on the long arm allows safe working even in difficult mounting positions. The BlackLaser surface treatment provides excellent surface protection, corrosion resistance and long life. Laser coated abrasion-resistant size markings on the L-keys for quick access.

#### Innovations and Autumn/Winter Campaign 2019/2020



#### Set contents:



#### 950 SPKS Multicolour


05022678001 1 x 1.5 x 50 mm 05022670001 1 x 2 x 56 mm 05022671001 1 x 2.5 x 63 mm 05022672001 1 x 3 x 71 mm 05022673001 1 x 4 x 80 mm 05022674001 1 x 5 x 90 mm 05022675001 1 x 6 x 100 mm 05022676001 1 x 8 x 112 mm 05022677001 1 x 10 x 125 mm

# L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

# **Hex-Plus**



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

# Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

## Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

https://products.wera.de/en/l-keys\_l-keys\_for\_hexagon\_socket\_screws\_950\_9\_hex-plus\_multicolour\_2.html

# 950/9 Hex-Plus Multicolour 2 L-key set, metric, BlackLaser, 9pieces

# Innovations and Autumn/Winter Campaign 2019/2020



## Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tool Kits & Cases category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

217434-1 4263 1055420-1 11-18-3023 63902-3270 63860-8170 856600-2 690372163 11-40-3247 63883-2870 63885-0270 63901-5670 63866-1070 63863-5070 63892-7370 11-18-3209 63860-4070 63881-0970 A0403641 11-18-3040 63865-2070 63910-1470 63861-5070 63850-7470 11-18-3201 63910-7570 FM 0501 146 63883-0670 63830-0070 63902-9170 11-18-3147 11-18-3079 63883-2670 63900-1770 11-18-3190 63851-1070 63912-4770 63911-5270 63895-1070 63860-1470 63850-6070 1-69411-3 63852-9270 63802-6270 63902-4870 11-18-3202 63852-9170 63850-1070 63830-0170 63910-2870