

## 851/9 C J PH bits, halfmoon, PH 000 x 44 mm

### Bits for Phillips Screws



<b>EAN:</b>	4013288190444	<b>Size:</b>	44x4x4 mm
<b>Part number:</b>	05134605001	<b>Weight:</b>	3 g
<b>Article number:</b>	851/9 C	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For Phillips screws
- Hard design
- Optimised for Japanese Phillips screws
- 4 mm halfmoon drive (Wera connecting series 9)
- Suitable for Delvo, DENSEI, etc.

High quality bits with 4 mm halfmoon drive. Optimised for Japanese PH screws. Hard design.

#### Web link


[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_phillips\\_screws\\_851\\_9\\_c.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_9_c.html)

Wera - 851/9 C  
05134605001 - 4013288190444

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)







## Bits for Phillips Screws

## 4 mm Halfmoon direct drive



Halfmoon, 4mm, Wera Series 9.  
Drive: For direct machine drive.  
Suitable for: Delvo, Densei etc.

## Further versions in this product family:

						
		mm	inch	mm	mm	inch
<b>05134605001<sup>1)</sup></b>	<b>PH 000</b>	<b>44</b>	<b>1 47/64</b>	<b>1.5</b>	<b>20</b>	<b>25/32</b>
05134606001 <sup>1)</sup>	PH 000	64	2 33/64	1.5	20	25/32
05135270001 <sup>1)</sup>	PH 00	44	1 47/64	1.8	20	25/32
05135271001 <sup>1)</sup>	PH 00	64	2 33/64	1.8	20	25/32
05135272001 <sup>2)</sup>	PH 0	44	1 47/64	1.8	20	25/32
05135273001 <sup>2)</sup>	PH 0	64	2 33/64	1.8	20	25/32
05135274001 <sup>2)</sup>	PH 0	44	1 47/64	2.0	20	25/32
05135275001 <sup>2)</sup>	PH 0	64	2 33/64	2.2	20	25/32
05135278001 <sup>2)</sup>	PH 0	44	1 47/64	2.2	20	25/32
05135276001 <sup>1)</sup>	PH 1	44	1 47/64	3.0	20	25/32
05135277001 <sup>1)</sup>	PH 1	64	2 33/64	3.0	20	25/32
05134607001	PH 2	44	1 47/64	4.0	-	-
05134608001	PH 2	64	2 33/64	4.0	-	-

1) Optimised for Asian PH screws

2) Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_phillips\\_screws\\_851\\_9\\_c.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_9_c.html)

Wera - 851/9 C

05134605001 - 4013288190444

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Wera](#) manufacturer:*

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [XW4Z-00B](#)  
[49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#)  
[31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#)  
[612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#) [PTE6](#)