Bits for Tamper-proof TORX PLUS® IPR Screws with Safety Pin







EAN: 4013288034878 **Size**: 25x7x7 mm

Part number:05134699001Weight:13 gArticle number:867/1 IPRCountry of origin:CZ

Customs tariff 82079030

number:

• For recessed TORX PLUS® IPR screws with safety pin

- Ductile and tough for hard materials
- TORX PLUS® IPR bit with bore hole on the output side
- 1/4" hexagon drive (Wera connecting series 1)
- Suitable for Bosch, Fein, Holz-Her, Lecreux, Metabo

High quality bits for recessed TORX PLUS® screws with safety pin. A 5-flank TORX PLUS® profile with bore hole. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Bits for Tamper-proof TORX PLUS® IPR Screws with Safety Pin



For recessed TORX PLUS® IPR screws with safety pin



A 5-flank TORX PLUS® profile with a borehole. This drive geometry has only five flanks instead of the usual six and a borehole to protect safety screws against unauthorised unfastening. The screws cannot be turned with conventional, widely available tools.

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

	\odot		\
		mm	inch
05134699001	8 IPR	25	1
05134698001	9 IPR	25	1
05134700001	10 IPR	25	1
05134701001	15 IPR	25	1
05134702001	20 IPR	25	1
05134703001	25 IPR	25	1
05134704001	27 IPR	25	1
05134705001	30 IPR	25	1
05134706001	40 IPR	35	1 3/8
05134707001	45 IPR	35	1 3/8

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

272012M 27850 CE-16-03400-00-HNDLE-TORQ 323451-000 HMM-HH WUVT-1-120AC-P 00-8987-YWPP 32024 XW4Z-00B
49-22-4073 96025 96030 96560 96430 31830 92270 96012 96436 96536 92064 72820 96520 92040 96416 96570 72823 96525 96720
31832 92020 96523 96510 96427 92073 92052 72905 72741 72663 32061 30751 130203/TA KLEIN TOOLS SCREWDRIVER 4-IN-1
612020B 35-045 6951 83 9058 9977 EMF PTE6