

Bits for Phillips Screws



| | | | |
|------------------------|---------------|-------------------------------|-----------|
| EAN: | 4013288100924 | Size: | 50x7x6 mm |
| Part number: | 05134951001 | Weight: | 10 g |
| Article number: | 851/4 ADC PH | Country of origin: | CZ |
| | | Customs tariff number: | 82079030 |

- For Phillips screws
- Particularly hard for semi-hard materials
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Profiled version
- 1/4" hexagon drive (Wera connecting series 4)

High quality Wera bit for Phillips screws. Comes with a sharp-edged profile which breaks away the paint when e.g. screw profiles are covered in it and this ensures a dependable transfer of power between the bit and screw. The diamond coating ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping. Extra-hard design. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_4_adc_ph.html

Wera - 851/4 ADC PH
 05134951001 - 4013288100924

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de


Bits for Phillips Screws

A-Bits



A stands for aviation. A bits are particularly hard bits with a sharp-edged profile which e.g. penetrates screw profiles full of paint (such as on fuselage panels) ensuring a dependable transfer of force between the bit and the screw.

Reduced cam-out forces




The minute diamond particles applied to the tip of the tool literally "bite" into the screw and ensure an exact, anti-slip fit in the head of the screw. This secure fit protects the screw. The cam-out forces which compel the user to apply greater pressure to the screw are considerably reduced.

Secure fit in the screw head







Today, the Wera diamond bit - manufactured with the technology specifically developed by Wera for this application - still sets the standard in terms of resilience and functionality. Wera bits with a diamond coating ensure a secure fit of the bit in the screw head.

Perfect fit



Ideal for sensitive materials

Further versions in this product family:

| |  |  mm |  inch |  mm |
|--------------------|--|--|--|--|
| 05134937001 | PH 0 | 50 | 2 | 3.0 |
| 05134938001 | PH 0 | 89 | 3 1/2 | 3.0 |
| 05134939001 | PH 0 | 152 | 6 | 3.0 |
| 05134950001 | PH 1 | 50 | 2 | 4.5 |
| 05134943001 | PH 1 | 89 | 3 1/2 | 4.5 |
| 05134946001 | PH 1 | 152 | 6 | 4.5 |
| 05134951001 | PH 2 | 50 | 2 | 6.0 |
| 05134944001 | PH 2 | 89 | 3 1/2 | 6.0 |
| 05134947001 | PH 2 | 152 | 6 | 6.0 |
| 05134952001 | PH 3 | 50 | 2 | - |
| 05134945001 | PH 3 | 89 | 3 1/2 | - |
| 05134948001 | PH 3 | 152 | 6 | - |

Web link

https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_4_adc_ph.html

Wera - 851/4 ADC PH
05134951001 - 4013288100924

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:

Click to view products by [Wera](#) manufacturer:

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [32024](#) [TL10416](#) [XW4Z-00B](#) [49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#) [31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER](#) [4-IN-1](#) [612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#)