

2018




Tools that work for you

Professional Metal Working



Complete Tooling Program



MagicRing Screw Holding Hex Tools

	Description	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	8
	SoftFinish Screw Holding Cushion Grip	9
	PocketStars Screw Holding	8

Wiha Ball End Hex Tools

	Description	Page
	Ball End L-keys & Sets Color Coded & Chrome Finish	4-6
	Ball End L-keys & Sets Black Finish	6-7
	Stainless Steel L-keys & Set	5
	Soft Grip T-handles Chrome & Black Finish	10
	3K Series Screwdrivers	11

Wiha Hex Tools

	Description	Page
	T-handles	8
	PocketStar Fold Outs	8
	L-keys - Long/Short Nickel & Black Finish	13-14
	Drive-Loc VI Blades	12
	Inch & Metric Insert Bits	15

Wiha Hex Socket Sets

	Description	Page
	6" Bit Sockets 1/4" & 3/8" Drive	15
	Socket Sets	15

Wiha TORX Tools

	Description	Page
	L-Keys	16
	T-handle & ComfortGrip	17
	Wing Handle	18
	Flag Handle	18
	SoftFinish®	19
	MicroFinish	20
	Powerhandle	21
	Protturn	20
	3K Series	21
	Offset Screwdrivers	16
	PocketStar Fold Outs	22
	Drive-Loc VI Blades & Set	22
	Insert Bits	23

* Standard TORX® are not for use in TORXPlus® fasteners









Wiha TORX Socket Sets

	Description	Page
	Socket Sets	23
	6" Bit Sockets 1/4" & 3/8" Drive	23





Wiha Ball End TORX Tools

	Description	Page
	SoftFinish Drivers Cushion Grip	24
	L-Keys	24








Wiha TORXPlus Tools

	Description	Page
	Insert Bits	23
	Wing Handle	25
	Flag Handle	25
	PocketStar Fold Outs	25
	T-handle	26
	SoftFinish® Cushion Grip	26
	L-Keys Short/Long Arm	27



MagicSpring Screw Holding TORX Tools

	Description	Page
	SoftFinish® Screw Holding Cushion Grip	28
	L-keys Screw Holding	27
	Wing Handle Screw Holding	28









Wiha TorqueControl Tools

	Description	Page
	TorqueFix Handle	29
	TorqueVario Handle	29
	Easy Torque Handle	29
	Hex & TORX Blades	30
	TorqueControl Sets	30
	TorqueFix Wing	31
	iTorque Tools	31

Wiha Maxiflex Hose System

	Description	Page
	Maxiflex Hose System 1/4"	32
	Maxiflex Hose System 1/2"	32

Wiha Hammers & Mallets

	Description	Page
	Dead Blow Hammers	34
	Sledge Hammers	34
	Hammer Faces	34
	Hickory Handles	34
	Split Head Mallets	35
	Mallet Housing	36
	Split Head Mallet Handles	36
	Split Head Hammer Sets	36



MagicRing Ball End Hex Keys

ErgoStar Holder

Every key can be taken out separately without having to move another key



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex Keys
Wiha exclusive CV-Moly super tool steel, hardened, hard chromed, screw holding

U.S. Patent 6,302,001 B1

Hard Chrome Finish

669 MagicRing Ball End Metric Hex

L-keys Long Blade Chrome-V-Moly hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
66904*	1.5	90	14	.01	10 No Ring
66908*	2.0	99	16	.01	10 No Ring
66912*	2.5	111	18	.01	10 No Ring

MagicRing

66916	3.0	125	20	.02	10
66920	4.0	138	25	.04	10
66924	5.0	158	28	.07	10
66928	6.0	178	32	.12	10
66936	8.0	198	36	.23	10
66944	10.0	221	40	.40	10

* Standard Ball - No Ring

Hard Chrome Finish

Screw Holding Hex Tools!



66990 9 Pc. MagicRing Long Metric Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Metric: 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	lbs. 1.07

* Standard Ball - No Ring

Hard Chrome Finish

669 MagicRing Ball End Inch Hex

L-keys Long Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
66945*	.050	2.8	.5	.01	10 No Ring
66946*	1/16	3.1	.6	.01	10 No Ring
66947*	5/64	3.5	.7	.01	10 No Ring
66950*	3/32	3.9	.7	.01	10 No Ring
66952*	7/64	4.3	.7	.02	10 No Ring

MagicRing

66953	1/8	4.6	.8	.02	10
66955	9/64	5.2	.9	.03	10
66956	5/32	5.7	1.0	.04	10
66959	3/16	6.2	1.1	.06	10
66962	7/32	6.7	1.2	.09	10
66965	1/4	7.3	1.2	.13	10
66968	5/16	8.0	1.4	.22	10
66971	3/8	8.8	1.6	.36	10

* Standard Ball - No Ring




Screw Holding Hex Tools!

Hard Chrome Finish

66991 13 Pc. MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch: .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
	lbs. 1.14

* Standard Ball - No Ring



Screw Holding Hex Tools!

66992 22 Piece Combination MagicRing L-key Set, In ErgoStar Holder
Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Set includes:
66992	Metric: 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	Inch: .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
	lbs. 2.21

* Standard Ball - No Ring

ErgoStar Ball End Hex Keys Chrome Finish

Fast Auto Open Key Holder



66996 9 Piece ErgoStar Metric Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	lbs. 1.02

Fast Auto Open Key Holder



66988 13 Piece ErgoStar Inch Ball End Hex Long L-key Set

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
	lbs. 1.08

66982 22 Pc. ErgoStar Inch/Metric Ball End Hex Long L-key Set

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
	lbs. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

ErgoStar Inch & Metric Ball End L-Key Sets

- Patented ErgoStar auto open key holder
- Keys of Wiha exclusive Chrome-V-Moly super tool steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance

Inch & Metric Ball End Hex Keys Color Coded


Wiha standard extra long for extended reach

Wiha exclusive Chrome-V-Moly super tool steel, through hardened

25° Working Angles


Corrosion resistant nickel chrome base finish

Color coding for immediate identification of L-Keys



Protturn Stainless Steel Ball End Hex L-Keys

Protturn Stainless Steel Made For Wiha



369 Stainless Steel Ball End Metric Hex L-key, Long Arm Hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
36911	1.5	91	14	.004	1
36913	2.0	101	18	.007	1
36914	2.5	113	20	.012	1
36915	3.0	128	23	.020	1
36917	4.0	142	29	.01	1
36918	5.0	163	33	.01	1
36919	6.0	184	38	.13	1
36921	8.0	206	44	.25	1
36922	10.0	231	50	.44	1




36988 9 Pc. Stainless Steel Metric

Ball End L-key Set In molded ergo handle

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	lbs.
36988	6.0, 8.0, 10.0mm	.88

Stainless steel cannot be hardened to the same extent as high carbon tool steels. It will provide better protection against corrosion on fasteners and tools when used with stainless steel fasteners. Being softer, stainless steel will twist more & corners will round easier than other tool steels.



369 Stainless Steel Ball End Inch Hex

L-key, Long Arm Hardened, hard chrome finish.

Item No.	Inch	mm	mm	pkg.
36972	1/16	90	15	1
36973	5/64	102	18	1
36974	3/32	113	20	1
36975	7/64	121	21	1
36976	1/8	127	23	1
36977	9/64	139	25	1
36978	5/32	144	28	1
36979	3/16	165	32	1
36980	7/32	176	35	1
36981	1/4	185	38	1
36982	5/16	203	43	1
36983	3/8	233	50	1



36985 12 Pc. Inch Ball End Hex Long

L-key Set Stainless Steel

Item No.	Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
36985	



569 Ball End Inch Hex Long Arm

L-key, Set With Color Coded Keys Blade Chrome-V-Moly, hardened.


Item No.	Color Key	Inch
56901	Brown	.050
56902	Green	1/16
56903	Chrome	5/64
56904	Blue	3/32
56905	Purple	7/64
56906	Red	1/8
56907	Copper	9/64
56908	Gold	5/32
56909	Blue	3/16
56910	Black	7/32
56911	Chrome	1/4
56912	Green	5/16
56913	Brown	3/8



569 Ball End Metric Hex Long Arm

L-key, Set With Color Coded Keys Blade Chrome-V-Moly, hardened.

Item No.	Color Key	mm	mm	mm	lbs.
56914	Brown	1.5	91	15	.005
56915	Green	2.0	101	18	.009
56916	Chrome	2.5	113	20	.017
56917	Blue	3.0	128	23	.019
56918	Purple	4.0	142	29	.04
56919	Red	5.0	163	33	.06
56920	Copper	6.0	184	38	.10
56921	Gold	8.0	206	44	.20
56922	Grey	10.0	231	50	.38



36986 13 Piece Inch Ball End Hex Long

L-key Set With Color Coded Keys Chrome-V-Moly, hardened

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
36986	

lbs. 1.08



36987 9 Piece Metric Ball End Hex


Long L-key Set With Color Coded Keys

Chrome-V-Moly, hardened

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	lbs. .96
36987		



Metric Ball End Hex Keys Chrome Finish




669 Ball End Metric Hex L-key, Long Arm Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
66904	1.5	90	14	.004	10
66908	2.0	99	16	.007	10
66912	2.5	111	18	.012	10
66918	3.0	125	20	.019	10
66922	4.0	138	25	.042	10
66926	5.0	158	28	.072	10
66930	6.0	178	32	.12	10
66937	8.0	198	36	.23	10
66938	10.0	221	40	.40	10



66994 9 Piece Metric Ball End Hex Long L-key Set

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 66994 5.0, 6.0, 8.0, 10.0mm
lbs. .98



66995 6 Piece Metric Ball End Hex Long L-key Set


Item No. Metric: 1.5, 2.0, 66995 2.5, 3.0, 4.0, 5.0mm
lbs. .21



66998 11 Piece Metric Ball End Hex Long L-key Set

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 66998 5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm
lbs. 1.36

Inch Ball End Hex Keys Chrome Finish



369 Ball End Inch Hex L-key, Long Arm Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36949	1/8	4.6	.8	.021	10
36951	9/64	5.2	.9	.029	10
36954	5/32	5.7	1.0	.035	10
36957	3/16	6.2	1.1	.059	10
36958	7/32	6.7	1.2	.092	10
36960	1/4	7.3	1.2	.13	10
36961	5/16	8.0	1.4	.22	10
36963	3/8	8.8	1.6	.36	10



36998 13 Pc. Inch Ball End Hex Long L-key Set, In Plastic Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No. .050, 1/16, 5/64, 3/32, 7/64, 1/8, 36998 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
lbs. 1.0



66993 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy Chrome-V-Moly, hardened, hard chrome finish. In molded Holders. lbs. 2.0

Item No. 2 Sets with 22 L-keys include: 66993 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Long Arm Ball End L-keys

Ball End Hex Keys Chamfered ends for easy insertion

Ball End Hex L-keys Working angle up to 25°



369 Ball End Hex Metric L-key, Long Arm Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
36904	1.5	90	14	.004	10
36908	2.0	99	16	.007	10
36912	2.5	111	18	.012	10
36916	3.0	125	20	.019	10
36920	4.0	138	25	.042	10
36924	5.0	158	28	.072	10
36928	6.0	178	32	.12	10
36936	8.0	198	36	.23	10
36944	10.0	221	40	.40	10



36990 9 Pc. Metric Ball End Hex Long L-key Set Blade Chrome-V-Moly, hardened, black finish. lbs. .98

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 36990 6.0, 8.0, 10.0mm



36992 6 Pc. Metric Ball End Long Hex L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No. Metric: 1.5, 2.0, 2.5, 36992 3.0, 4.0, 5.0mm lbs. .30



36995 2 Pack Inch & Metric Ball End Hex L-key Sets

Item No. 2 Sets with 22 L-keys include: 36995 Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
lbs. 2.21
Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Metric Ball End Hex Keys Black Finish

369 **Ball End Hex Inch L-key, Long Arm**
Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36945	.050	2.8	.5	.002	10
36946	1/16	3.1	.6	.004	10
36947	5/64	3.5	.7	.007	10
36950	3/32	3.9	.7	.010	10
36952	7/64	4.3	.7	.016	10
36953	1/8	4.6	.8	.021	10
36955	9/64	5.2	.9	.029	10
36956	5/32	5.7	1.0	.035	10
36959	3/16	6.2	1.1	.059	10
36962	7/32	6.7	1.2	.092	10
36965	1/4	7.3	1.2	.13	10
36968	5/16	8.0	1.4	.22	10
36971	3/8	8.8	1.6	.36	10

36991 **13 Piece Inch Ball End Hex Long L-key Set** Blade Chrome-V-Moly, hardened, black finish. $\frac{1}{2}$ lbs. 1.0

Item No. 13 pc. set includes:

36991	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
-------	--

36993 **8 Piece Inch Ball End Hex Long L-key Set** Black finish. $\frac{1}{2}$ lbs. .62

Item No. 8 pc. set includes:

36993	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"
-------	---

36993 **8 Piece Inch Ball End Hex Long L-key Set** Metric & Inch TORX

36696 **3 Pack Inch & Metric Ball End Hex & TORX L-key Sets**

Item No. Hex & TORX L-keys include:

36696	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
3.29	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
	TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Mid-Length Ball End Hex Keys Black Finish

Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys Working angle up to 25°



369 **Ball End Hex Inch Mid-Length L-keys** Black finish.

Item No.	Inch	Inch	Inch	pkg.	10 Pack Item No.
36901	.050	2.82	.45	1	46701
36902	1/16	3.05	.53	1	46703
36903	5/64	3.27	.63	1	46705
36905	3/32	3.43	.68	1	46707
36906	7/64	3.62	.76	1	46709
36907	1/8	3.84	.76	1	46711
36909	9/64	4.08	.87	1	46713
36910	5/32	4.36	.96	1	46717
36923	3/16	4.67	1.08	1	46719
36925	7/32	5.05	1.18	1	46721
36926	1/4	5.73	1.25	1	46723
36927	5/16	6.75	1.36	1	46727
36929	3/8	7.0	1.50	1	46731

36937 **13 Piece Inch Mid-Length Ball End Hex L-key Set** Blade Chrome-V-Moly, hardened, black finish. $\frac{1}{2}$ lbs. .88

Item No. Set includes:

36937	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
-------	--

369 **Ball End Hex Metric Mid-Length L-keys** Black finish.

Item No.	mm	mm	mm	pkg.	10 Pack Item No.
36930	1.5	79	13	1	46732
36931	2.0	84	15	1	46733
36932	2.5	90	17	1	46734
36933	3.0	100	19	1	46735
36934	4.0	113	24	1	46736
36935	5.0	123	26	1	46737
36938	6.0	144	31	1	46738
36939	8.0	159	35	1	46739
36966	10.0	181	37	1	46741

36999 **9 Piece Metric Mid-Length Ball End Hex L-key Set** Blade Chrome-V-Moly, hardened, black finish. $\frac{1}{2}$ lbs. .80

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

36900 **2 Pack Inch & Metric Mid-Length Ball End Hex L-key Sets** Chrome-V-Moly, hardened, black finish. $\frac{1}{2}$ lbs. 1.69


Item No. 22 L-keys include:

36900	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Ball End Hex Keys Black Finish Short Arm



36989 **9 Pc. Short Arm Metric Ball End Hex L-key Set, In Plastic Holder** Includes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm $\frac{1}{2}$ lbs. .59 pkg. 1



Wiha PocketStar Fold-Ups

MagicRing

Push button key release

Screw Holding



36997 9 Pc. MagicRing Inch PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle. lbs. .46
Item No. 36997

Inch PocketStar: 5/64*, 3/32*, 7/64*
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

* Standard Ball - No Ring



Push button key release

Screw Holding



36996 7 Pc. MagicRing Metric

PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.

Item No. Metric: lbs. .50

36996 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm

* Standard Ball - No Ring

Screw Holding



Push button key release

66997 2 Pack MagicRing PocketStar

Fold Outs Inch & Metric High alloy CVM steel, hardened, molded ergonomic handle.

Item No. lbs. .98

36997 Fold Outs Inch/Metric Includes:

Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm

Inch: 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"

* Standard Ball - No Ring

Wiha MagicRing Screw Holding T-handle

Hole for hanging

Handle is molded directly onto blade

Proportioned ergonomic handle designed for high torque



Blade Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chrome finish

Smooth edges prevent injuries & eliminate pressure marks

Screw Holding Hex Tools



540 MagicRing Hex Metric Ball End, With Wiha T-handle Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item					
No.	mm	mm	mm	lbs.	pkg.
54040	4.0	150	80	176	.08 10
54050	5.0	150	100	182	.14 10
54060	6.0	150	100	182	.17 10
54080	8.0	200	100	232	.29 10
54086	10.0	200	120	238	.49 10

540 MagicRing Hex Inch Ball End, With Wiha T-handle Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item						
No.	Inch	Inch	Inch	Inch	lbs.	pkg.
54012	5/32	5.8	2.8	6.9	.08	10
54014	3/16	5.8	4.0	7.2	.14	10
54016	7/32	5.8	4.0	7.2	.16	10
54018	1/4	5.8	4.0	7.2	.19	10
54022	5/16	7.8	4.0	9.3	.29	10
54024	3/8	7.8	4.7	9.3	.45	10



54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item	Metric:	
No.	4.0, 5.0, 6.0,	lbs.
54090	8.0, 10.0mm	1.49



54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item	Inch:	
No.	5/32, 3/16, 7/32,	lbs.
54091	1/4, 5/16, 3/8"	1.59

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools


Cushioned grip and extra large diameter to achieve high torque

Screw Holding



molded on handle for permanent bond

Flat surfaces give roll-off protection



36794 6 Piece MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Inch:	
No.	1/8, 9/64, 5/32,	lbs.
36794	3/16, 7/32, 1/4"	1.34



36792 9 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Metric:	
No.	1.5*, 2.0*,	lbs.
36792	2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.06

* Standard Ball - No Ring



36793 8 Pc. MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Inch:	
No.	1/8, 9/64, 5/32, 3/16, 7/32,	lbs.
36793	1/4, 5/16, 3/8"	2.25



36790 6 Pc. MagicRing Metric Ball End Hex Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Metric:	
No.	3.0, 4.0, 5.0,	lbs.
36790	6.0, 8.0, 10.0mm	1.86



36791 13 Pc. MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	Inch:	
No.	.050*, 1/16*, 5/64*, 3/32*, 7/64*,	lbs.
36791	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.58

* Standard Ball - No Ring

Wiha T-handle Hex Tools


Ergonomic handle design for high torque

Hole for hanging



Blade Wiha exclusive Chrome-V-Moly super tool steel hardened, nickel-plated

Smooth edges prevent injuries & eliminate pressure marks




33492 10 Pc. Hex Driver T-handle Set, Inch Sizes

Item	Inch:	
No.	3/32, 7/64, 1/8, 9/64, 5/32, 3/16,	lbs.
33492	7/32, 1/4, 5/16, 3/8"	1.74



33493 8 Pc. Hex Driver T-handle Set, Metric Sizes

Item	Metric:	
No.	2.0, 2.5, 3.0, 4.0,	lbs.
33493	5.0, 6.0, 8.0, 10.0mm	1.64



33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand

Item	Inch:	
No.	1/8, 9/64, 5/32, 3/16, 7/32,	lbs.
33484	1/4, 5/16, 3/8"	3.07

33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

Item	Metric:	
No.	2.0, 2.5, 3.0,	lbs.
33488	5.0, 6.0, 8.0mm	3.07

Wiha Soft Grip Dual Drive T-handle



Through the handle side torque drive

Two Tools In One! Two component soft grip handle

Ball & Standard Hex In One Powerful Tool

Wiha exclusive Chrome-V-Moly super tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power



Hard Chrome Finish

For angle entry

- Chrome-V-Moly, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive

540 Soft Grip Ball End Hex Metric Dual Drive T-handle

Item No.	mm	mm	Tip	lbs.	pkg.
54020	2.0	150	Ball	.06	10
54025	2.5	150	Ball	.06	10
54030	3.0	150	Ball	.07	10
54042	4.0	150	Ball	.09	10
54052	5.0	150	Ball	.18	10
54062	6.0	150	Ball	.21	10
54082	8.0	200	Ball	.35	10
54088	10.0	200	Ball	.55	10

54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand


Item No.	Metric:	lbs.
54095	2.0, 2.5, 3.0, 4.0, 5.0, 8.0, 10.0mm	1.90



54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Metric:	lbs.
54092	2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	3.34



Hard Chrome Finish

For angle entry


540 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Tip	lbs.	pkg.
54007	3/32	5.9	Ball	.06	10
54008	7/64	5.9	Ball	.07	10
54009	1/8	5.9	Ball	.08	10
54010	9/64	5.9	Ball	.08	10
54001	5/32	5.9	Ball	.09	10
54002	3/16	5.9	Ball	.17	10
54003	7/32	5.9	Ball	.20	10
54004	1/4	5.9	Ball	.23	10
54005	5/16	7.9	Ball	.35	10
54006	3/8	7.9	Ball	.51	10



54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

Item No.	Inch:	lbs.
54097	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.15



54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch:	lbs.
54094	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	3.37

Soft Grip Dual Drive T-handle - Black Finish



Black Finish


For angle entry

334 Soft Grip Ball End Hex Metric Dual Drive T-handle

Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	pkg.
33442*	2.0	150	.06	10
33444*	2.5	150	.06	10
33446*	3.0	150	.07	10
33448	4.0	150	.09	10
33450	5.0	150	.18	10
33452	6.0	150	.21	10
33454	8.0	200	.35	10
33458	10.0	200	.55	10

*No Ball - Standard Hex




33496 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	Metric:	lbs.
33496	2.0*, 2.5*, 3.0*, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.04

*No Ball - Standard Hex



33489 8 Piece Hex & Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Metric:	lbs.
33489	2.0*, 2.5*, 3.0*, 4.0, 5.0, 6.0, 8.0, 10.0mm	3.33

*No Ball - Standard Hex

Soft Grip Dual Drive T-handle - Black Finish



Black Finish

334 Soft Grip Ball End Hex Inch Dual Drive T-handle

Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	pkg.
33418*	5/64	5.9	.06	10
33420*	3/32	5.9	.06	10
33422*	7/64	5.9	.07	10
33424*	1/8	5.9	.08	10
33426*	9/64	5.9	.08	10
33428	5/32	5.9	.09	10
33430	3/16	5.9	.17	10
33432	7/32	5.9	.20	10
33433	1/4	5.9	.23	10
33439	5/16	7.9	.35	10
33440	3/8	7.9	.51	10

*No Ball - Standard Hex

33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set


Item No.	Inch: 5/64*, 3/32*, 7/64*, 1/8*, 9/64*,	lbs.
33494	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.39

*No Ball - Standard Hex

33498 8 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item No.	Inch: 1/8*, 9/64*, 5/32, 3/16, 7/32,	lbs.
33498	1/4, 5/16, 3/8"	2.15

*No Ball - Standard Hex



In metal stand

33499 8 Piece Hex & Ball End Hex Inch Soft Grip T-handle Set



Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.


Item No.	Inch: 1/8*, 9/64*, 5/32, 3/16, 7/32,	lbs.
33499	1/4, 5/16, 3/8"	.46

*No Ball - Standard Hex

Wiha Ball End 3K Series Drivers & Sets


- Soft panel grip
- Convenient hang hole
- Exact fit precision machined tips
- Wiha exclusive Chrome-V-Moly super tool steel
- Fast angle entry

 Yellow = Inch
 Red = Metric



46796 7 Piece Metric Ball End Hex Screwdriver Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	lbs.
46796		1.15




46799 9 Piece Metric Ball End Hex Screwdriver Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	lbs.
46799		1.93




46794 6 Pc. 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs.
46794		.97



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64,	lbs.
46793		1.19



46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64,	lbs.
46797	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40

Wiha PocketStar Fold-Ups



35195	7 Pc. Metric Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.	
Item No.	PocketStar
35195	Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm
	lbs. .51
35196	7 Pc. MM Hex PocketStar Fold Outs
Item No.	PocketStar
35196	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
	lbs. .31



35197	9 Pc. Inch Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.	
Item	Inch PocketStar: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
No.	lbs. .47



35198	6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.	
Item	Slotted: 5.5mm
No.	Phillips: #2
35198	Metric: 3.0, 4.0, 5.0, 6.0mm
	lbs. .35

Wiha Drive-Loc VI Handles



For Adjustable Length Locking Blades
 Drive-Loc mechanism guarantees a secure hold & rapid blade exchange
 Blades high quality CVM steel, hard chrome finish

Adjustable blade lengths 1.7" to 4.7" in 1/8" increments


28488	Drive-Loc VI Cushion Grip Handle
Ergonomic cushion grip, Drive-Loc mechanism guarantees secure hold & rapid blade exchange.	
Item	
No.	mm mm Inch mm Inch lbs.
28488	6.0 115 4.5 36.0 1.41 .26

Adjustable blade lengths 1.7" to 4.7" in 1/8" increments

28487	Drive-Loc VI MicroFinish Non-Slip Grip Handle
Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees secure hold & rapid blade exchange.	
Item	
No.	mm mm Inch mm Inch lbs.
28487	6.0 115 4.5 36.0 1.41 .20



28189	15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch
Drive-Loc VI handle & 14 interchangeable blades.	
Item No.	28189
	lbs. 1.40
Slotted: 3.5+4.5, 5.5+6.5mm & Phillips: 1+2	
Security TORX : T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm	
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



281	Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade
High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Blade OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.	
Item	
No.	mm + mm lbs. pkg.
28116	2.5 2.5 .10 1
28117	3 3 .10 1
28118	4 4 .10 1
28119	5 5 .10 1
28120	6 6 .10 1

NEW

28476	5 Pc. Ball End & Hex Blade Set
Item	Set includes:
No.	lbs. 2.5, 3.0, 4.0, 5.0, 6.0mm
28476	.36


281	Hex Metric Drive-Loc VI Interchangeable Blade
High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.	
Item	
No.	mm + mm lbs. pkg.
28149	2.0 2.5 .09 1
28150	3.0 4.0 .10 1
28151	5.0 6.0 .10 1

281	Hex Inch Drive-Loc VI Interchangeable Blade
OAL 150mm/5.9"	
Item	
No.	Inch + Inch lbs. pkg.
28122	3/32 7/64 .10 1
28123	1/8 9/64 .10 1
28124	5/32 3/16 .10 1

NEW

28474	5 Pc. Hex Inch/Metric Blade Set
Item	Set includes: 3+4, 5+6mm
No.	lbs. 3/32+7/64, 1/8+9/64, 5/32+3/16"
28474	.36

Nickel-Plated Long Arm Hex L-keys




• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Inch & Metric Hex Long L-keys

Item No.	Inch	mm	Inch	lbs.	pkg.
35231	.050	75	3.0	.01	10
35233	1/16	78	3.1	.01	10
35235	5/64	82	3.2	.01	10
35237	3/32	85	3.3	.01	10
35239	7/64	92	3.6	.01	10
35241	1/8	95	3.7	.02	10
35243	9/64	100	3.9	.03	10
35251	5/32	105	4.1	.03	10
35252	3/16	113	4.4	.05	10
35253	7/32	122	4.8	.07	10
35254	1/4	135	5.3	.10	10
35255	5/16	152	6.0	.18	10
35256	3/8	173	6.8	.30	10
35257	1/2	209	8.2	.77	1
35258	9/16	230	9.1	1.04	1
35259	5/8	245	9.6	1.27	1
35261	3/4	286	11.3	2.01	1

Item No.	mm	mm	mm	lbs.	pkg.
35201	1.5	89	14	.01	10
35202	2.0	99	16	.01	10
35204	2.5	110	18	.02	10
35206	3.0	124	20	.02	10
35208	4.0	138	25	.04	10
35210	5.0	158	28	.07	10
35211	6.0	178	32	.12	10
35212	7.0	187	34	.17	10
35214	8.0	196	36	.23	10
35217	10.0	219	40	.40	10
35219	12.0	245	45	.77	1
35221	14.0	277	56	1.12	1
35223	17.0	316	63	1.80	1
35227	19.0	355	70	2.46	1




35295 13 Pc. Inch Hex L-key Set
 .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
 Item No. lbs. pkg.
 35295 .90 1



35297 9 Pc. Metric Hex L-key Set
 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 Item No. lbs. pkg.
 35297 1.00 1

Short Arm Hex L-keys

Nickel-Plated



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.


351 L-key Hex Metric, Short Arm

high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	mm	lbs.	pkg.
35104	1.5	46	14	.01	10
35108	2.0	51	16	.01	10
35112	2.5	57	18	.01	10
35116	3.0	64	25	.02	10
35120	4.0	72	25	.03	10
35124	5.0	83	28	.04	10
35128	6.0	94	32	.07	10
35132	7.0	99	34	.10	10
35136	8.0	105	36	.13	10
35140	9.0	112	38	.18	10
35144	10.0	119	40	.23	10
35145	12.0	134	45	.40	1
35175	14.0	151	55	.61	1
35177	17.0	173	60	1.02	1
35179	19.0	195	70	1.40	1

351 L-key Hex, Short Arm

Item No.	Inch	Inch	Inch	lbs.	pkg.
35143	.050	1.6	.39	.01	10
35146	1/16	1.8	.55	.01	10
35147	5/64	2.0	.63	.01	10
35150	3/32	2.1	.75	.01	10
35152	7/64	2.1	.75	.01	10
35153	1/8	2.3	.83	.02	10
35155	9/64	2.4	.91	.02	10
35156	5/32	2.7	.99	.02	10
35159	3/16	2.8	1.0	.04	10
35162	7/32	3.1	1.2	.05	10
35165	1/4	3.5	1.2	.08	10
35168	5/16	3.9	1.4	.13	10
35171	3/8	4.2	1.5	.20	10
35174	1/2	5.8	1.7	.46	1
35176	9/16	6.2	2.5	.64	1
35178	5/8	6.9	2.8	.85	1
35180	3/4	7.8	3.5	1.40	1



35299 20 Pc. Inch Hex L-key Set - Nickel Plated
 .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4"
 Item No. lbs. pkg.
 35299 5.96 1

Nickel-Plated



35191 9 Piece Metric Hex L-key Set, In Plastic Holder Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 lbs. .59 pkg. 1

Nickel-Plated



35193 6 Piece Metric Hex L-key Set, In Plastic Holder Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm
 lbs. .20 pkg. 1

Nickel-Plated



35192 8 Piece Inch Hex L-key Set, In Plastic Holder Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"
 lbs. .41 pkg. 1

Nickel-Plated



35194 13 Piece Inch Hex L-key Set, In Plastic Holder Equipped with .050 - 3/8"
 lbs. .72 pkg. 1



Black Finish Long Arm Hex L-keys



Black Finish

High alloy CVM steel, hardened, black finish. Prec machined, burr free chamfered ends.

352	L-key Hex, Long Arm					
Item	No.	Inch	mm	Inch	lbs.	pkg.
35200	.028	66	2.6	.01	10	
35203	.035	68	2.7	.01	10	
35213	.050	75	3.0	.01	10	
35216	1/16	78	3.1	.01	10	
35218	5/64	82	3.2	.01	10	
35222	3/32	85	3.3	.01	10	
35224	7/64	92	3.6	.02	10	
35226	1/8	95	3.7	.02	10	
35228	9/64	100	3.9	.03	10	
35232	5/32	105	4.1	.04	10	
35234	3/16	113	4.4	.05	10	
35236	7/32	122	4.8	.07	10	
35238	1/4	135	5.3	.10	10	
35242	5/16	152	6.0	.18	10	
35244	3/8	173	6.8	.30	10	
35245	1/2	209	8.2	.75	1	
35246	9/16	230	9.1	.99	1	
35247	5/8	245	9.6	1.26	1	
35248	3/4	286	11.3	2.02	1	
35249	1"	359	14.1	4.38	1	

352	L-key Hex, Long Arm				
Item No.	mm	mm	mm	lbs.	pkg.
35200	0.7	66	5	.01	10
35203	0.9	68	8	.01	10
35205	1.3	72	12	.01	10
35215	1.5	76	14	.01	10
35220	2.0	99	16	.01	10
35225	2.5	110	18	.02	10
35230	3.0	124	20	.02	10
35240	4.0	138	25	.04	10
35250	5.0	158	28	.07	10
35260	6.0	178	32	.12	10
35270	7.0	187	34	.18	10
35280	8.0	196	36	.24	10
35282	10.0	219	40	.40	10
35284	12.0	245	45	.77	1
35285	14.0	277	56	1.13	1
35286	17.0	316	63	1.80	1
35288	19.0	355	70	2.45	1



#35291

#35290

Black Finish

In Plastic Holder

35291	13 Pc. Inch Hex L-key Set	
	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	
Item No.	lbs.	pkg.
35291	.98	1

35290	9 Pc. Metric Hex L-key Set	
	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
Item No.	lbs.	pkg.
35290	.97	1

Short Arm Hex L-keys

Black Finish



353	L-key Hex Metric, Short Arm					
	high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.					
Item	No.	mm	mm	mm	lbs.	pkg.
35301	0.7	31	-	.01	10	
35302	0.9	31	-	.01	10	
35303	1.3	40	12	.01	10	
35304	1.5	45	14	.01	10	
35305	2.0	49	16	.01	10	
35306	2.5	55	18	.01	10	
35307	3.0	61	20	.02	10	
35308	4.0	68	25	.03	10	
35309	5.0	78	28	.04	10	
35310	6.0	88	32	.07	10	
35311	7.0	92	34	.10	10	
35312	8.0	97	36	.13	10	
35313	9.0	103	38	.17	10	
35314	10.0	109	40	.23	10	
35316	11.0	115	42	.29	10	
35317	12.0	122	45	.40	1	
35318	14.0	137	56	.61	1	
35319	17.0	156	63	1.03	1	
35320	19.0	176	70	1.40	1	
35321	22.0	195	80	2.17	1	

Black Finish


353	L-key Hex Inch, Short Arm					
Item	No.	Inch	Inch	Inch	lbs.	pkg.
35301	.028	1.2	-	.01	10	
35302	.035	1.2	-	.01	10	
35330	.050	1.6	.4	.01	10	
35331	1/16	1.8	.6	.01	10	
35332	5/64	2.0	.6	.01	10	
35333	3/32	2.1	.8	.01	10	
35334	7/64	2.1	.8	.01	10	
35335	1/8	2.3	.8	.02	10	
35336	9/64	2.4	.9	.02	10	
35337	5/32	2.7	1.0	.02	10	
35338	3/16	2.8	1.0	.05	10	
35339	7/32	3.1	1.2	.07	10	
35340	1/4	3.5	1.2	.07	10	
35341	5/16	3.9	1.4	.13	10	
35342	3/8	4.2	1.5	.20	10	
35343	1/2	5.2	1.7	.49	1	
35345	9/16	6.2	2.5	.66	1	
35346	5/8	6.9	2.8	.86	1	
35347	3/4	7.8	3.5	1.45	1	
35348	1"	8.7	3.6	3.14	1	



In Plastic Holder

Black Finish

35390	9 Piece Metric Hex L-key Set	
	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	lbs. .59	pkg. 1




Black Finish

35392	5 Pc. Mini Metric Hex L-key Set	
	Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm	
	lbs. .03	pkg. 1

Black Finish



35391	13 Piece Inch Hex L-key Set	
	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	
	lbs. .64	pkg. 1




Black Finish

35393	5 Piece Mini Inch Hex L-key Set	
	Equipped with .028, .035, .050, 1/16, 5/64"	
	lbs. .03	pkg. 1


Wiha Socket Sets On Molded Rails

Bits CVM
tool steel



71391 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.

Item No. 

71391	lbs.	Set includes the following:
.48		1/16, 5/64, 3/32, 7/64, 1/8 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM
tool steel




71798 8 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 


71798	lbs.	Includes the following:
.80		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM
tool steel




71398 7 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 


71398	lbs.	Set includes the following:
.48		3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM
tool steel



71797 7 Pc. Ball End Hex Metric Sockets

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71797	lbs.	Set includes the following:
.72		Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Bits CVM
tool steel



71392 8 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 


71392	lbs.	Set includes the following:
.78		1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Bits CVM
tool steel



71393 1 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71393	lbs.	Set includes the following:
.54		Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"

Bits CVM
tool steel



71394 5 Piece Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71394	lbs.	Set includes the following:
.56		Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm

Bits CVM
tool steel




71996 9 Piece Hex Metric Socket Set

1/4" & 3/8" Sq. Dr. Replaceable Bit Socket

Item No. 


71996	lbs.	Set includes the following:
.66		1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm 3/8": 5.0, 6.0, 8.0, 10.0mm

Bits CVM
tool steel



71999 9 Pc. Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 


71999	lbs.	Set includes the following:
.86		5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM
tool steel



71789 7 Pc. Security Hex Metric Sockets

3/8" Square Drive Replaceable Bit Socket.


Item No. 

71789	lbs.	Set includes the following:
.74		2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm


Long Blade Sockets & Sets




77191 8 Pc. Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"  wt. .97

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
 lbs. .70

77198 22 Pc. Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40
 lbs. 2.82

Hex Inch & Metric Insert Bit



713 Hex Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.
71329	.050	25	10
71326	1/16	25	10
71328	5/64	25	10
71330	3/32	25	10
71333	7/64	25	10
71336	1/8	25	10
71339	9/64	25	10
71342	5/32	25	10
71345	3/16	25	10
71348	7/32	25	10
71351	1/4	25	10
71353	5/16	25	10
71356	3/8	25	10



713 Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.
71303	1.5	25	10
71306	2.0	25	10
71308	2.5	25	10
71309	3.0	25	10
71312	4.0	25	10
71315	5.0	25	10
71318	6.0	25	10
71321	8.0	25	10
71324	10.0	25	10

TORX® Short Arm L-keys



363 TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36305	T5	37	1.5	16	.6	.01	10
36306	T6	39	1.5	16	.6	.01	10
36307	T7	42	1.7	16	.6	.01	10
36308	T8	45	1.8	16	.6	.01	10
36309	T9	48	1.9	16	.6	.01	10
36310	T10	51	2.0	17	.7	.01	10
36315	T15	54	2.1	19	.7	.01	10
36320	T20	58	2.3	19	.7	.01	10
36325	T25	63	2.5	21	.8	.02	10
36327	T27	67	2.6	22	.9	.03	10
36330	T30	73	2.9	24	.9	.05	10
36340	T40	79	3.1	26	1.0	.06	10
36345	T45	82	3.2	28	1.1	.09	10
36350	T50	95	3.7	32	1.3	.13	10
36355	T55	108	4.3	35	1.4	.27	10
36360	T60	120	4.7	38	1.5	.40	10

TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36645	T5	71	2.8	12	.5	.06	10
36646	T6	78	3.1	13	.5	.07	10
36647	T7	87	3.4	16	.6	.10	10
36648	T8	99	3.9	18	.7	.13	10
36649	T9	106	4.2	18	.7	.17	10
36650	T10	118	4.6	21	.8	.23	10
36651	T15	131	5.2	23	.9	.33	10
36652	T20	144	5.7	25	1.0	.44	10
36653	T25	158	6.2	28	1.1	.65	10
36654	T27	169	6.7	30	1.2	.98	10
36655	T30	184	7.2	32	1.3	1.27	10
36659	T40	201	7.9	35	1.4	2.09	10
36660	T45	222	8.7	40	1.6	2.70	10
36661	T50	213	8.4	40	1.6	3.14	10

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With

Molded Handle For working in confined spaces. Blade CVM special steel, hardened, black finish.


Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



20799 TORX® Offset Screwdriver Set, 5 Pcs. With Molded Handle

Blade CVM special steel, hardened, black finish.

Item No.	Set Includes:	lbs.	pkg.
20799	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	.24	1



#36392 #36394 #36399

36392 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
36392	.10	1

36394 TORX® Set, 9 Pc. In Plastic Holder

T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36394	.30	1

36399 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No.	lbs.	pkg.
36399	1.14	1



36699 Long Arm TORX® Set, 13 Pc. in Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

Item No.	lbs.	pkg.
36699	1.13	1



36698 Long Arm TORX® Set, 10 Pc. In Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36698	1.04	1



36390 TORX® Set, 9 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No.	lbs.	pkg.
36390	1.86	1



36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

Item No.	lbs.	pkg.
36694	2.13	1

Wiha TORX® Soft Grip Dual Drive T-handle



Two Tools In One!

Short and Long Arm In One Powerful Tool

Two component soft grip handle

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power



Soft grips are molded on & include through the handle side torque drive



364 Soft Grip TORX® T-handle

Item No.	Size	mm	lbs.	pkg.
36480	T10	100	.08	10
36481	T15	100	.08	10
36482	T20	100	.13	10
36483	T25	150	.16	10
36484	T27	150	.19	10
36486	T30	150	.20	10
36487	T40	150	.24	10




36497 7 Piece TORX® Set Soft Grip T-handles

Item No.	TORX®	lbs.
36497	T10, T15, T20, T25, T27, T30, T40	1.53

Wiha TORX® T-handle


Blade high alloy CVM steel, hardened, hard chrome finish.

Wiha T-handle high quality plastic, impact resistant



364 TORX® with Wiha T-handles

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
36409	T9	100	3.9	4.0	5/32	80	3.1	.07	10
36410	T10	100	3.9	4.0	5/32	80	3.1	.07	10
36415	T15	100	3.9	4.0	5/32	80	3.1	.07	10
36417	T15	200	7.9	5.5	7/32	80	3.1	.13	10
36420	T20	100	3.9	4.0	5/32	100	3.9	.10	10
36422	T20	200	7.9	5.5	7/32	100	3.9	.17	10
36425	T25	100	3.9	4.0	5/32	100	3.9	.11	10
36427	T25	200	7.9	5.5	7/32	100	3.9	.17	10
36430	T27	100	3.9	5.5	7/32	100	3.9	.14	10
36432	T27	200	7.9	5.5	7/32	100	3.9	.17	10
36435	T30	100	3.9	7.9	6.0	100	3.9	.14	10
36437	T30	200	7.9	6.0	1/4	100	3.9	.19	10
36440	T40	100	3.9	7.0	9/32	100	3.9	.16	10
36442	T40	200	7.9	7.0	9/32	100	3.9	.23	10
36445	T45	150	5.9	8.0	5/16	120	4.7	.29	10
36450	T50	150	5.9	9.0	3/8	120	4.7	.30	10
36452	T50	250	9.8	9.0	3/8	120	4.7	.45	10



36492 TORX® T-handle Set, 7 Pc.

Includes T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36492	1.24	1



36490 TORX® T-handle Set, 7 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50

Item No.	lbs.	pkg.
36490	2.65	1



36494 TORX® T-handle Set, 8 Pc. In Metal Stand

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36494	3.10	1



Wiha TORX® Tools Wing Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



365 TORX® Screwdriver, With Wing Handle - 10 Pack Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36511	T6	35	1.4	70	2.7	40	1.6	.02	10
36513	T7	35	1.4	70	2.7	40	1.6	.02	10
36514	T8	40	1.6	75	2.9	40	1.6	.02	10
36534	T9	40	1.6	75	2.9	40	1.6	.02	10
36536	T10	40	1.6	75	2.9	40	1.6	.02	10
36537	T15	45	1.8	80	3.1	40	1.6	.02	10
36538	T20	45	1.8	80	3.1	40	1.6	.02	10

365 TORX® Screwdriver, With Wing Handle - 2 Pack

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36516	T6	35	1.4	70	2.7	40	1.6	.02	2
36517	T7	35	1.4	70	2.7	40	1.6	.02	2
36518	T8	40	1.6	75	2.9	40	1.6	.02	2
36519	T9	40	1.6	75	2.9	40	1.6	.02	2
36521	T10	40	1.6	75	2.9	40	1.6	.02	2
36522	T15	45	1.8	80	3.1	40	1.6	.02	2
36523	T20	45	1.8	80	3.1	40	1.6	.02	2

Wiha TORX® Tools Flag Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



370 TORX® Screwdriver, With Flag Handle - 10 Pack Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37055	T5	35	1.4	63	2.6	15.0	.75	.01	10
37056	T6	35	1.4	63	2.6	15.0	.75	.01	10
37057	T7	35	1.4	67	2.6	19.0	.75	.01	10
37058	T8	40	1.6	72	2.8	19.0	.75	.01	10
37059	T9	40	1.6	74	2.9	23.5	.93	.01	10
37060	T10	40	1.6	74	2.9	23.5	.93	.01	10
37061	T15	45	1.8	80	3.1	28.0	1.10	.02	10
37062	T20	45	1.8	80	3.1	28.0	1.10	.02	10

370 TORX® Screwdriver, With Flag Handle - 2 Pack

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37005	T5	35	1.4	63	2.6	15.0	.75	.01	2
37006	T6	35	1.4	63	2.6	15.0	.75	.01	2
37007	T7	35	1.4	67	2.6	19.0	.75	.01	2
37008	T8	40	1.6	72	2.8	19.0	.75	.01	2
37009	T9	40	1.6	74	2.9	23.5	.93	.01	2
37010	T10	40	1.6	74	2.9	23.5	.93	.01	2
37011	T15	45	1.8	80	3.1	28.0	1.10	.02	2
37012	T20	45	1.8	80	3.1	28.0	1.10	.02	2



36591 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20
wt. .16




36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20
wt. .32



37091 Flag Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20
wt. .14



37090 Flag Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20
wt. .31

Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle


TORX®

Extra large diameter to achieve high torque

Improved torque zone. For all working conditions with molded on soft cushion grips

Flat surfaces give roll-off protection

Handle is molded directly onto the blade for a permanent bond



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10



36294 8 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36294	T6	60	T20	100	1.24
	T8	60	T25	100	
	T10	80	T27	115	
	T15	80	T30	115	



36291 6 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	



36201 6 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



36267 Set 12 Pcs. TORX® Round

blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36267	T5	60	T15	80	2.03
	T6	60	T20	100	
	T7	60	T25	100	
	T8	60	T27	115	
	T9	60	T30	115	
	T10	80	T40	130	





52790 Set 5 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
52790	T10	80	T25	100	1.0
	T15	80	T30	115	
	T20	100			



52791 Set 8 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
52791	T9	60	T25	100	1.89
	T10	80	T27	115	
	T15	80	T30	115	
	T20	100	T40	130	

Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Exact fit precision ground tips

Blades are hardened & hard chromed

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

MicroFinish Handle

with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer




527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10



Wiha TORX® Protturn Screwdrivers



45591 6 Pcs. TORX® Set

Item No.	TORX®	lbs.
45591	T7, T8, T9,	.72
	T10, T15, T20	




455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



45592 8 Pcs. TORX® Set

Item No.	TORX®	lbs.
45592	T8, T9, T10, T15,	1.07
	T20, T25, T27, T30	



45589 14 Pcs. TORX® Set

Item No.	TORX®	lbs.
45589	T6, T7, T8, T9,	2.2
	T10x80, T10x275,	
	T15, T20, T25, T27,	
	T30, T40, T45, T50	



Wiha TORX® 3K Series Drivers and Sets


3K Series

Blade high alloy CVM steel, hardened

Hole for hanging

Precision black tip

Molded on soft grip ergonomic handle, impact resistant




455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



45595 Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.

Item No.	TORX®	
45595	T8, T9, T10, T15, T20, T25, T27, T30	lbs. 1.36



45597 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set

Item No.	TORX®	
45597	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	lbs. 1.72



45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.


Item No.	TORX®	lbs.
45593	T8, T10, T15, T20, T25	.86



45598 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.


Item No.	TORX®	lbs.
45598	T6, T7, T8, T9, T10, T15	.88

Wiha TORX® Powerhandle



36293 6 Pc. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	T6, T7, T8, T9, T10, T15	lbs. .78
36293			



36292 8 Pc. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	T6, T8, T10, T15, T20, T25, T27, T30	lbs. 1.45
36292			

Wiha "Rust Free" Finish TORX® L-keys

Pacified Zinc Chromate Finish
96 hour salt bath tested for best corrosion protection



CVM tool steel through hardened and tempered for maximum tool life



36693 TORX® Long Arm Set, 13 Pc.
In ErgoStar Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	lbs.	pkg.
36693	1.10	1

Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)


Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. Ergonomic handle shape for maximum comfort, mechanism guarantees a secure hold & rapid blade exchange.

Item	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



28485 5 Pack Drive-Loc VI Interchangeable Blade Set
Over all blade length 150mm/5.9"

Item No.	TORX®	lbs.
28485	T6+T8, T7+T9, T10+T15, T20+T25, T30+T40	.35

Wiha PocketStar Fold Outs



Push button key release

Blade length range 1.68 - 1.94"



36396 TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.	TORX®	lbs.
36396	T7, T8, T9, T10, T15, T20, T25	.22



281 TORX® Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
28126	T6 T8	.09	1
28127	T7 T9	.09	1
28128	T10 T15	.10	1
28129	T20 T25	.10	1
28130	T30 T40	.10	1



28199 10Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No.	lbs.
28199	1.11

Slotted/Phillips: 4.0+1, 6.0+2
TORX®: T6+T8, T7+T9, T10+T15, T20+T25
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"
SoftFinish® Cushion Grip Blade Lock Handle



Push button key release


Blade length range 1.95 - 2.39"



36398 TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.	TORX®	lbs.
36398	T9, T10, T15, T20, T25, T27, T30, T40	.24

Wiha Socket Sets On Molded Rails




76191 10 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Sockets.
Bits CVM tool steel. OAL 1.5"

Item No.	↔	↔	↔	↔	Set Includes:
76191	lbs.	T7, T8, T9, T10, T15,			
	.49	T20, T25, T27, T30, T40			



76395 8 pc. TORX® Socket Set
3/8" Square Drive Replaceable Bit Sockets.
Bits CVM tool steel. OAL 1.5"

Item No.	↔	↔	↔	↔	Set Includes:
76395	lbs.	T9, T10, T15, T20,			
	.75	T25, T27, T30, T40			



76194 6 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Sockets.
Bits CVM tool steel.

Item No.	↔	↔	↔	↔	Set Includes:
76194	lbs.	T10, T15, T20,			
	.20	T25, T27, T30			



76490 6 pc. TORX® Socket Set
1/2" Square Drive Replaceable Bit Sockets.
Bits CVM tool steel.

Item No.	↔	↔	↔	↔	Set Includes:
76490	lbs.	T30, T40, T45			
	1.06	T50, T55, T60			



76396 8 pc. TORX® Socket Set
3/8" Square Drive Replaceable Bit Sockets.
1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	↔	↔	↔	↔	Set Includes:
76396	lbs.	1/4": T20, T25, T27, T30, T40			
	.87	5/16": T45, T50, T55			



71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel.

Item No.	↔	↔	↔	↔	Set Includes:
71698	lbs.	1/4": IP9, IP10, IP15, IP20			
	.60	3/8": IP25, IP27, IP30, IP40			

Wiha TORX & TORXPlus Insert Bit



715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15



716 TORXPlus® Insert Bits, 1/4" Hex, 1"

Item No.	Size	mm	pkg.	lbs.
71603	IP3	25	10	.12
71604	IP4	25	10	.12
71605	IP5	25	10	.12
71606	IP6	25	10	.12
71607	IP7	25	10	.12
71608	IP8	25	10	.12
71609	IP9	25	10	.12
71610	IP10	25	10	.12
71615	IP15	25	10	.12
71620	IP20	25	10	.12
71625	IP25	25	10	.12
71627	IP27	25	10	.13
71630	IP30	25	10	.13
71640	IP40	25	10	.15

Wiha Long Blade Sockets



771 TORX® Sockets
1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12

77193 7 Pc. TORX® Socket Blade Set
TORX®: T10, T15, T20, T25, T27, T30, T40 ↔ wt. .69



771 TORX® Sockets
3/8" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

77195 9 Pc. TORX® Socket Blade Set
TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 ↔ wt. 1.08

Wiha Bit Holding Socket Replacements



72014 1/4" Drive Bit Holding Socket
With Retaining Ring For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72014	1/4"	25	1/4"	.04



72038 3/8" Drive Bit Holding Socket
With Retaining Ring For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72038	1/4"	25	3/8"	.08

Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36216	T9	60	2.4	4.0	.157	164	6.5	.10	10
36217	T10	60	2.4	4.0	.157	184	7.2	.11	10
36221	T15	80	3.1	4.0	.157	191	7.5	.11	10
36222	T20	80	3.1	4.0	.157	211	8.3	.11	10
36226	T25	100	3.9	4.5	.177	218	8.6	.12	10
36227	T27	115	4.5	5.5	.216	233	9.2	.19	10
36236	T30	115	4.5	6.0	.236	233	9.2	.20	10



36237 Set 7 Pcs. TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. SoftFinish® handle, multi-component, cushion grips.

Item	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Size	mm
36237	T9	60	T25	100
	T10	60	T27	115
	T15	80	T30	115
	T20	80		

Wiha Ball End TORX® L-keys




366 Ball End TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

Item	⚙️	⚙️	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	Inch	mm	Inch	lbs. pkg.
36631	T9	111	4.4	21	.83	.17 10
36632	T10	121	4.8	23	.91	.23 10
36633	T15	136	5.4	27	1.1	.33 10
36634	T20	148	5.8	29	1.1	.44 10
36635	T25	163	6.4	33	1.3	.65 10
36636	T27	176	6.9	36	1.4	.98 10
36637	T30	191	7.5	38	1.5	1.3 10
36638	T40	210	8.3	43	1.7	2.1 10
36639	T45	232	9.1	50	2.0	2.4 10

Wiha ErgoStar Ball End TORX® Long L-keys



36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	⚙️	lbs.	⚙️	pkg.
36689		1.08		1

Ball End TORX® Power Bits



745 Ball End TORX® Power Bits
1/4" Hex Drive, Length 2.0"/50mm

Item	⚙️	⚙️	⚙️	⚙️
No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18



745 Ball End TORX® Power Bit Packs, 1"

Item	⚙️	⚙️	⚙️
No.	Size	mm	lbs.
74505	T9	50	.05
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08




36692 Ball End TORX® L-key Set, 8 Pc.

in Plastic Holder Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item	⚙️	⚙️
No.	lbs.	pkg.
36692	6.16	1

The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.




Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



Wiha PocketStar Fold Out



 Push button key release

36697 TORXPlus® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle.

Item No.		
36697	PocketStar	lbs. .31
TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25		

Wiha TORXPlus® Tools 2 Packs & 10 Packs

TORXPlus®

 Not for use in standard Torx fasteners



370 TORXPlus® Screwdriver, With Flag Handle - 2 & 10 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37063	IP5	35	1.4	63	2.6	15.0	.75	.01	10
37064	IP6	35	1.4	63	2.6	15.0	.75	.01	10
37065	IP7	35	1.4	67	2.6	19.0	.75	.01	10
37066	IP8	40	1.6	72	2.8	19.0	.75	.01	10
37067	IP9	40	1.6	74	2.9	23.5	.93	.01	10
37068	IP10	40	1.6	74	2.9	23.5	.93	.01	10
37069	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
37070	IP20	45	1.8	80	3.1	28.0	1.10	.02	10



 **37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand**

Set includes:  lbs. .31
IP6, IP7, IP8, IP9, IP10, IP15, IP20



36592 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand. Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.	lbs.	pkg.
36592	.38	1

TORXPlus®

 Not for use in standard Torx fasteners



365 TORXPlus® Screwdriver, With Wing Handle - 2 & 10 Packs

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36539	IP5	35	1.4	70	2.7	40	1.6	.02	10
36541	IP6	35	1.4	70	2.7	40	1.6	.02	10
36543	IP7	35	1.4	70	2.7	40	1.6	.02	10
36545	IP8	40	1.6	75	3.0	40	1.6	.02	10
36547	IP9	40	1.6	75	3.0	40	1.6	.02	10
36549	IP10	40	1.6	75	3.0	40	1.6	.02	10
36551	IP15	45	1.8	80	3.1	40	1.6	.02	10
36553	IP20	45	1.8	80	3.1	40	1.6	.02	10

Item No.	Size	pkg.
36524	IP5	2
36526	IP6	2
36527	IP7	2
36528	IP8	2
36529	IP9	2
36531	IP10	2
36532	IP15	2
36533	IP20	2

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle - 10 Pack

Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.


Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle In Clamshell

Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	.28	1

Wiha T-handle TORXPlus®



Not for use in standard Torx fasteners

364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36461	IP9	100	3.9	4.0	.157	80	3.1	.07	10
36463	IP10	100	3.9	4.0	.157	80	3.1	.07	10
36466	IP15	100	3.9	4.0	.157	80	3.1	.07	10
36469	IP20	100	3.9	4.0	.157	80	3.1	.10	10
36472	IP25	150	5.9	8.0	.315	120	4.7	.13	10
36474	IP27	150	5.9	8.0	.315	120	4.7	.14	10
36476	IP30	150	5.9	8.0	.315	120	4.7	.16	10
36478	IP40	150	5.9	8.0	.315	120	4.7	.20	10



36296 Set 6 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36296	IP6, IP7, IP8, IP9 IP10, IP15	.72



36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36299	IP8, IP10, IP15, IP20, IP25, IP30, IP40	1.23



36297 Set 8 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36297	IP6, IP7, IP8, IP9 IP10, IP15, IP20, IP25	1.35




36496 Set 6 Pc. TORXPlus® T-handles Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Size	mm	lbs.
36496	IP10	100	IP25	150	1.01
	IP15	100	IP27	150	
	IP20	100	IP30	150	

TORXPlus®


For Improved Torque and Longer Tool Life



Not for use in standard Torx fasteners

361 TORXPlus® L-key, Short Arm
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36106	IP6	39	1.5	16	.6	.01	10
36107	IP7	42	1.7	16	.6	.01	10
36108	IP8	45	1.8	16	.6	.01	10
36109	IP9	48	1.9	16	.6	.01	10
36110	IP10	51	2.0	17	.7	.01	10
36115	IP15	55	2.2	19	.7	.01	10
36120	IP20	58	2.3	19	.7	.01	10
36125	IP25	63	2.5	21	.8	.01	10
36127	IP27	68	2.7	22	.9	.02	10
36130	IP30	73	2.9	24	.9	.03	10
36140	IP40	81	3.2	26	1.0	.05	10



Not for use in standard Torx fasteners

366 TORXPlus® L-key, Long Arm
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36606	IP6	64	2.5	14	.6	.01	10
36607	IP7	68	2.7	14	.6	.01	10
36608	IP8	74	2.9	15	.6	.01	10
36609	IP9	78	3.1	16	.6	.01	10
36610	IP10	83	3.3	18	.7	.01	10
36615	IP15	88	3.5	18	.7	.02	10
36620	IP20	94	3.7	18	.7	.02	10
36625	IP25	98	3.9	19	.7	.03	10
36627	IP27	107	4.2	23	.9	.05	10
36630	IP30	114	4.5	24	.9	.06	10
36640	IP40	118	4.6	27	1.0	.09	10




36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36197	.10	IP6, IP7, IP8, IP9, IP10, IP15, IP20



36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36690	.22	IP6, IP7, IP8, IP9, IP10, IP15, IP20



36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder


Item No.	lbs.	Set includes the following L-keys:
36199	.30	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40



36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder


Item No.	lbs.	Set includes the following L-keys:
36691	.35	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

MagicSpring TORX® Tools



371 MagicSpring Screw Holding TORX® L-key, Long Arm
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
37106	T6	14	.55	80	3.1	.001	10
37107	T7	16	.63	88	3.5	.002	10
37108	T8	18	.71	101	4.0	.003	10
37109	T9	19	.75	111	4.4	.005	10
37110	T10	21	.83	121	4.8	.007	10
37115	T15	22	.87	136	5.4	.009	10
37120	T20	25	.98	148	5.8	.01	10
37125	T25	28	1.1	163	6.4	.02	10
37127	T27	30	1.2	176	6.9	.03	10
37130	T30	34	1.3	191	7.5	.04	10
37140	T40	36	1.4	210	8.3	.07	10



37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder
Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
37190	.20	1



37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder
T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
37192	.35	1




Screw Holding TORX® Tools



Wiha MagicSpring TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®



Stainless Rotary Spring



Wiha-Chromtop finish on tips

Wiha-SoftFinish® handle, multi-component, cushion grips



Screw Holding



362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle

Round blade high alloy CVMm steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10

36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications



Stainless Rotary Spring



365 MagicSpring Screw Holding TORX® driver, With Wing Handle

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36556	T6	35	1.4	70	2.7	40	1.6	.01	10
36557	T7	35	1.4	70	2.7	40	1.6	.02	10
36558	T8	40	1.6	75	3.0	40	1.6	.02	10
36559	T9	40	1.6	75	3.0	40	1.6	.02	10
36560	T10	40	1.6	75	3.0	40	1.6	.02	10
36561	T15	45	1.8	80	3.1	40	1.6	.02	10
36562	T20	45	1.8	80	3.1	40	1.6	.02	10

Screw Holding Tools



26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Size	mm	lbs.
26798	T6	40	T9	50	.45
	T7	40	T10	50	
	T8	40	T15	60	



Screw Holding Tools



Stainless Rotary Spring

36598 MagicSpring Screw Holding TORX® Wing Handle Set, Pc. in Metal Stand

Equipped with T6, T7, T8, T9, T10, T15, T20 .36 lbs.

Each TorqueFix & TorqueVario has unique serial number and certificate of calibration

TorqueControl TorqueFix & TorqueVario Handles

Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort

Precise repeatability!

All TorqueVario tools are tested & comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M



TorqueVario models include torque setting adjustment tool and Micro Bit holder

+/-6% accuracy tolerance
Certificate of calibration



285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible & perceptible click when pre-set torque has been attained. Automatically resets for next torque cycle; 50% greater reverse torque.

Item No.	Pre-Sets	mm	Inch	lbs.	pkg.
28503	80 5	0.56	112 4.4	.16	1
28505	120 7.5	0.84	112 4.4	.15	1
28507	160 10	1.12	119 4.7	.28	1
28509	200 12.5	1.41	119 4.7	.27	1
28511	240 15	1.69	119 4.7	.27	1
28513	320 20	2.25	119 4.7	.28	1
28515	400 25	2.82	126 4.9	.37	1
28517	480 30	3.39	126 4.9	.37	1
28518	560 35	3.95	126 4.9	.37	1
28519	640 40	4.52	126 4.9	.37	1
28521	800 50	5.65	132 5.2	.52	1
28523	960 60	6.78	132 5.2	.52	1
28525	1120 70	7.91	132 5.2	.52	1

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario W/Direct

Reading Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Range	mm	lbs.
28501*	15 - 80(in/oz)	2.5 In.oz.	127 .22
28502	5 - 10	.5 In.lbs.	127 .41
28506	10 - 50	2 In.lbs.	138 .59
28508	20 - 70	2 In.lbs.	142 .74

*28501 +/- 10% (This unit only)

Item No.	Range	mm	lbs.
28404	5 - 18	.5 In.lbs.	131 .50
28408	18 - 62	2 In.lbs.	142 .74



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario-S Handle-

In Newton Meter Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergo molded multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Newton Meter Scale	mm	lbs.
28550*	0.1 - 0.6Nm	.02 Nm	127 .35
28551	0.4 - 1.0Nm	.05 Nm	127 .35
28552	0.5 - 2.0Nm	.10 Nm	131 .45
28553	0.8 - 5.0Nm	.20 Nm	138 .55
28655	2.0 - 7.0Nm	.25 Nm	142 .70

*28550 +/- 10% (This unit only)

“easy” Torque

- Audible Click At Torque
- Replaceable Blades
- +/- 10% Repeatability
- Improve Productivity
- Reduces Waste
- Controls Costs
- Save Time!



Each tool factory preset

Torque accuracy of +/- 10% to 5000 cycles

Economical Torque Control for tooling assembly and repair

Reverse torque is 50% greater for easy removal using same tool



292 easyTorque Screwdriver Handle

easyTorque value pre-set. Release accuracy +/- 10%. SoftFinish cushion grip handle for good power transfer. No Calibration Certificates

Item No.	Pre-Sets	mm	Inch	lbs.	pkg.
29205	4.4	0.5	130 5.1	.20	1
29206	5.3	0.6	130 5.1	.20	1
29209	8.0	0.9	130 5.1	.20	1
29211	9.7	1.1	130 5.1	.20	1
29212	10.6	1.2	130 5.1	.20	1
29214	12.4	1.4	130 5.1	.20	1
29220	17.7	2.0	130 5.1	.20	1
29225	22.1	2.5	130 5.1	.20	1
29230	26.6	3.0	130 5.1	.20	1
29238	33.6	3.8	130 5.1	.20	1
29241	35.4	4.0	130 5.1	.20	1
29245	39.8	4.5	130 5.1	.20	1
29251	44.2	5.0	130 5.1	.20	1

No Calibration Certificates

Wiha TorqueControl Adapters

Adapters For TorqueFix™ & TorqueVario™



28581 Bit Holder Adapter For 1/4" Drive

Bits Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28581	1/4	149	4.0	.09	1



28582 Square Drive Adapter For 1/4"

Sockets Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28582	1/4	145	4.0	.08	1



28583 Adapter Blade For 4mm MicroBits

Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28583	4.0	149	4.0	.09	1

TorqueControl Blades For easyTorque, TorqueFix & TorqueVario Handles



285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item	Hex	Max.			
No.	Inch	mm	lbs.	Nm	pkg.
28555	.050	175	.07	.4	1
28556	1/16	175	.07	.9	1
28557	5/64	175	.07	1.8	1
28558	3/32	175	.07	1.8	1
28559	7/64	175	.07	3.8	1
28560	1/8	175	.07	5.5	1
28587	9/64	175	.07	8.0	1
28588	5/32	175	.07	8.0	1



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario TORX® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item	TORX	Max.				
No.	Size	mm	mm	lbs.	Nm	pkg.
28561	T5	175	4.0	.07	0.4	1
28562	T6	175	4.0	.07	0.6	1
28563	T7	175	4.0	.07	0.9	1
28564	T8	175	4.0	.07	1.3	1
28565	T9	175	4.0	.07	2.5	1
28566	T10	175	4.0	.07	3.8	1
28567	T15	175	4.0	.07	5.5	1
28568	T20	175	4.0	.07	8.0	1
28569	T25	175	4.0	.07	8.0	1



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item	MagicSpring TORX	Max.				
No.	Size	mm	mm	lbs.	Nm	pkg.
28512	T6	175	4.0	.07	0.6	1
28527	T7	175	4.0	.07	0.9	1
28528	T8	175	4.0	.07	1.3	1
28529	T9	175	4.0	.07	2.5	1
28530	T10	175	4.0	.07	3.8	1
28531	T15	175	4.0	.07	5.5	1
28532	T20	175	4.0	.07	8.0	1
28533	T25	175	4.0	.07	8.0	1



285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item	Hex	Max.			
No.	mm	mm	lbs.	Nm	pkg.
28545	1.5	175	.07	0.9	1
28546	2.0	175	.07	1.8	1
28547	2.5	175	.07	3.8	1
28548	3.0	175	.07	5.5	1
28549	4.0	175	.07	8.0	1



285 TORXPlus® Blades For TorqueFix & TorqueVario TORXPlus® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item	TORXPlus	Max.				
No.	Size	mm	mm	lbs.	Nm	pkg.
28571	IP5	175	4.0	.07	0.5	1
28572	IP6	175	4.0	.07	0.8	1
28573	IP7	175	4.0	.07	1.3	1
28574	IP8	175	4.0	.07	2.0	1
28575	IP9	175	4.0	.07	3.0	1
28576	IP10	175	4.0	.07	4.5	1
28577	IP15	175	4.0	.07	6.6	1
28578	IP20	175	4.0	.07	8.0	1
28579	IP25	175	4.0	.07	8.0	1



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario High alloy CVM steel, hardened, satin hard chrome finish.

Item	MagicSpring TORXPlus	Max.				
No.	Size	mm	mm	lbs.	Nm	pkg.
28611	IP6	175	4.0	.07	0.8	1
28612	IP7	175	4.0	.07	1.3	1
28613	IP8	175	4.0	.07	2.0	1
28614	IP9	175	4.0	.07	3.0	1
28616	IP10	175	4.0	.07	4.5	1
28617	IP15	175	4.0	.07	6.6	1
28618	IP20	175	4.0	.07	8.0	1
28619	IP25	175	4.0	.07	8.0	1

*None of the blades featured on this page will function in a TorqueVario Insulated Handle

Wiha TorqueControl Sets



28599 14 Piece TorqueControl Set With TORX® & TORXPlus® Blades Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

Item	TORXPlus®	lbs.
No.	IP7, IP8, IP9, IP10, IP15, IP20	1.25
28599	TORX®: T7, T8, T9, T10, T15, T20	
	28506 - Handle Range 10 - 50 In/lbs.	

With Certificate of Calibration



28597 8 Pc. TorqueControl Set With TORX® Blades Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

Item	TORX®	lbs.
No.	T7, T8, T9, T10, T15, T20	1.01
28597	28506-Handle Range 10 - 50 In/lbs.	

With Certificate of Calibration



28598 8 Piece TorqueControl Set With TORXPlus® Blades Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

Item	TORXPlus®	lbs.
No.	IP7, IP8, IP9, IP10, IP15, IP20	1.00
28598	28506-Handle Range 10 - 50 In/lbs.	

With Certificate of Calibration

TorqueFix Wing Keys Handles & Blades

EN ISO 6798,
BS EN 26789, ASME
B107.14M

+/- 6% Accuracy

Includes Calibration
Certificate



283 TorqueFix Wing Handles

Audible & perceptible click when torque setting has been attained.

Item No.	Nm	mm	Inch	pkg.	lbs.
28349	0.5	68	2.7	1	.28
28351	0.6	68	2.7	1	.28
28352	0.9	68	2.7	1	.28
28353	1.1	68	2.7	1	.28
28354	1.2	68	2.7	1	.28
28355	1.4	68	2.7	1	.28
28356	2.0	68	2.7	1	.28
28357	2.5	68	2.7	1	.28
28358	3.0	68	2.7	1	.28
28359	3.8	68	2.7	1	.28
28360	4.0	68	2.7	1	.28



283 Hex Metric Blades For TorqueFix

Wing Handles CVM steel, through-hardened, titanium silver.

Item No.	Size	Max Nm	Inch	mm	lbs.	pkg.
28361	1.5	0.9	3.0	75	.03	1
28362	2.0	1.8	3.0	75	.03	1
28363	2.5	3.8	3.0	75	.03	1
28364	3.0	5.5	3.0	75	.03	1
28365	4.0	8.0	3.0	75	.03	1



283 TORX® Blades For TorqueFix

Wing Handles

Item No.	Size	Max Nm	Inch	pkg.	lbs.
28374	T6	0.6	3.0	1	.03
28375	T7	0.9	3.0	1	.03
28376	T8	1.3	3.0	1	.03
28377	T9	2.5	3.0	1	.03
28378	T10	3.8	3.0	1	.03
28379	T15	5.5	3.0	1	.03
28380	T20	8.0	3.0	1	.03
28381	T25	8.0	3.0	1	.03



283 TORXPlus® Blades For TorqueFix

Wing Handles

Item No.	Size	Max Nm	Inch	pkg.	lbs.
28382	IP6	0.8	3.0	1	.03
28383	IP7	1.3	3.0	1	.03
28384	IP8	2.0	3.0	1	.03
28385	IP9	3.0	3.0	1	.03
28386	IP10	4.5	3.0	1	.03
28387	IP15	6.6	3.0	1	.03
28388	IP20	8.0	3.0	1	.03
28389	IP25	8.0	3.0	1	.03

TorqueControl Adjustable iTorque Tools

With Certificate
of Calibration

52 Pc. Set



28891 52 Piece iTorque Bit Set, In Metal Storage Box Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable iTorque handle 60-210 in/oz. 40-150 Ncm, 50 insert bits & 1/4" bit holder.

Item No.	Slotted	Phillips	Hex Inch	Hex Metric	Pozidriv	Torq Set	Square	Triwing
28891	4.5, 5.5, 6.5, 8.0mm	#0, #1, #2, #3	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	#0, #1, #2, #3	#4, #5, #6, #8	#1, #2, #3	#0, #1, #2, #3, #4

iTorque Handle Range 60 - 210 Inch/oz.
28581 - 1/4" Bit Holder

With Certificate
of Calibration

52 Pc. Set



28892 52 Piece iTorque Bit Set, In Metal Storage Box Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable iTorque handle 7-26 in/lbs. 0.8-3.0 Nm, 50 insert bits & 1/4" bit holder.

Item No.	Slotted	Phillips	Hex Inch	Hex Metric	Pozidriv	Torq Set	Square	Triwing
28892	4.5, 5.5, 6.5, 8.0mm	#0, #1, #2, #3	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	#0, #1, #2, #3	#4, #5, #6, #8	#1, #2, #3	#0, #1, #2, #3, #4

iTorque Handle Range 7 - 26 Inch/lbs.
28581 - 1/4" Bit Holder

With Certificate
of Calibration

52 Pc. Set



28896 52 Pc. iTorque Bit Set, In Metal Storage Box Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable iTorque handle 9-50 in/lbs. 1.0-6.0 Nm, 50 insert bits & 1/4" bit holder.

Item No.	Slotted	Phillips	Hex Inch	Hex Metric	Pozidriv	Torq Set	Square	Triwing
28896	4.5, 5.5, 6.5, 8.0mm	#0, #1, #2, #3	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	#0, #1, #2, #3	#4, #5, #6, #8	#1, #2, #3	#0, #1, #2, #3, #4

iTorque Handle Range 9 - 45 Inch/lbs.
28581 - 1/4" Bit Holder



Wiha Maxiflex Hose System 1/4"

All components are in single unit package

34490	Maxiflex Starter Kit
2 Threaded Connectors 1/4" & 1/8" NPT	
3 Cylindrical Nozzles 1/16", 1/8", 7/32"	
22 Segments - 11". lbs. .17	
Item No.	OAL █ pkg.
34490	320mm/12.6" 1

34401	Bulk Segments
1/4" - 28 pc. segments. lbs. 2.38	
Item No.	OAL █ pkg.
34401	25.75 ft. 1

34402	Segments 1/4" - Pack with
22 segments 11". lbs. .08	
Item No.	OAL █ pkg.
34402	280mm/11.0" 1

34404	1/16" Nozzle
1/4" - Nozzle Ø 1.6mm - 1/16". lbs. .02	
Item No.	Dia. █ pkg.
34404	1.6mm/.620" 1

34406	1/8" Nozzle
1/4" - Nozzle Ø 3.2mm - 1/8". lbs. .02	
Item No.	Dia. █ pkg.
34406	3.2mm/.125" 1

34408	7/32" Nozzle
1/4" - Nozzle Ø 5.6mm - 7/32". lbs. .02	
Item No.	Dia. █ pkg.
34408	5.6mm/.22" 1

34410	Straight Flat Nozzle
1/4" - Flat Nozzle 24mm wide. lbs. .03	
Item No.	Width █ pkg.
34410	24mm/.94" 1


34412	Straight Multi Hole Nozzle
1/4" - Multi Hole Nozzle. lbs. .02	
Item No.	Width █ pkg.
34412	24mm/.94 1

34414	1/16" Nozzle 90° Bend
1/4"-Angular Nozzle Ø 1.6mm-1/16". lbs. .02	
Item No.	Dia. █ pkg.
34414	1.6mm/.620" 1

34416	1/8" Nozzle 90° Bend
1/4"-Angular Nozzle Ø 3.2mm-1/8". lbs. .02	
Item No.	Dia. █ pkg.
34416	3.2mm/.125" 1

34418	7/32" Nozzle 90° Bend
1/4"-Angular Nozzle Ø 5.6mm-7/32". lbs. .02	
Item No.	Dia. █ pkg.
34418	5.6mm/.22" 1

34420	Multi Hole Spray Bar
1/4"-Right Angle Multi Hole Nozzle. lbs. .02	
Item No.	Width █ pkg.
34420	24mm/.94" 1



7 Holes
.060 Hole Diameter

7 Holes
.078 Hole Diameter

34432	Adapter for LcLn-1/4"
Item No.	OAL █ pkg. lbs.
34432	7x2mm 1 .02

34434	Male Double End Segment
Item No.	Size █ pkg. lbs.
34434	1/4" 1 .02

34436	Female Double End Segment
Item No.	Size █ pkg. lbs.
34436	1/4" 1 .02

34422	BSPT Threaded Connector 1/8"
lbs. .03	
Item No.	Size █ pkg.
34422	1/8" 1

34424	BSPT Threaded Connector 1/4"
lbs. .03	
Item No.	Size █ pkg.
34424	1/4" 1

34426	NPT Threaded Connector NPT 1/8"
lbs. .02	
Item No.	Size █ pkg.
34426	1/8" 1

34428	NPT Threaded Connector NPT 1/4"
lbs. .02	
Item No.	Size █ pkg.
34428	1/4" 1

34430	1/4" Y-Junction
lbs. .02	
Item No.	Size █ pkg.
34430	1/4" 1

34438	In Line Valve
lbs. .03	
Item No.	Size █ pkg.
34438	1/4" 1


34440	Segment Clip
lbs. .02	
Item No.	Size █ pkg.
34440	1/4" 1


34442	Separation Wedge
lbs. .06	
Item No.	Size █ pkg.
34442	1/4" 1


34444	Assembly Pliers
lbs. .38	
Item No.	Size █ pkg.
34444	1/4" 1





Wiha Maxiflex Hose System 1/2"


34090	Maxiflex Starter Kit
2 Threaded Connectors 1/2" & 3/8" NPT Straight, 90° Bend & Multi Hole Nozzles 12 Segments - 12.6" lbs. .30	
Item No.	OAL  pkg.
34090	320mm/12.6" 1


34001	Bulk Segments 1/2"
28 pc. segments lbs. 5.71	
Item No.	OAL  pkg.
34001	25.75 ft. 1


34000	Segments 1/2"
Pack with 12 segments 11" lbs. .21	
Item No.	OAL  pkg.
34000	279mm/11" 1


34046	1/2" Pipe Segment lbs. .06
Item No.	OAL  pkg.
34046	4.75" 1


34048	1/2" Segment Clamp
Including Screws lbs. .08	
Item No.	 pkg.
34048	1


34002	1/2" Straight Nozzle
1/2" - Nozzles Ø 10mm lbs. .03	
Item No.	Dia.  pkg.
34002	10mm/.393" 1


34008	Straight Multi Hole Nozzle
1/2"-Multi Hole Nozzle lbs. .04	
Item No.	Width  pkg.
34008	30mm/1.2" 1

34004	Straight Flat Nozzle
1/2" - Flat Nozzle 30mm wide lbs. .04	
Item No.	Width  pkg.
34004	30mm/1.2" 1

34006	Straight Flat Nozzle
1/2" - Flat Nozzle 60mm wide lbs. .05	
Item No.	Width  pkg.
34006	60mm/2.4" 1

34012	Nozzle 90° Bend
1/2" - Angular Nozzle Ø 7mm lbs. .03	
Item No.	Dia.  pkg.
34012	7mm/.275" 1

34010	Nozzle 90° Bend
1/2" - Angular Nozzle Ø 10mm lbs. .03	
Item No.	Dia.  pkg.
34010	10mm/.393" 1


34014	Multi Hole Angular Nozzle
1/2" Right Angle Side Spray Nozzle lbs. .04	
Item No.	Width  pkg.
34014	45mm/1.7" 1





6 Holes
.118 Hole Diameter


8 Holes
.125 Hole Diameter


All components are in single unit package

34028	Reducer Adapter 1/2" to 1/4"
Item No.	Size lbs.  pkg.
34028	1/2" .03 1


34030	Adapter - 1/2" LcLn
Item No.	Size lbs.  pkg.
34030	1/2" .04 1

34034	Female Double End Segment
Item No.	Size lbs.  pkg.
34034	1/2" .04 1


34036	Male Double End Segment
Item No.	Size lbs.  pkg.
34036	1/2" .04 1


34016	BSPT Threaded Connector
3/8" lbs. .03	
Item No.	Size  pkg.
34016	1/8" 1


34018	BSPT Threaded Connector
1/2" lbs. .03	
Item No.	Size  pkg.
34018	1/4" 1


34020	NPT Threaded Connector
NPT 3/8" lbs. .03	
Item No.	Size  pkg.
34020	1/8" 1


34022	NPT Threaded Connector
NPT 1/2" lbs. .03	
Item No.	Size  pkg.
34022	1/4" 1


34024	Y-Junction lbs. .05
Item No.	Size  pkg.
34024	1/2" 1

34026	Y Reducer Junction 1/2"-1/4"
Item No.	Size lbs.  pkg.
34026	1/2" .05 1

34038	In Line Valve lbs. .07
Item No.	Size  pkg.
34038	1/2" 1

34040	Segment Clip lbs. .03
Item No.	Size  pkg.
34040	1/2" 1

34042	Separation Wedge lbs. .15
Item No.	Size  pkg.
34042	1/2" 1

34044	Assembly Pliers lbs. .42
Item No.	Size  pkg.
34044	1/2" 1



Dead Blow & Sledge Hammers




802 **Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.**

Preserves sensitive surfaces & edges, increases striking power & avoid hand fatigue.

Application: Machine tools & gear box construction, sheet metal & repair shops.

Faces polyurethane, shatterproof, wear resistant, extremely durable Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80225	25	1.0	106	4.2	288	11.3	18	1
80230	30	1.2	115	4.5	290	11.4	21	1
80235	35	1.4	118	4.6	300	11.8	24	1
80240	40	1.6	125	4.9	305	12.0	30	1
80245	45	1.8	130	5.1	310	12.2	37	1
80250	50	2.0	130	5.1	365	14.4	49	1
80260	60	2.3	156	6.1	375	14.7	72	1
80270	70	2.8	161	6.3	385	15.1	97	1



Medium Hard Faces



800 **Dead Blow, Hickory Handle, Recoilless, Polyurethane Face** Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



Medium Hard Faces

802 **Dead Blow Sledge, Recoilless, Polyurethane Face, Hickory Handle**

Application: Tools, engineering gear box construction, Sheet metal & repair shops, heavy industry. Polyurethane, shatterproof faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1



Medium Hard Faces

802 **Replacement Hammer Faces**

Item No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



Medium Hard Faces

80290 **3 Pc. Dead Blow Hammer Set**

Item No.	mm	Inch	lbs.
80290	80230	30	6.35
	80240	40	
	80250	50	




For 800 & 802 Hammers

Medium Hard Faces

802 **Replacement Hammer Faces**

Item No.	mm	Inch	lbs.	pkg.
80200	25	1.0	.04	1
80202	30	1.2	.04	1
80204	35	1.4	.05	1
80206	40	1.6	.08	1
80208	45	1.8	.12	1
80210	50	2.0	.16	1
80213	60	2.3	.29	1
80216	70	2.8	.39	1



For Dead Blow Hammers

800 **Hickory Replacement Handles**

Item No.	Fits Hammer	lbs.	pkg.
80071	80025 25mm	.11	1
80072	80030/80035 30/35mm	.19	1
80074	80040/80045 40/45mm	.29	1
80076	80050 50mm	.38	1
80078	80060/80070 60/70mm	.44	1
80079	80280 80mm	1.76	1
80081	80299 100mm	2.31	1




Extra Hard Nylon

802 **Replacement Hammer Faces**

Item No.	mm	Inch	lbs.	pkg.
80203	30	1.2	.04	1
80207	40	1.6	.04	1
80211	50	2.0	.05	1
80214	60	2.3	.07	1


Heavy Duty Split Head Mallets



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



832 Malleable Cast Iron Split Head Mallets With Hickory Handle

Safety ribbed housings for handle & faces. Sturdy Hickory Handles. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable.  Pkg. 1

Item	↓ ●	↑ ●	↔	↔	↔	
No.	mm	Inch	Faces	mm	Inch	lbs.
83230	30	1.2	Hard/Soft	260	10.2	10.6oz
83240	40	1.5	Hard/Soft	280	11.0	1.4
83250	50	2.0	Hard/Soft	310	12.2	2.4
83260	60	2.4	Hard/Soft	340	13.3	3.7
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5

832 Malleable Cast Iron Split Head Sledge Hammer W/Hickory Handle  Pkg. 1

Item	↓ ●	↑ ●	↔	↔	↔	
No.	mm	Inch	Faces	mm	Inch	lbs.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6




833 Replacement Square Hammer Faces

Item	↓ ●	↑ ●	↔	↔	↔
No.		mm	Inch	lbs.	pkg.
83346	Soft-Blue	40	1.57	.10	1
83347	Med.Hard-yellow	40	1.57	.14	1



832 Color Coded Faces For Heavy Duty Split Head Mallets - 80mm Diameter (3.1")

Mallet Faces.  Pkg. 1

Item	↓ ●	↑ ●	Shore	Color	↔	↔
No.	mm	Type	Hardness	Material	Code	lbs.
83282	80	MedSoft	45-D	Latex Rubber	Black	.90
83285	80	X-Hard	80-D	Nylon	White	.88




832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ●	↑ ●	Shore			Color	↔	↔
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	.15	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	.15	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	.15	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	.15	1
83235	30	1.2	X-Hard	80-D	Nylon	White	.15	1




832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ●	↑ ●	Shore			Color	↔	↔
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ●	↑ ●	Shore			Color	↔	↔
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



832 Color Coded Faces For Heavy Duty Split Head Mallets

Item	↓ ●	↑ ●	Shore			Color	↔	↔
No.	mm	Inch	Type	Hardness	Material	Code	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
20756	16	28485	22	28581	29	34000	33	35144	13	35236	14
20757	16	28488	12	28582	29	34001	33	35145	13	35237	13
20758	16	28487	12,22	28583	29	34002	33	35146	13	35238	14
20759	16	28501	29	28587	30	34004	33	35147	13	35239	13
20760	16	28502	29	28588	30	34006	33	35150	13	35240	14
20799	16	28503	29	28597	30	34008	33	35153	13	35241	13
26798	28	28505	29	28598	30	34010	33	35155	13	35242	14
28116	12	28506	29	28599	30	34012	33	35156	13	35243	13
28117	12	28507	29	28655	29	34014	33	35159	13	35244	14
28118	12	28508	29	28611	30	34016	33	35162	13	35245	14
28119	12	28509	29	28612	30	34018	33	35165	13	35246	14
28120	12	28511	29	28613	30	34020	33	35168	13	35247	14
28122	12	28512	30	28614	30	34022	33	35171	13	35248	14
28123	12	28513	29	28616	30	34024	33	35174	13	35249	14
28124	12	28515	29	28617	30	34026	33	35175	13	35250	14
28126	22	28517	29	28618	30	34028	33	35176	13	35251	13
28127	22	28518	29	28619	30	34030	33	35177	13	35252	13
28128	22	28519	29	28891	31	34034	33	35178	13	35253	13
28129	22	28521	29	28892	31	34036	33	35179	13	35254	13
28130	22	28523	29	28896	31	34038	33	35180	13	35255	13
28149	12	28525	29	29205	29	34040	33	35191	13	35256	13
28150	12	28527	30	29206	29	34042	33	35192	13	35257	13
28151	12	28528	30	29209	29	34044	33	35193	13	35258	13
28189	12	28529	30	29211	29	34046	33	35194	13	35259	13
28199	22	28530	30	29212	29	34048	33	35195	12	35260	14
28349	31	28531	30	29214	29	34090	33	35196	12	35261	13
28351	31	28532	30	29220	29	34401	32	35197	12	35270	14
28352	31	28533	30	29225	29	34402	32	35198	12	35280	14
28353	31	28545	30	29230	29	34404	32	35200	14	35282	14
28354	31	28546	30	29238	29	34406	32	35201	13	35284	14
28355	31	28547	30	29241	29	34408	32	35202	13	35285	14
28356	31	28548	30	29245	29	34410	32	35203	14	35286	14
28357	31	28549	30	29251	29	34412	32	35204	13	35288	14
28358	31	28550	29	33418	11	34414	32	35205	14	35290	14
28359	31	28551	29	33420	11	34416	32	35206	13	35291	14
28360	31	28552	29	33422	11	34418	32	35208	13	35295	13
28361	31	28553	29	33424	11	34420	32	35210	13	35297	13
28362	31	28555	30	33426	11	34422	32	35211	13	35299	13
28363	31	28556	30	33428	11	34424	32	35212	13	35301	14
28364	31	28557	30	33430	11	34426	32	35213	14	35302	14
28365	31	28558	30	33432	11	34428	32	35214	13	35303	14
28374	31	28559	30	33433	11	34430	32	35215	14	35304	14
28375	31	28560	30	33439	11	34432	32	35216	14	35305	14
28376	31	28561	30	33440	11	34434	32	35217	13	35306	14
28377	31	28562	30	33442	10	34436	32	35218	14	35307	14
28378	31	28563	30	33444	10	34438	32	35219	13	35308	14
28379	31	28564	30	33446	10	34440	32	35220	14	35309	14
28380	31	28565	30	33448	10	34442	32	35221	13	35310	14
28381	31	28566	30	33450	10	34444	32	35222	14	35311	14
28382	31	28567	30	33452	10	34490	32	35223	13	35312	14
28383	31	28568	30	33454	10	35104	13	35224	14	35313	14
28384	31	28569	30	33458	10	35108	13	35225	14	35314	14
28385	31	28571	30	33484	9	35112	13	35226	14	35316	14
28386	31	28572	30	33488	9	35116	13	35227	13	35317	14
28387	31	28573	30	33489	10	35120	13	35228	14	35318	14
28388	31	28574	30	33492	9	35124	13	35230	14	35319	14
28389	31	28575	30	33493	9	35128	13	35231	13	35320	14
28404	29	28576	30	33494	11	35132	13	35232	14	35321	14
28408	29	28577	30	33496	10	35136	13	35233	13	35330	14
28474	12	28578	30	33498	11	35140	13	35234	14	35331	14
28476	12	28579	30	33499	11	35143	13	35235	13	35332	14

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
35333	14	36249	28	36430	17	36559	28	36904	6	36974	5
35335	14	36252	26	36432	17	36560	28	36905	7	36975	5
35336	14	36253	26	36435	17	36561	28	36906	7	36976	5
35337	14	36254	28	36437	17	36562	28	36907	7	36977	5
35338	14	36255	26	36440	17	36590	18	36908	6	36978	5
35339	14	36256	28	36442	17	36591	18	36909	7	36979	5
35340	14	36257	28	36445	17	36592	25	36910	7	36980	5
35341	14	36258	28	36450	17	36598	28	36912	6	36981	5
35342	14	36262	26	36452	17	36606	27	36916	6	36982	5
35343	14	36263	26	36461	26	36607	27	36920	6	36983	5
35345	14	36264	19	36463	26	36608	27	36923	7	36985	5
35346	14	36265	26	36466	26	36609	27	36924	6	36986	5
35347	14	36266	19	36469	26	36610	27	36925	7	36987	5
35348	14	36267	19	36472	26	36615	27	36926	7	36988	5
35390	14	36268	19	36474	26	36620	27	36927	7	36989	7
35391	14	36270	19	36476	26	36625	27	36928	6	36990	6
35392	14	36274	19	36478	26	36627	27	36929	7	36991	7
35393	14	36276	19	36480	17	36630	27	36930	7	36992	6
36106	27	36278	19	36481	17	36631	24	36931	7	36993	7
36107	27	36280	19	36482	17	36632	24	36932	7	36995	6
36108	27	36282	19	36483	17	36633	24	36933	7	36996	8
36109	27	36284	19	36484	17	36634	24	36934	7	36997	8
36110	27	36286	19	36486	17	36635	24	36935	7	36998	6
36115	27	36288	19	36487	17	36636	24	36936	6	36999	7
36120	27	36290	28	36490	17	36637	24	36937	7	37005	18
36125	27	36291	19	36492	17	36638	24	36938	7	37006	18
36127	27	36292	21	36494	17	36639	24	36939	7	37007	18
36130	27	36293	21	36496	26	36640	27	36944	6	37008	18
36140	27	36294	19	36497	17	36645	16	36911	5	37009	18
36197	27	36296	26	36511	18	36646	16	36913	5	37010	18
36199	27	36299	26	36513	18	36647	16	36914	5	37011	18
36201	19	36305	16	36514	18	36648	16	36916	5	37012	18
36202	28	36306	16	36516	18	36649	16	36917	5	37014	25
36203	28	36307	16	36517	18	36650	16	36918	5	37015	25
36207	28	36308	16	36518	18	36651	16	36919	5	37017	25
36211	26	36309	16	36519	18	36652	16	36921	5	37018	25
36214	26	36310	16	36521	18	36653	16	36922	5	37021	25
36216	24	36315	16	36522	18	36654	16	36945	7	37023	25
36217	24	36320	16	36523	18	36655	16	36946	7	37024	25
36221	24	36325	16	36524	25	36659	16	36947	7	37027	25
36222	24	36327	16	36526	25	36660	16	36949	6	37055	18
36223	26	36330	16	36527	25	36661	16	36950	7	37056	18
36226	24	36340	16	36528	25	36689	24	36951	6	37057	18
36227	24	36345	16	36529	25	36690	27	36952	7	37058	18
36228	26	36350	16	36531	25	36691	27	36953	7	37059	18
36229	26	36355	16	36532	25	36692	24	36954	6	37060	18
36231	26	36360	16	36533	25	36693	22	36955	7	37061	18
36232	26	36390	16	36534	18	36694	16	36956	7	37062	18
36233	26	36392	16	36536	18	36696	7	36957	6	37063	25
36234	28	36394	16	36537	18	36697	25	36958	6	37064	25
36236	24	36396	22	36538	18	36698	16	36959	7	37065	25
36237	24	36398	22	36539	25	36699	16	36960	6	37066	25
36238	26	36399	16	36541	25	36790	9	36961	6	37067	25
36239	26	36409	17	36543	25	36791	9	36962	7	37068	25
36241	26	36410	17	36545	25	36792	9	36963	6	37069	25
36242	26	36415	17	36547	25	36793	9	36965	7	37070	25
36243	26	36417	17	36549	25	36794	9	36966	7	37090	18
36244	28	36420	17	36551	25	36900	7	36968	7	37091	18
36246	26	36422	17	36553	25	36901	7	36971	7	37092	25
36247	26	36425	17	36556	28	36902	7	36972	5	37106	27
36248	26	36427	17	36557	28	36903	7	36973	5	37107	27

37108	27	54002	10	66920	4	71505	23	77109	23	80290	34
37109	27	54003	10	66922	6	71506	23	77111	23	80299	34
37110	27	54004	10	66924	4	71507	23	77113	23	83221	36
37115	27	54005	10	66926	6	71508	23	77115	23	83222	36
37120	27	54006	10	66928	4	71509	23	77117	23	83223	36
37125	27	54007	10	66930	6	71510	23	77151	23	83224	36
37127	27	54008	10	66936	4	71515	23	77152	23	83225	36
37130	27	54009	10	66937	6	71520	23	77153	23	83226	36
37140	27	54010	10	66938	6	71523	23	77154	23	83230	35
37190	27	54012	8	66944	4	71524	23	77156	23	83231	35
37192	27	54014	8	66945	4	71525	23	77158	23	83233	35
45504	21	54016	8	66946	4	71527	23	77160	23	83234	35
45505	20	54018	8	66947	4	71530	23	77162	23	83235	35
45506	20	54020	10	66950	4	71540	23	77164	23	83238	36
45507	21	54022	8	66952	4	71603	23	77191	15	83240	35
45508	21	54024	8	66953	4	71604	23	77192	15	83241	35
45509	21	54025	10	66955	4	71605	23	77193	23	83242	35
45510	21	54030	10	66956	4	71606	23	77195	23	83243	35
45511	20	54040	8	66959	4	71607	23	77198	15	83244	35
45515	21	54042	10	66962	4	71608	23	80025	34	83245	35
45516	20	54050	8	66965	4	71609	23	80030	34	83248	36
45520	21	54052	10	66968	4	71610	23	80035	34	83250	35
45521	20	54060	8	66971	4	71615	23	80040	34	83251	35
45522	20	54062	10	66982	4	71620	23	80045	34	83252	35
45525	21	54080	8	66988	4	71625	23	80050	34	83253	35
45526	20	54082	10	66990	4	71627	23	80060	34	83254	35
45527	21	54086	8	66991	4	71630	23	80070	34	83255	35
45530	21	54088	10	66992	4	71640	23	80071	34	83258	36
45531	20	54090	8	66993	6	71698	23	80072	34	83260	35
45536	20	54091	8	66994	6	71789	15	80074	34	83261	35
45540	21	54092	10	66995	6	71797	15	80076	34	83262	35
45541	20	54094	10	66996	4	71798	15	80078	34	83263	35
45545	21	54095	10	66997	8	71996	15	80079	34	83264	35
45546	20	54097	10	66998	6	71999	15	80081	34	83265	35
45550	21	56901	5	71303	15	72014	23	80200	34	83268	36
45551	20	56902	5	71306	15	72038	23	80202	34	83273	36
45556	20	56903	5	71308	15	74505	24	80203	34	83274	36
45561	20	56904	5	71309	15	74520	24	80204	34	83275	36
45589	20	56905	5	71312	15	74522	24	80206	34	83276	36
45591	20	56906	5	71315	15	74524	24	80207	34	83277	36
45592	20	56907	5	71318	15	74526	24	80208	34	83279	36
45593	21	56908	5	71321	15	74528	24	80210	34	83280	35
45595	21	56909	5	71324	15	74532	24	80211	34	83282	35
45597	21	56910	5	71326	15	74534	24	80213	34	83285	35
45598	21	56911	5	71328	15	74537	24	80214	34	83288	36
46793	11	56912	5	71329	15	74539	24	80216	34	83289	35
46794	11	56913	5	71330	15	74541	24	80219	34	83290	36
46796	11	56914	5	71333	15	74543	24	80222	34	83295	36
46797	11	56915	5	71336	15	74545	24	80225	34	83346	35
46799	11	56916	5	71339	15	74547	24	80230	34	83347	35
52711	20	56917	5	71342	15	74549	24	80235	34		
52713	20	56918	5	71345	15	74550	24	80240	34		
52716	20	56919	5	71348	15	76191	23	80245	34		
52719	20	56920	5	71351	15	76194	23	80250	34		
52722	20	56921	5	71353	15	76395	23	80260	34		
52726	20	56922	5	71356	15	76396	23	80270	34		
52729	20	66904	4,6	71391	15	76490	23	80280	34		
52732	20	66908	4,6	71392	15	77101	23				
52790	20	66912	4,6	71393	15	77103	23				
52791	20	66918	6	71394	15	77105	23				
54001	10	66916	4	71398	15	77107	23				

Prop65 WARNING: This product could expose you to Chrome 6, DEHP & Phthalates. These chemicals are known to the state of California to cause cancer. For more information go to www.P65warnings.ca.gov/

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.

wiha 
Tools that work for you



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 91330.wo
version - 2/1/18

Subject to change
without notice

©2018 Willi Hahn Corporation

To:




99934.wo - Hex Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:

Click to view products by [Wiha](#) manufacturer:

Other Similar products are found below :

[272012M](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [323451-000](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [00-8987-YWPP](#) [TS-35](#) [32024](#) [XW4Z-00B](#)
[49-22-4073](#) [96025](#) [96030](#) [96560](#) [96430](#) [31830](#) [92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [72820](#) [96520](#) [92040](#) [96416](#) [96570](#) [72823](#) [96525](#) [96720](#)
[31832](#) [92020](#) [96523](#) [96510](#) [96427](#) [92073](#) [92052](#) [72905](#) [72741](#) [72663](#) [32061](#) [30751](#) [130203/TA](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#)
[612020B](#) [35-045](#) [6951](#) [83](#) [9058](#) [9977](#) [EMF](#)